

PATENT APPLICATION

RECOMBINANT CHALCOMYCIN POLYKETIDE SYNTHASE AND MODIFYING GENES

STATEMENT OF GOVERNMENT INTEREST

[0001] Subject matter disclosed in this application was made, in part, with government support under NIH Grant No. R43 CA AI50305. As such, the United States government may have certain rights in this invention.

CROSS-REFERENCE TO RELATED APPLICATIONS

[0002] The present application claims benefit of U.S. provisional patent application nos. 60/405,194 (filed 21 August 2002); 60/420,994 (filed 24 October 2002); and 60/493,966 (filed 8 August 2003) each of which is incorporated herein by reference in its entirety.

FIELD OF THE INVENTION

[0003] The invention relates to recombinant polynucleotides that encode polypeptides or domains of the chalcomycin polyketide synthase gene cluster. Accordingly, the present invention is directed to the production of chalcomycin PKS enzymes, to polynucleotides that encode such enzymes, and to host cells that contain such polynucleotides. Further enhancements in the biological activities of chalcomycin and other polyketides, through production of derivatives thereof, is also made possible according to the practice of the invention by providing P450 hydroxylases that provide attachment points on the polyketide molecule for further modifications. Thus the present invention relates to the fields of molecular biology, chemistry, recombinant DNA technology, medicine, animal health, and agriculture.

BACKGROUND OF THE INVENTION

[0004] Polyketides represent a large family of diverse compounds synthesized from 2 carbon units through a series of condensations and subsequent modifications. Polyketides occur in many types of organisms including fungi and mycelial bacteria, in particular the actinomycetes. An appreciation for the wide variety of polyketide structures and for their biological activities,

may be gained upon review of the extensive art, for example, published PCT Patent Publication WO 95/08548 and United States Patent Nos. 5,672,491 and 6,303,342

[0005] Polyketides are synthesized in nature by polyketide synthases ("PKS"). The Type I or modular PKS comprise a set of separate catalytic active sites; each active site is termed a "domain", and a set thereof is termed a "module". One module exists for each cycle of carbon chain elongation and modification. Figure 9 of aforementioned WO95/08548 depicts a typical Type I PKS, in this case 6-deoxyerythronolide B synthase ("DEBS"), which is involved in the production of erythromycin. Six separate modules, each catalyzing a round of condensation and modification of a 2-carbon unit, are present in DEBS. The number and type of catalytic domains that are present in each module varies based on the needed chemistry, and the total of 6 modules is provided on 3 separate polypeptides (designated DEBS-1, DEBS-2, and DEBS-3, with 2 modules per each polypeptide). Each of the DEBS polypeptides is encoded by a separate open reading frame (gene), see Caffrey *et al.*, *FEBS Letters*, 304, pp. 205, 1992. DEBS provides a representative example of a Type I PKS. In DEBS, modules 1 and 2 reside on DEBS-1, modules 3 and 4 on DEBS-2, and modules 5 and 6 on DEBS-3, wherein module 1 is defined as the first module to act on the growing polyketide backbone, and module 6 the last.


[0006] The minimal PKS module is typified by module 3 of DEBS which contains a ketosynthase ("KS") domain, an acyltransferase ("AT") domain, and an acyl carrier protein ("ACP") domain. These three enzyme activities are sufficient to activate a 2-carbon extender unit and attach it to the growing polyketide molecule. Additional domains that may be included in a module relate to reactions other than the actual condensation, and include domains for a ketoreductase activity ("KR"), a dehydratase activity ("DH"), and an enoylreductase activity ("ER"). With respect to DEBS-1, the first module thereof also contains an additional set of the AT and ACP activities because that module catalyzes initial condensation, and so begins with a "loading domain" (sometimes referred to as a loading module) that contains an AT and ACP, that bind the starter unit. The "finishing" of the 6-deoxyerythronolide molecule is regulated by a thioesterase activity ("TE") in module 6 that catalyzes cyclization of the macrolide ring during release of the product of the PKS.

[0007] PKS genes can be engineered in a variety of ways to achieve biosynthesis of polyketides. For instance, PKS genes can be inserted into a heterologous host to make a polyketide in a host that does not make it naturally. Polyketides can also be made by hybrid or

otherwise altered PKSs or polyketide biosynthetic gene clusters. Also, polyketides can be overproduced by increasing the pools of available starting polyketide biosynthetic precursors and by other means. See U.S. Pat. Nos. 5,672,491; 5,962,290; 6,080,555; 6,391,594; and 6,221,641 and PCT Patent Publications 00/47724, 01/27306, and 01/31035.

[0008] Chalomycin is a 16-membered macrolide antibiotic produced by some strains of *Streptomyces bikiniensis* and possesses a broad spectrum of antimicrobial activity. Certain naturally occurring derivatives of chalomycin produced by other *Streptomyces* organisms also have antimicrobial activity. For instance, the 8-deoxy chalomycin derivative produced by *Streptomyces hirsutus* has antimicrobial activity against gram-positive bacteria. Chalomycin has two modifying sugar molecules, D-mycinose and D-chalcose, the former being subject to post-glycosylation modification by O-methylation at two positions. For additional information regarding chalomycin, see Woo, P.W.K. *et al.*, *J.A.C.S.*, 1962, 84, 1512; 1964, 86, 2724; 2726; Celmer, W.D., *J.A.C.S.*, 1965, 87, 1801; Omura, S. *et al.*, *J.A.C.S.*, 1975, 97, 4001; Neszmelyi, A. *et al.*, *Chem. Comm.*, 1976, 97; Jardim, M.E. *et al.*, *Int. J. Mass Spectrom. Ion Phys.*, 1983, 48, 189; Hauske, J.R. *et al.*, *J.O.C.*, 1986, 51, 2808; Kim, S.D. *et al.*, *J. Antibiot.*, 1996, 49, 955; Woo, P.W.K. *et al.*, *Tetrahedron*, 1996, 52, 3857 and Goo, Y.M. *et al.*, *J. Antibiot.*, 1997, 50, 85.

[0009] The chemical structure of chalomycin, shown without stereochemistry, is provided by formula I below.



Formula I

[0010] Chalomycin is synthesized by a Type I or modular PKS and modification enzymes. Post-PKS modification reactions include P450 oxidation at three sites to add hydroxyl groups

and glycosylation at the C5 hydroxyl to add D-challose, and at the C20 hydroxyl to add allose, which is then methylated at two positions to yield D-mycinose.

[0011] There is a need for recombinant nucleic acids, host cells, and methods of using those host cells to produce polyketides including but not limited to chalcomycin and chalcomycin analogs. These and other needs are met by the materials and methods provided by the present invention.

SUMMARY OF THE INVENTION

[0012] The present invention provides recombinant nucleic acids encoding polyketide synthases and polyketide modification enzymes. The recombinant nucleic acids of the invention are useful in the production of polyketides, including but not limited to chalcomycin and chalcomycin analogs and derivatives in recombinant host cells. The biosynthesis of chalcomycin is performed by a modular PKS and polyketide modification enzymes. The chalcomycin synthase is made up of several proteins, each having one or more modules. The modules have domains with specific synthetic functions.

[0013] The present invention also provides domains and modules of the chalcomycin PKS and corresponding nucleic acid sequences encoding them and/or parts thereof. Such compounds are useful in the production of hybrid PKS enzymes and the recombinant genes that encode them.

[0014] The present invention also provides modifying genes of chalcomycin biosynthetic gene cluster in recombinant form, including but not limited to isolated form and incorporated into a vector or the chromosomal DNA of a host cell. The present invention also provides recombinant P450 hydroxylases that provide hydroxyl attachment points useful for further chemical modification. The P450 hydroxylases of the present invention include ChmHI, ChmPI and ChmPII hydroxylases.

[0015] The present invention also provides recombinant host cells that contain the nucleic acids of the invention. In one embodiment, the host cell provided by the invention is a *Streptomyces* host cell that produces a chalcomycin modification enzyme and/or a domain, module, or protein of the chalcomycin PKS. Methods for the genetic manipulation of *Streptomyces* are described in Kieser *et al*, "Practical Streptomyces Genetics," The John Innes Foundation, Norwich (2000), which is incorporated herein by reference in its entirety.

[0016] Accordingly, there is provided a recombinant PKS wherein at least 10, 15, 20, or more consecutive amino acids in one or more domains of one or more modules thereof are derived from one or more domains of one or more modules of chalcomycin polyketide synthase. Preferably at least an entire domain of a module of chalcomycin synthase is included. Representative chalcomycin PKS domains useful in this aspect of the invention include, for example, KR, DH, ER, AT, ACP and KS domains. In one embodiment of the invention, the PKS is assembled from polypeptides encoded by DNA molecules that comprise coding sequences for PKS domains, wherein at least one encoded domain corresponds to a domain of chalcomycin PKS. In such DNA molecules, the coding sequences are operably linked to control sequences so that expression therefrom in host cells is effective. In this manner, chalcomycin PKS coding sequences or modules and/or domains can be made to encode PKS to biosynthesize compounds having antibiotic or other useful bioactivity other than chalcomycin.

[0017] These and other aspects of the present invention are described in more detail in the Detailed Description of the Invention, below.

BRIEF DESCRIPTION OF THE DRAWINGS

[0018] Figure 1 illustrates the structure of the chalcomycin PKS biosynthetic gene cluster, and cosmids pKOS146.185.1 and pKOS146.185.10, which contain insert DNA encompassing the chalcomycin PKS gene cluster and associated modification enzyme genes. Abbreviations: ACP, acyl carrier protein; *chm*, chalcomycin gene; Orf, open reading frame.

[0019] Figure 2 shows proposed pathways for post-PKS modification of the chalcomycin-spiramycin hybrid PKS macrolide product.

DETAILED DESCRIPTION OF THE INVENTION

[0020] The invention provides recombinant materials for the production of polyketides. In an aspect, the present invention provides recombinant nucleic acids encoding polyketide synthases that contain all or a portion of the chalcomycin PKS. The biosynthesis of chalcomycin is performed by a modular PKS and modification enzymes. The chalcomycin synthase is made up of five proteins, each having one or more modules, each module comprising domains with specific synthetic functions. Thus, the present invention also provides the domains and modules

of the chalcomycin PKS and corresponding nucleic acid sequences encoding them in recombinant form.

[0021] Modifying genes of the chalcomycin biosynthetic gene cluster are also provided, including but not limited to the genes for the ChmHI, ChmPI and ChmPII P450 hydroxylases that provide hydroxyl attachment points useful for further chemical modification.

[0022] Methods and host cells for using these genes to produce or modify a polyketide in recombinant host cells are also provided.

[0023] The nucleotide sequences encoding chalcomycin PKS and modifying proteins of the present invention were isolated from *Streptomyces bikiniensis* NRRL 2737 (obtained from the Agricultural Research Service Culture Collection, National Center for Agricultural Utilization Research, Peoria, Illinois USA). The chalcomycin PKS gene cluster and modifying genes are contained in cosmids pKOS 146.185.1 and pKOS146.185.10. The cloning and characterization of the chalcomycin PKS gene cluster is described in Example 1, *infra*. pKOS146-185.1 was deposited under the terms of the Budapest Treaty with the American Type Culture Collection, 10801 University Blvd., Manassas, VA, 20110-2209, on 19 February 2003, with accession number PTA-4961. pKOS146-185.10 was deposited under the terms of the Budapest Treaty with the American Type Culture Collection, 10801 University Blvd., Manassas, VA, 20110-2209, on 19 February 2003, with accession number PTA-4962.

[0024] Given the valuable properties of chalcomycin and its modifying enzymes, means to produce useful quantities thereof and derivatives or analogs of chalcomycin are valuable. Further, the chalcomycin modifying enzymes can also be used to modify other polyketides and produce derivatives thereof with enhanced solubility and/or bioactivity, for instance as antibiotics, and/or sites for further enzymatic or chemical modification. The nucleotide sequences of the chalcomycin biosynthetic gene cluster encoding chalcomycin PKS and modifying enzymes, and domains and/or modules of the PKS can be used, for example, to make antibiotics or other useful compounds in addition to chalcomycin, and in host cells in addition to *Streptomyces bikiniensis*.

[0025] There is a need for recombinant nucleic acids, host cells, and methods of expressing those nucleic acids in host cells resulting in production of chalcomycin and or its analogs or derivatives, and modifying enzymes, such as the cytochrome P450 hydroxylases that specifically attach hydroxyl groups on the resulting aglycone (which can then be used as attachment points

for further modifications). The modifying P450's from the chalcomycin PKS cluster of the present invention can be used to make compounds in a host that does not naturally produce such compounds. These and other needs are met by the materials and methods of the present invention

[0026] In one aspect of the invention, purified and isolated DNA molecules are provided that comprise one or more coding sequences for one or more domains or modules of chalcomycin synthase. Examples of such encoded domains include chalcomycin synthase KR, DH, ER, AT, ACP, and KS domains. In one aspect, the invention provides DNA molecules in which the complete set of chalcomycin PKS-encoding sequences are operably linked to expression control sequences that are effective in suitable host cells to produce chalcomycin and/or its analogs or derivatives. In one aspect, the invention provides polypeptides comprising a portion of the coding sequences for the proteins of the chalcomycin synthase.

[0027] Table 2 in Example 1 provides a description of genes in the chalcomycin PKS gene (i.e., SEQ ID NO:1 and subsequences encoding modules, domains and ORFs, e.g., as indicated), as well as encoded proteins (including SEQ ID NOS: 2-43) or domains. It will be apparent from Table 2, and Figures 1 and 2, which DNA strand comprises the coding sequence for a protein (i.e., the strand having the sequence of SEQ ID NO:1, or its complement.

[0028] In one aspect, the invention provides an isolated or recombinant DNA molecule comprising a nucleotide sequence that encodes at least one polypeptide, alternatively at least one module, alternatively at least one domain, involved in the biosynthesis of a chalcomycin. In one aspect, the invention provides the present invention provides an isolated or recombinant DNA molecule comprising a nucleotide sequence that encodes at least one polypeptide, alternatively at least one module, alternatively at least one domain, involved in the biosynthesis of a chalcomycin. The invention also provides polypeptides comprising PKS interpolypeptide linker sequences, and polynucleotides encoding such linker sequences. Also provided by the invention are polypeptides comprising intrapolypeptide linker sequences, and polynucleotides encoding such linkers.

[0029] In one aspect, the invention provides an isolated or recombinant DNA molecule comprising a sequence identical or substantially similar to at least one subsequence of SEQ ID NO:1 or its complement. In an embodiment the subsequence comprises a sequence encoding a chalcomycin PKS domain or module. In an aspect, the invention provides a recombinant DNA molecule that encodes a polypeptide, module or domain derived from a chalcomycin polyketide

synthase (PKS) gene cluster. In this context, a polypeptide, module or domain is derived from a chalcomycin polyketide synthase (PKS) gene cluster when it is encoded by a DNA with substantial sequence identity to the corresponding coding region of the *S. bikiniensis* chalcomycin gene cluster. For example, in an embodiment, the DNA encoding sequence of the polypeptide, module or domain hybridizes under stringent conditions to a nucleic acid having the sequence of SEQ ID NO:1 (or its complement). Generally, such a polypeptide, module or domain is biologically active, i.e., has at least one enzymatic activity characteristic of the polypeptide, module or domain encoded exactly by corresponding sequence of SEQ ID NO:1 or its complement. The biological activity of a polypeptide of the invention can be measured by methods well known to the art.

[0030] In one aspect, the invention provides the present invention provides an isolated or recombinant DNA molecule comprising a nucleotide sequence that encodes an open reading frame, module or domain having an amino acid sequence identical or substantially similar to an ORF, module or domain encoded by SEQ ID NO:1 or its complement. Generally, a polypeptide, module or domain having a sequence substantially similar to a reference sequence has substantially the same activity as the reference protein, module or domain (e.g., when integrated into an appropriate PKS framework using methods known in the art). In certain embodiments, one or more activities of a substantially similar polypeptide, module or domain are modified or inactivated as described below.

[0031] In one aspect, the invention provides an isolated or recombinant DNA molecule comprising a nucleotide sequence that encodes at least one polypeptide, module or domain encoded by SEQ ID NO:1, e.g., a polypeptide, module or domain involved in the biosynthesis of a chalcomycin, wherein said nucleotide sequence comprises at least 20, 25, 30, 35, 40, 45, or 50 contiguous base pairs identical to a sequence of SEQ ID NO:1 or its complement. In one aspect, the invention provides an isolated or recombinant DNA molecule comprising a nucleotide sequence that encodes at least one polypeptide, module or domain encoded by SEQ ID NO:1, e.g., a polypeptide, module or domain involved in the biosynthesis of a chalcomycin, wherein said polypeptide, module or domain comprises at least 10, 15, 20, 30, or 40 contiguous residues of a corresponding polypeptide, module or domain encoded by SEQ ID NO:1 or its complement.

[0032] In a related aspect, the invention provides a recombinant DNA molecule, comprising a sequence of at least about 200, optionally at least about 500, basepairs with a sequence

identical or substantially identical to a protein encoding region of SEQ ID NO:1. In an embodiment, the DNA molecule encodes a polypeptide, module or domain derived from a chalcomycin polyketide synthase (PKS) gene cluster.

[0033] It will be understood that SEQ ID NO:1 was determined using the inserts of pKOS 146.185.1 and pKOS146-185.10. Accordingly, the invention provides an isolated or recombinant DNA molecule comprising a sequence identical or substantially similar to a ORF encoding sequence of the insert of pKOS 146.185.1 or pKOS146-185.10.

[0034] Those of skill will recognize that, due to the degeneracy of the genetic code, a large number of DNA sequences encode the amino acid sequences of the domains, modules, and proteins of the chalcomycin PKS, the enzymes involved in chalcomycin modification and other polypeptides encoded by the genes of the chalcomycin biosynthetic gene cluster. The present invention contemplates all such DNAs. For example, it may be advantageous to optimize sequence to account for the codon preference of a host organism. The invention also contemplates naturally occurring genes encoding the chalcomycin PKS and tailoring enzymes that are polymorphic or other variants. In addition, it will be appreciated that polypeptide, modules and domains of the invention may comprise one or more conservative amino acid substitutions relative to the polypeptides encoded by SEQ ID NO: 1, such as, for example, conservative substitutions include aspartic-glutamic as acidic amino acids; lysine/arginine/histidine as basic amino acids; leucine/isoleucine, methionine/valine, alanine/valine as hydrophobic amino acids; serine/glycine/alanine/threonine as hydrophilic amino acids.

[0035] As used herein, the terms "substantial identity," "substantial sequence identity," or "substantial similarity" in the context of nucleic acids, refers to a measure of sequence similarity between two polynucleotides. Substantial sequence identity can be determined by hybridization under stringent conditions, by direct comparison, or other means. For example, two polynucleotides can be identified as having substantial sequence identity if they are capable of specifically hybridizing to each other under stringent hybridization conditions. Other degrees of sequence identity (e.g., less than "substantial") can be characterized by hybridization under different conditions of stringency. "Stringent hybridization conditions" refers to conditions in a range from about 5°C to about 20°C or 25°C below the melting temperature (T_m) of the target sequence and a probe with exact or nearly exact complementarity to the target. As used herein,

the melting temperature is the temperature at which a population of double-stranded nucleic acid molecules becomes half-dissociated into single strands. Methods for calculating the T_m of nucleic acids are well known in the art (see, e.g., Berger and Kimmel, 1987, *Methods In Enzymology*, Vol. 152: *Guide To Molecular Cloning Techniques*, San Diego: Academic Press, Inc. and Sambrook et al., 1989, *Molecular Cloning: A Laboratory Manual*, 2nd Ed., Vols. 1-3, Cold Spring Harbor Laboratory). Typically, stringent hybridization conditions for probes greater than 50 nucleotides are salt concentrations less than about 1.0 M sodium ion, typically about 0.01 to 1.0 M sodium ion at pH 7.0 to 8.3, and temperatures at least about 50°C, preferably at least about 60°C. As noted, stringent conditions may also be achieved with the addition of destabilizing agents such as formamide, in which case lower temperatures may be employed. Exemplary conditions include hybridization at 7% sodium dodecyl sulfate (SDS), 0.5 M NaPO₄ pH 7.0, 1 mM EDTA at 50°C (or alternatively 65°C); wash with 2×SSC, 1% SDS, at 50°C (or alternatively 0.1 - 0.2 ×SSC, 1% SDS, at 50°C or 65°C). Other exemplary conditions for hybridization include (1) high stringency: 0.1×SSPE, 0.1% SDS, 65°C.; (2) medium stringency: 0.2×SSPE, 0.1% SDS, 50° C.; and (3) low stringency: 1.0×SSPE, 0.1% SDS, 50° C. Equivalent stringencies may be achieved using alternative buffers, salts and temperatures.

[0036] Alternatively, substantial sequence identity can be described as a percentage identity between two nucleotide or amino acid sequences. Two nucleic acid sequences are considered substantially identical when they are at least about 70% identical, at least about 75% identical, or at least about 80% identical, or at least about 85% identical, or at least about 90% identical, or at least about 95% or 98% identical. Two amino acid sequences are considered substantially identical when they are at least about 60%, sequence identical, more often at least about 70%, at least about 80%, or at least about 90% sequence identity to the reference sequence. Percentage sequence (nucleotide or amino acid) identity is typically calculated using art known means to determine the optimal alignment between two sequences and comparing the two sequences. Optimal alignment of sequences may be conducted using the local homology algorithm of Smith and Waterman (1981) *Adv. Appl. Math.* 2: 482, by the homology alignment algorithm of Needleman and Wunsch (1970) *J. Mol. Biol.* 48: 443, by the search for similarity method of Pearson and Lipman (1988) *Proc. Natl. Acad. Sci. U.S.A.* 85: 2444, by the BLAST algorithm of Altschul (1990) *J. Mol. Biol.* 215: 403-410; and Shpaer (1996) *Genomics* 38:179-191, or by the Needleham et al. (1970) *J. Mol. Biol.* 48: 443-453; and Sankoff et al.,

1983, *Time Warps, String Edits, and Macromolecules, The Theory and Practice of Sequence Comparison*, Chapter One, Addison-Wesley, Reading, MA; generally by computerized implementations of these algorithms (GAP, BESTFIT, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer Group, 575 Science Dr., Madison, WI; BLAST from the National Center for Biotechnology Information ([http:// www.ncbi.nlm.nih.gov/](http://www.ncbi.nlm.nih.gov/)). In each case default parameters are used (for example the BLAST program uses as defaults a wordlength (W) of 11, the BLOSUM62 scoring matrix (see Henikoff (1992) *Proc. Natl. Acad. Sci. USA* 89: 10915-10919) alignments (B) of 50, expectation (E) of 10, M=5, N=-4, and a comparison of both strands).

[0037] As used herein the term “recombinant” has its usual meaning in the art and refers to a polynucleotide synthesized or otherwise manipulated in vitro, or to methods of using recombinant polynucleotides to produce gene products in cells or other biological systems. Thus, a “recombinant” polynucleotide is defined either by its method of production or its structure. In reference to its method of production, the process is use of recombinant nucleic acid techniques, e.g., involving human intervention in the nucleotide sequence, typically selection or production. Alternatively, a recombinant polynucleotide can be a polynucleotide made by generating a sequence comprising fusion of two fragments which are not naturally contiguous to each other, but is meant to exclude products of nature. Thus, for example, products made by transforming cells with any non-naturally occurring vector is encompassed, as are polynucleotides comprising sequence derived using any synthetic oligonucleotide process, as are polynucleotides from which a region has been deleted. A recombinant polynucleotide can also be a coding sequence that has been modified *in vivo* using a recombinant oligo or polynucleotide (such as a PKS in which a domain is inactivated by homologous recombination using a recombinant polynucleotide). A “recombinant” polypeptide is one expressed from a recombinant polynucleotide.

[0038] It will be immediately recognized by those of skill that recombinant polypeptides of the invention have a variety of uses, some of which are described in detail below, including but not limited to use as enzymes, or components of enzymes, useful for the synthesis or modification of polyketides. Recombinant polypeptides encoded by the chalcomycin PKS gene cluster are also useful as antigens for production of antibodies. Such antibodies find use for purification of bacterial (e.g., *Streptomyces bikiniensis*) proteins, detection and typing of

bacteria, and particularly, as tools for strain improvement (e.g., to assay PKS protein levels to identify “up-regulated” strains in which levels of polyketide producing or modifying proteins are elevated) or assessment of efficiency of expression of recombinant proteins. Polyclonal and monoclonal antibodies can be made by well known and routine methods (see, e.g., Harlow and Lane, 1988, ANTIBODIES: A LABORATORY MANUAL, COLD SPRING HARBOR LABORATORY, New York; Koehler and Milstein 1975, Nature 256:495). In selecting polypeptide sequences for antibody induction, it is not to retain biological activity; however, the protein fragment must be immunogenic, and preferably antigenic (as can be determined by routine methods). Generally the protein fragment is produced by recombinant expression of a DNA comprising at least about 60, more often at least about 200, or even at least about 500 or more base pairs of protein coding sequence, such as a polypeptide, module or domain derived from a chalcomycin polyketide synthase (PKS) gene cluster. Methods for expression of recombinant proteins are well known. (See, e.g., Ausubel et al., 2002, Current Protocols In Molecular Biology, Greene Publishing and Wiley-Interscience, New York.)

[0039] Further aspects of the invention include chimeric PKSs comprising a portion (in one embodiment at least a domain, optionally at least a module, or alternatively at least one polypeptide) from the chalcomycin PKS, and a portion (in one embodiment at least a domain, optionally at least a module, or alternatively at least a polypeptide) from one or more non-chalcomycin PKSs. For example, the invention provides (1) encoding DNA for a chimeric PKS that is substantially patterned on a non-chalcomycin producing enzyme, but which includes one or more functional domains or modules of chalcomycin PKS; (2) encoding DNA for a chimeric PKS that is substantially patterned on the chalcomycin PKS, but which includes one or more functional domains or modules of another PKS or NRPS; and (3) methods for making chalcomycin analogs and derivatives. With respect to item (1) above, examples include chimeric PKS enzymes wherein the genes for the erythromycin PKS, rapamycin PKS, tylosin PKS, and spiramycin PKS, or another PKS function as accepting genes, and one or more of the above-identified coding sequences for chalcomycin domains or modules are inserted as replacements for domains or modules of comparable function. With respect to item (2) above, examples include chimeric PKS enzymes wherein the chalcomycin PKS serves as an accepting gene, and genes for the erythromycin PKS, rapamycin PKS, tylosin PKS, and spiramycin PKS, or another PKS function as accepting genes, and one or more of the above-identified coding sequences for

chalconic acid domains or modules are inserted as replacements for domains or modules of comparable function. A partial list of sources of PKS sequences for use in making chimeric molecules, for illustration and not limitation, includes Avermectin (U.S. Pat. No. 5,252,474; MacNeil et al., 1993, *Industrial Microorganisms: Basic and Applied Molecular Genetics*, Baltz, Hegeman, & Skatrud, eds. (ASM), pp. 245-256; MacNeil et al., 1992, *Gene* 115: 119-25); Candicidin (FRO008) (Hu et al., 1994, *Mol. Microbiol.* 14: 163-72); Epothilone (U.S. Pat. No. 6,303,342); Erythromycin (WO 93/13663; U.S. Pat. No. 5,824,513; Donadio et al., 1991, *Science* 252:675-79; Cortes et al., 1990, *Nature* 348:176-8); FK-506 (Motamedi et al., 1998, *Eur. J. Biochem.* 256:528-34; Motamedi et al., 1997, *Eur. J. Biochem.* 244:74-80); FK-520 (U.S. Pat. No. 6,503,737; see also Nielsen et al., 1991, *Biochem.* 30:5789-96); Lovastatin (U.S. Pat. No. 5,744,350); Nemadectin (MacNeil et al., 1993, *supra*); Niddamycin (Kakavas et al., 1997, *J. Bacteriol.* 179:7515-22); Oleandomycin (Swan et al., 1994, *Mol. Gen. Genet.* 242:358-62; U.S. Pat. No. 6,388,099; Olano et al., 1998, *Mol. Gen. Genet.* 259:299-308); Platenolide (EP Pat. App. 791,656); Rapamycin (Schwecke et al., 1995, *Proc. Natl. Acad. Sci. USA* 92:7839-43); Aparicio et al., 1996, *Gene* 169:9-16); Rifamycin (August et al., 1998, *Chemistry & Biology*, 5: 69-79); Soraphen (U.S. Pat. No. 5,716,849; Schupp et al., 1995, *J. Bacteriology* 177: 3673-79); Spiramycin (U.S. Pat. No. 5,098,837); Tylosin (EP 0 791,655; Kuhstoss et al., 1996, *Gene* 183:231-36; U.S. Pat. No. 5,876,991). Additional suitable PKS coding sequences remain to be discovered and characterized, but will be available to those of skill (e.g., by reference to GenBank).

[0040] Construction of such chimeric enzymes is most effectively achieved by construction of appropriate encoding polynucleotides. In preparing modified and chimeric proteins, it is not necessary, although it may be most efficient, to replace or substitute one or more entire domains or modules of one PKS (e.g., the chalconic acid PKS or another PKS) with an entire domain or module of a different PKS (e.g., the chalconic acid PKS or another PKS). Rather, peptide subsequences of a PKS domain or module that correspond to a peptide subsequence in an accepting domain or module, or which otherwise provide useful function, may be used as replacements. Accordingly, appropriate encoding DNAs for construction of such chimeric PKS include those that encode at least 10, 15, 20 or more amino acids of a selected chalconic acid domain or module. Recombinant methods for manipulating modular PKS genes to make chimeric PKS enzymes are described in U.S. Patent Nos. 5,672,491; 5,843,718; 5,830,750; and

5,712,146; and in PCT publication Nos. 98/49315 and 97/02358. A number of genetic engineering strategies have been used with DEBS to demonstrate that the structures of polyketides can be manipulated to produce novel natural products, primarily analogs of the erythromycins (see the patent publications referenced *supra* and Hutchinson, 1998, *Curr Opin Microbiol.* 1:319-329, and Baltz, 1998, *Trends Microbiol.* 6:76-83).

[0041] The invention methods may be directed to the preparation of an individual polyketide. The polyketide may or may not be novel, but the method of preparation permits a more convenient or alternative method of preparing it. The resulting polyketides may be further modified to convert them to other useful compounds. Examples of chemical structures of sixteen-membered macrolides that can be made using the materials and methods of the present invention are described in PCT Patent Publication WO 02/32916; U.S. Patent Application US20020128213A (app. no. 09/969,177); and copending U.S. provisional patent application no. 60/493,966.

[0042] The recombinant DNAs and DNA vectors of the inventions can also be used to make "libraries" of polyketides. Generally, members of these polyketide libraries may themselves be novel compounds, and the invention further includes novel polyketide members of these libraries. Regardless of the naturally occurring PKS gene used as an acceptor, the invention provides libraries of polyketides by generating modifications in, or using a portion of, the chalcomycin PKS so that the protein complexes produced have altered activities in one or more respects, and thus produce polyketides other than the natural product of the PKS. Novel polyketides may thus be prepared, or polyketides in general prepared more readily, using this method. By providing a large number of different genes or gene clusters derived from a naturally occurring PKS gene cluster, each of which has been modified in a different way from the native cluster, an effectively combinatorial library of polyketides can be produced as a result of the multiple variations in these activities.

[0043] As noted, in one aspect the invention provides recombinant PKS wherein at least 10, 15, 20, or more consecutive amino acids in one or more domains of one or more modules thereof are derived from one or more domains of one or more modules of chalcomycin polyketide synthase. A polyketide synthase "derived from" a naturally occurring PKS contains the scaffolding encoded by all the portion employed of the naturally occurring synthase gene, contains at least two modules that are functional, and contains mutations, deletions, or

replacements of one or more of the activities of these functional modules so that the nature of the resulting polyketide is altered. This definition applies both at the protein and genetic levels. Particular embodiments include those wherein a KS, AT, KR, DH, or ER has been deleted or replaced by a version of the activity from a different PKS or from another location within the same PKS, and derivatives where at least one noncondensation cycle enzymatic activity (KR, DH, or ER) has been deleted or wherein any of these activities has been added or mutated so as to change the ultimate polyketide synthesized.

[0044] There are at least five degrees of freedom for constructing a polyketide synthase in terms of the polyketide that will be produced. First, the polyketide chain length will be determined by the number of modules in the PKS. Second, the nature of the carbon skeleton of the PKS will be determined by the specificities of the acyl transferases which determine the nature of the extender units at each position -- e.g., malonyl, methyl malonyl, methoxy malonyl, or ethyl malonyl, etc. Third, the loading domain specificity will also have an effect on the resulting carbon skeleton of the polyketide. Fourth, the oxidation state at various positions of the polyketide will be determined by the dehydratase and reductase portions of the modules. This will determine the presence and location of ketone, alcohol, alkene or alkane substituents at particular locations in the polyketide. Fifth, the stereochemistry of the resulting polyketide is a function of three aspects of the synthase. The first aspect is related to the AT/KS specificity associated with substituted malonyls as extender units, which affects stereochemistry only when the reductive cycle is missing or when it contains only a ketoreductase since the dehydratase would abolish chirality. Also, the specificity of the ketoreductase will determine the chirality of the corresponding hydroxyl group. Also, the enoyl reductase specificity for substituted malonyls as extender units will influence the result when there is a complete KR/DH/ER available.

[0045] As can be appreciated by those skilled in the art, polyketide biosynthesis can be manipulated to make a product other than the product of a naturally occurring PKS biosynthetic cluster. For example, AT domains can be altered or replaced to change specificity. For example, and not limitation, the AT domain of chalcomycin module 0 (loading domain) can be replaced by an AT with specificity for methylmalonyl-CoA to produce chalcomycin derivatives with a C-15 ethyl group in place of the C-15 methyl group. The variable domains within a module can be deleted and or inactivated or replaced with other variable domains found in other modules of the same PKS or from another PKS. See e.g., Katz & McDaniel, *Med Res Rev* 19: 543-558 (1999)

and WO 98/49315. Similarly, entire modules can be deleted and/or replaced with other modules from the same PKS or another PKS. See e.g., Gokhale et al., *Science* 284:482 (1999) and WO 00/47724. For example, and not limitation, 3-hydroxy derivatives of chalconomycin can be produced using a modified chalconomycin PKS in which module 7 of the chalconomycin PKS is replaced by module 7 of the tylosin PKS (optionally with appropriate linker modifications). Similarly, protein subunits of different PKSs also can be mixed and matched to make compounds having the desired backbone and modifications. For example, subunits of 1 and 2 (encoding modules 1-4) of the pikromycin PKS were combined with the DEBS3 subunit to make a hybrid PKS product (see Tang et al., *Science*, 287: 640 (2001), WO 00/26349 and WO 99/6159). Also see Examples, below.

[0046] Mutations can be introduced into PKS genes such that polypeptides with altered activity are encoded. Polypeptides with "altered activity" include those in which one or more domains are inactivated or deleted, or in which a mutation changes the substrate specificity of a domain, as well as other alterations in activity. Mutations can be made to the native sequences using conventional techniques. The substrates for mutation can be an entire cluster of genes or only one or two of them; the substrate for mutation may also be portions of one or more of these genes. Techniques for mutation include preparing synthetic oligonucleotides including the mutations and inserting the mutated sequence into the gene encoding a PKS subunit using restriction endonuclease digestion. (See, e.g., Kunkel, T.A. *Proc Natl Acad Sci USA* (1985) 82:448; Geisselsoder *et al. BioTechniques* (1987) 5:786.) Alternatively, the mutations can be effected using a mismatched primer (generally 10-20 nucleotides in length) that hybridizes to the native nucleotide sequence (generally cDNA corresponding to the RNA sequence), at a temperature below the melting temperature of the mismatched duplex. The primer can be made specific by keeping primer length and base composition within relatively narrow limits and by keeping the mutant base centrally located. (See Zoller and Smith, *Methods in Enzymology* (1983) 100:468). Primer extension is effected using DNA polymerase. The product of the extension reaction is cloned, and those clones containing the mutated DNA are selected. Selection can be accomplished using the mutant primer as a hybridization probe. The technique is also applicable for generating multiple point mutations. (See, e.g., Dalbie-McFarland *et al. Proc Natl Acad Sci USA* (1982) 79:6409). PCR mutagenesis can also be used for effecting the desired mutations.

[0047] Random mutagenesis of selected portions of the nucleotide sequences encoding enzymatic activities can be accomplished by several different techniques known in the art, e.g., by inserting an oligonucleotide linker randomly into a plasmid, by irradiation with X-rays or ultraviolet light, by incorporating incorrect nucleotides during *in vitro* DNA synthesis, by error-prone PCR mutagenesis, and by preparing synthetic mutants or by damaging plasmid DNA *in vitro* with chemicals. Chemical mutagens include, for example, sodium bisulfite, nitrous acid, hydroxylamine, agents which damage or remove bases thereby preventing normal base-pairing such as hydrazine or formic acid, analogues of nucleotide precursors such as nitrosoguanidine, 5-bromouracil, 2-aminopurine, or acridine intercalating agents such as proflavine, acriflavine, quinacrine, and the like. Generally, plasmid DNA or DNA fragments are treated with chemicals, transformed into *E. coli* and propagated as a pool or library of mutant plasmids.

[0048] In addition to providing mutated forms of regions encoding enzymatic activity, regions encoding corresponding activities from different PKS synthases or from different locations in the same PKS synthase can be recovered, for example, using PCR techniques with appropriate primers. By “corresponding” activity encoding regions is meant those regions encoding the same general type of activity -- e.g., a ketoreductase activity in one location of a gene cluster would “correspond” to a ketoreductase-encoding activity in another location in the gene cluster or in a different gene cluster; similarly, a complete reductase cycle could be considered corresponding -- e.g., KR/DH/ER could correspond to KR alone.

[0049] If replacement of a particular target region in a host polyketide synthase is to be made, this replacement can be conducted *in vitro* using suitable restriction enzymes or can be effected *in vivo* using recombinant techniques involving homologous sequences framing the replacement gene. One such system involving plasmids of differing temperature sensitivities is described in PCT application WO 96/40968. Another useful method for modifying a PKS gene (e.g., making domain substitutions or “swaps”) is a RED/ET cloning procedure developed for constructing domain swaps or modifications in an expression plasmid without first introducing restriction sites. The method is related to ET cloning methods (see, Datansko & Wanner, 2000, Proc. Natl. Acad. Sci. U.S.A. 97, 6640-45; Muyrers et al, 2000, Genetic Engineering 22:77-98). The RED/ET cloning procedure is used to introduce a unique restriction site in the recipient plasmid at the location of the targeted domain. This restriction site is used to subsequently linearize the recipient plasmid in a subsequent ET cloning step to introduce the modification.

This linearization step is necessary in the absence of a selectable marker, which cannot be used for domain substitutions. An advantage of using this method for PKS engineering is that restriction sites do not have to be introduced in the recipient plasmid in order to construct the swap, which makes it faster and more powerful because boundary junctions can be altered more easily.

[0050] In one embodiment, the invention provides a chimeric PKS in which one or more polypeptides are derived from a chalcomycin PKS polypeptide, and one or more peptides are derived from one or more non-chalcomycin PKS(s) that, like the chalcomycin PKS, produces a 16-membered macrolide. Examples of PKS(s) that produces a 16-membered macrolide include, for example, the tylosin PKS, the spiramycin PKS, the niddamycin PKS, and the mycinamicin PKS. All the currently known PKSs for 16-membered macrolides consists of five large polypeptides encoded by colinear genes in a single operon. The arrangement of modules on these polypeptides is conserved. Thus, for known 16-membered macrolide PKSs, the first polypeptide has a loading module and two extender modules, the second a single extender module, the third two extender modules, the fourth a single extender module, and the fifth a single extender module followed by a thioesterase domain. The different aglycone core structures produced by different 16-membered macrolide PKSs is due to differences in the catalytic domains within each of these modules.

[0051] As is illustrated in the examples, below, new hybrid 16-membered macrolides can be made by expressing combinations of PKS polypeptides from different sources in a suitable host. The hybrid PKS produces hybrid polyketides that, optionally can be further modified by the post-PKS tailoring enzymes present within the host. See Examples, *infra*.

[0052] By expressing particular combinations of these PKS polypeptides one can produce molecules with desired combinations of structural features based on, for example, the macrolactone structural features specified by each of the five polypeptides of different 16-membered macrolide PKSs as shown in Table 1, below. As noted, by expressing particular combinations of these PKS polypeptides one can produce molecules with desired combinations of structural features. Although, as described in the Examples and Table 1, selection of particular combinations of polypeptides provides a level of predictability as to the products formed by the hybrid PKS, the invention is not limited to any particular combinations or structures "predicted" by the table.

Table 1

PKS	1	2	3	4	5
TylG	15-ethyl 14-methyl 12,13-ene 12-methyl	10,11-ene 10-H	9-keto 8-methyl 7-methylen 6-ethyl	5-hydroxy 4-methyl	3-hydroxy 2-H
SrmG	15-methyl 14-H 12,13-ene 12-H	10,11-ene 10-H	9-keto 8-methyl 7-methylene 6-ethyl	5-hydroxy 4-methoxy	3-hydroxy 2-H
ChmG	15-methyl 14-methyl 12,13-ene 12-H	10,11-ene 10-H	9-keto 8-methyl 7-methylene 6-methyl	5-hydroxy 4-methyl	3-keto 2-H

[0053] In one embodiment, the components of the chimeric PKS are arranged onto polypeptides having interpolypeptide linkers that direct the assembly of the polypeptides into the functional PKS protein, such that it is not required that the PKS have the same arrangement of modules in the polypeptides as observed in natural PKSs. Suitable interpolypeptide linkers to join polypeptides and intrapolypeptide linkers to join modules within a polypeptide are described in PCT publication WO 00/47724.

[0054] In one embodiment of the invention, the components of the PKS are arranged into five polypeptides similarly to natural PKS proteins involved in the biosynthesis of tyllactone, platenolide, and the like. Thus, for example, the first polypeptide comprises the loading domain, first and second extender modules, and a C-terminal interpolypeptide linker region suitable for interaction with the second polypeptide. The second polypeptide comprises an N-terminal interpolypeptide linker region suitable for interaction with the first polypeptide, the third extender module, and a C-terminal interpolypeptide linker region suitable for interaction with the third polypeptide. The third polypeptide comprises an N-terminal interpolypeptide linker region suitable for interaction with the second polypeptide, the fourth and fifth extender modules, and a C-terminal interpolypeptide linker region suitable for interaction with the fourth polypeptide. The fourth polypeptide comprises an N-terminal interpolypeptide linker region suitable for interaction with the third polypeptide, the sixth extender module, and a C-terminal interpolypeptide linker region suitable for interaction with the fifth polypeptide. The fifth polypeptide comprises an N-terminal interpolypeptide linker region suitable for interaction with the fourth polypeptide, the seventh extender module, and the terminal thioesterase domain.

[0055] In other embodiments of the invention, the components of the PKS residing on any given polypeptide are derived from the same source, and are naturally contiguous in that source, but the intrapolypeptide linkers are changed to allow proper assembly across heterologous polypeptide junctions to form a functional PKS. For example, in one embodiment of the invention, the first polypeptide is the intact first polypeptide of the chalcomycin PKS, encoded by *chmGI*, and comprises the loading domain and first and second extender modules from the chalcomycin PKS together with the native C-terminal interpolypeptide linker region that directs interaction of the first polypeptide with the second polypeptide of the chalcomycin PKS. The second polypeptide comprises the N-terminal interpolypeptide linker and module 3 of the chalcomycin PKS, encoded by *chmGII*, but with the C-terminal interpolypeptide linker replaced by the C-terminal interpolypeptide linker from the second polypeptide of the spiramycin PKS, encoded by *srmG2*. This replaced C-terminal interpolypeptide linker directs the second polypeptide to interact with the third polypeptide, taken from the spiramycin PKS and encoded by the *srmG3* gene. The remaining polypeptides are the third, fourth, and fifth polypeptides of the spiramycin PKS, encoded by *srmG3*, *srmG4*, and *srmG5*, respectively. In another embodiment of the invention, the first polypeptide comprises the loading domain and first, second and third extender modules from the chalcomycin PKS, together with a C-terminal interpolypeptide linker region derived from the C-terminus of the first polypeptide of the tylosin PKS. The remaining polypeptides are the third, fourth, and fifth polypeptides of the tylosin PKS. The use of the appropriate interpolypeptide linkers directs the proper assembly of the PKS, thereby improving the catalytic activity of the resulting hybrid PKS.

[0056] As noted above, the DNA compounds of the invention can be expressed in host cells for production of known and novel compounds. Preferred hosts include fungal systems such as yeast and procaryotic hosts, but single cell cultures of, for example, mammalian cells could also be used. A variety of methods for heterologous expression of PKS genes and host cells suitable for expression of these genes and production of polyketides are described, for example, in U.S. Patent Nos. 5,843,718 and 5,830,750; WO 01/31035, WO 01/27306, and WO 02/068613; and U.S. patent application nos. 10/087,451 (published as US2002000087451); 60/355,211; and 60/396,513 (corresponding to published application 20020045220).

[0057] Appropriate host cells for the expression of the hybrid PKS genes include those organisms capable of producing the needed precursors, such as malonyl-CoA, methylmalonyl-

CoA, ethylmalonyl-CoA, and methoxymalonyl-ACP, and having phosphopantotheinylation systems capable of activating the ACP domains of modular PKSs. See, for example, US Patent 6,579,695. However, as disclosed in U.S. Patent No. 6,033,883, a wide variety of hosts can be used, even though some hosts natively do not contain the appropriate post-translational mechanisms to activate the acyl carrier proteins of the synthases. Also see WO 97/13845 and WO 98/27203. The host cell may natively produce none, some, or all of the required polyketide precursors, and may be genetically engineered so as to produce the required polyketide precursors. Such hosts can be modified with the appropriate recombinant enzymes to effect these modifications. Suitable host cells include *Streptomyces*, *E. coli*, yeast, and other procaryotic hosts which use control sequences compatible with *Streptomyces spp.* Examples of suitable hosts that either natively produce modular polyketides or have been engineered so as to produce modular polyketides include but are not limited to actinomycetes such as *Streptomyces coelicolor*, *Streptomyces venezuelae*, *Streptomyces fradiae*, *Streptomyces ambofaciens*, and *Saccharopolyspora erythraea*, eubacteria such as *Escherichia coli*, myxobacteria such as *Myxococcus xanthus*, and yeasts such as *Saccharomyces cerevisiae*.

[0058] In one embodiment, any native modular PKS genes in the host cell have been deleted to produce a “clean host,” as described in US Patent 5,672,491, incorporated herein by reference. The construction of the clean host *S. fradiae* K159-1, and the clean host *S. fradiae* K159-1/244-17a that produces methoxymalonyl-ACP are described below in Examples 2 and 3. Other organisms can be engineered using similar methods.

[0059] In some embodiments, the host cell expresses, or is engineered to express, a polyketide “tailoring” or “modifying” enzyme. Once a PKS product is released, it is subject to post-PKS tailoring reactions. These reactions are important for biological activity and for the diversity seen among 16-membered macrolides. Tailoring enzymes normally associated with polyketide biosynthesis include oxygenases, glycosyl- and methyltransferases, acyltransferases, halogenases, cyclases, aminotransferases, and hydroxylases. Tailoring enzymes for modification of a product of the chalcomycin PKS, a non-chalcomycin PKS, or a chimeric PKS, can be those normally associated with chalcomycin biosynthesis (including, but not limited to, proteins described in Table 2) or “heterologous” tailoring enzymes. As noted above, the P450 hydrolases encoded by the *chmHI*, *chmPI* and *chmPII* genes are of particular interest for production of polyketides having hydroxy groups well suited for subsequent chemical modification.

[0060] For purposes of the present invention, tailoring enzymes can be expressed in the organism in which they are naturally produced, or as recombinant proteins in heterologous hosts. For example, as shown in Examples 6 and 7, a hybrid PKSs having elements from the chalcomycin and spiramycin PKSs, or from the tylosin and chalcomycin PKSs were expressed in an engineered host derived from a tylosin producing strain of *S. fradiae* in which all or most of the post-PKS tailoring reactions of the tylosin biosynthetic pathway (see Baltz and Seno, 1988, "Genetics of *Streptomyces fradiae* and tylosin biosynthesis" *Annu Rev Microbiol.* 42:547-74) were expressed and which modified the polyketide product.

[0061] In some cases, the structure produced by the heterologous or hybrid PKS may be modified with different efficiencies by post-PKS tailoring enzymes from different sources. In such cases, post-PKS tailoring enzymes can be recruited from other pathways to obtain the desired compound. For example, as discussed in Example 6, a *chmH* gene has been used to modify the product of a chalcomycin-spiramycin hybrid PKS. Similarly, host cells can be selected, or engineered, for expression of a glycosylation apparatus (discussed below), amide synthases, (see, for example, U.S. patent publication 20020045220 "Biosynthesis of Polyketide Synthase Substrates"). For example and not limitation, the host cell can contain the desosamine, megosamine, and/or mycarose biosynthetic genes, corresponding glycosyl transferase genes, and hydroxylase genes (e.g., *picK*, *megK*, *eryK*, *megF*, and/or *eryF*). Methods for glycosylating polyketides are generally known in the art and can be applied in accordance with the methods of the present invention; the glycosylation may be effected intracellularly by providing the appropriate glycosylation enzymes or may be effected in vitro using chemical synthetic means as described herein and in WO 98/49315, incorporated herein by reference. Glycosylation with desosamine, mycarose, and/or megosamine is effected in accordance with the methods of the invention in recombinant host cells provided by the invention. Alternatively and as noted, glycosylation may be effected intracellularly using endogenous or recombinantly produced intracellular glycosylases. In addition, synthetic chemical methods may be employed.

[0062] Alternatively, the aglycone compounds can be produced in the recombinant host cell, and the desired modification (e.g., glycosylation and hydroxylation) steps carried out *in vitro* (e.g., using purified enzymes, isolated from native sources or recombinantly produced) or *in vivo* in a converting cell different from the host cell (e.g., by supplying the converting cell with the aglycone).

[0063] It will be apparent to the reader that a variety of recombinant vectors can be utilized in the practice of aspects of the invention. As used herein, "vector" refers to polynucleotide elements that are used to introduce recombinant nucleic acid into cells for either expression or replication. Selection and use of such vehicles is routine in the art. An "expression vector" includes vectors capable of expressing DNAs that are operatively linked with regulatory sequences, such as promoter regions. Thus, an expression vector refers to a recombinant DNA or RNA construct, such as a plasmid, a phage, recombinant virus or other vector that, upon introduction into an appropriate host cell, results in expression of the cloned DNA. Appropriate expression vectors are well known to those of skill in the art and include those that are replicable in eukaryotic cells and/or prokaryotic cells and those that remain episomal or those which integrate into the host cell genome.

[0064] The vectors used to perform the various operations to replace the enzymatic activity in the host PKS genes or to support mutations in these regions of the host PKS genes may be chosen to contain control sequences operably linked to the resulting coding sequences in a manner that expression of the coding sequences may be effected in an appropriate host. Suitable control sequences include those which function in eucaryotic and procaryotic host cells. If the cloning vectors employed to obtain PKS genes encoding derived PKS lack control sequences for expression operably linked to the encoding nucleotide sequences, the nucleotide sequences are inserted into appropriate expression vectors. This can be done individually, or using a pool of isolated encoding nucleotide sequences, which can be inserted into host vectors, the resulting vectors transformed or transfected into host cells, and the resulting cells plated out into individual colonies.

[0065] Suitable control sequences for single cell cultures of various types of organisms are well known in the art. Control systems for expression in yeast are widely available and are routinely used. Control elements include promoters, optionally containing operator sequences, and other elements depending on the nature of the host, such as ribosome binding sites. Particularly useful promoters for procaryotic hosts include those from PKS gene clusters which result in the production of polyketides as secondary metabolites, including those from Type I or aromatic (Type II) PKS gene clusters. Examples are *act* promoters, *tcm* promoters, spiramycin promoters, tylosin promoter (e.g., *tylGIp*, see Rodriguez et al., "Rapid engineering of polyketide overproduction by gene transfer to industrially optimized strains" *J Ind Microbiol Biotechnol*.

2003 Apr 16; and DeHoff et al., "Streptomyces fradiae tylactone synthase, starter module and modules 1-7, (tylG) gene, complete cds" Genbank Accession No. U78289), and other promoters. However, other bacterial promoters, such as those derived from sugar metabolizing enzymes, such as galactose, lactose (*lac*) and maltose, are also useful. Additional examples include promoters derived from biosynthetic enzymes such as for tryptophan (*trp*), the β -lactamase (*bla*), bacteriophage lambda PL, and T5. In addition, synthetic promoters, such as the *tac* promoter (U.S. Patent No. 4,551,433), can be used.

[0066] As noted, particularly useful control sequences are those which themselves, or with suitable regulatory systems, activate expression during transition from growth to stationary phase in the vegetative mycelium. The system contained in the plasmid identified as pCK7, i.e., the *actI/actIII* promoter pair and the *actII*-ORF4 (an activator gene), is particularly preferred. Particularly preferred hosts are those which lack their own means for producing polyketides so that a cleaner result is obtained. Illustrative control sequences, vectors, and host cells of these types include the modified *S. coelicolor* CH999 and vectors described in PCT publication WO 96/40968 and similar strains of *S. lividans*. See U.S. Patent Nos. 5,672,491; 5,830,750, 5,843,718; and 6,177,262, each of which is incorporated herein by reference.

[0067] Other regulatory sequences may also be desirable which allow for regulation of expression of the PKS sequences relative to the growth of the host cell. Regulatory sequences are known to those of skill in the art, and examples include those which cause the expression of a gene to be turned on or off in response to a chemical or physical stimulus, including the presence of a regulatory compound. Other types of regulatory elements may also be present in the vector, for example, enhancer sequences.

[0068] Selectable markers can also be included in the recombinant expression vectors. A variety of markers are known which are useful in selecting for transformed cell lines and generally comprise a gene whose expression confers a selectable phenotype on transformed cells when the cells are grown in an appropriate selective medium. Such markers include, for example, genes which confer antibiotic resistance or sensitivity to the plasmid. Alternatively, several polyketides are naturally colored, and this characteristic provides a built-in marker for screening cells successfully transformed by the present constructs.

[0069] The various PKS nucleotide sequences, or a mixture of such sequences, can be cloned into one or more recombinant vectors as individual cassettes, with separate control elements or

under the control of a single promoter. The PKS subunits or components can include flanking restriction sites to allow for the easy deletion and insertion of other PKS subunits so that hybrid or chimeric PKSs can be generated. The design of such restriction sites is known to those of skill in the art and can be accomplished using the techniques described above, such as site-directed mutagenesis and PCR. Methods for introducing the recombinant vectors of the present invention into suitable hosts are known to those of skill in the art and typically include the use of CaCl_2 or other agents, such as divalent cations, lipofection, DMSO, protoplast transformation, conjugation, and electroporation.

[0070] Expression vectors containing nucleotide sequences encoding a variety of PKS systems for the production of different polyketides can be transformed into the appropriate host cells to construct a polyketide library. In one approach, a mixture of such vectors is transformed into the selected host cells and the resulting cells plated into individual colonies and selected for successful transformants. Each individual colony has the ability to produce a particular PKS and ultimately a particular polyketide. Typically, there will be duplications in some of the colonies; the subset of the transformed colonies that contains a different PKS in each member colony can be considered the library. Alternatively, the expression vectors can be used individually to transform hosts, which transformed hosts are then assembled into a library. A variety of strategies might be devised to obtain a multiplicity of colonies each containing a PKS gene cluster derived from the naturally occurring host gene cluster so that each colony in the library produces a different PKS and ultimately a different polyketide. The number of different polyketides that are produced by the library is typically at least four, more typically at least ten, and preferably at least 20, more preferably at least 50, reflecting similar numbers of different altered PKS gene clusters and PKS gene products. The number of members in the library is arbitrarily chosen; however, the degrees of freedom outlined above with respect to the variation of starter, extender units, stereochemistry, oxidation state, and chain length is quite large. The polyketide producing colonies can be identified and isolated using known techniques and the produced polyketides further characterized. The polyketides produced by these colonies can be used collectively in a panel to represent a library or may be assessed individually for activity.

[0071] The libraries can thus be considered at four levels: (1) a multiplicity of colonies each with a different PKS encoding sequence encoding a different PKS cluster but all derived from a naturally occurring PKS cluster; (2) colonies which contain the proteins that are members of the

PKS produced by the coding sequences; (3) the polyketides produced; and (4) compounds derived from the polyketides. Of course, combination libraries can also be constructed wherein members of a library derived, for example, from the erythromycin PKS can be considered as a part of the same library as those derived from, for example, the rapamycin PKS cluster.

[0072] Colonies in the library are induced to produce the relevant synthases and thus to produce the relevant polyketides to obtain a library of candidate polyketides. The polyketides secreted into the media can be screened for binding to desired targets, such as receptors, signaling proteins, and the like. The supernatants *per se* can be used for screening, or partial or complete purification of the polyketides can first be effected. Typically, such screening methods involve detecting the binding of each member of the library to receptor or other target ligand. Binding can be detected either directly or through a competition assay. Means to screen such libraries for binding are well known in the art. Alternatively, individual polyketide members of the library can be tested against a desired target. In this event, screens wherein the biological response of the target is measured can be included.

[0073] Thus, the present invention provides recombinant DNA molecules and vectors comprising those recombinant DNA molecules that encode all or a portion of the chalcomycin PKS and/or chalcomycin modification enzymes and that, when transformed into a host cell and the host cell is cultured under conditions that lead to the expression of said chalcomycin PKS and/or modification enzymes, results in the production of polyketides including but not limited to chalcomycin and/or analogs or derivatives thereof in useful quantities. The present invention also provides recombinant host cells comprising those recombinant vectors.

[0074] Suitable culture conditions for production of polyketides using the cells of the invention will vary according to the host cell and the nature of the polyketide being produced, but will be known to those of skill in the art. See, for example, the examples below and WO 98/27203 "Production of Polyketides in Bacteria and Yeast" and WO 01/83803 "Overproduction Hosts for Biosynthesis of Polyketides."

[0075] The polyketide product produced by host cells of the invention can be recovered (*i.e.*, separated from the producing cells and at least partially purified) using routine techniques (e.g., extraction from broth followed by chromatography).

[0076] The compositions, cells and methods of the invention may be directed to the preparation of an individual polyketide or a number of polyketides. The polyketide may or may

not be novel, but the method of preparation permits a more convenient or alternative method of preparing it. It will be understood that the resulting polyketides may be further modified to convert them to other useful compounds. For example, an ester linkage may be added to produce a "pharmaceutically acceptable ester" (i.e., an ester that hydrolyzes under physiologically relevant conditions to produce a compound or a salt thereof). Illustrative examples of suitable ester groups include but are not limited to formates, acetates, propionates, butyrates, succinates, and ethylsuccinates.

[0077] The polyketide product produced by recombinant cells can be chemically modified in a variety of ways. For example, for example by addition of a protecting group, for example to produce prodrug forms. A variety of protecting groups are disclosed, for example, in T.H. Greene and P.G.M. Wuts, *Protective Groups in Organic Synthesis*, Third Edition, John Wiley & Sons, New York (1999). Prodrugs are in general functional derivatives of the compounds that are readily convertible *in vivo* into the required compound. Conventional procedures for the selection and preparation of suitable prodrug derivatives are described, for example, in "Design of Prodrugs," H. Bundgaard ed., Elsevier, 1985.

[0078] Similarly, improvements in water solubility of a polyketide compound can be achieved by addition of groups containing solubilizing functionalities to the compound or by removal of hydrophobic groups from the compound, so as to decrease the lipophilicity of the compound. Typical groups containing solubilizing functionalities include, but are not limited to: 2-(dimethylaminoethyl)amino, piperidinyl, N-alkylpiperidinyl, hexahydropyranyl, furfuryl, tetrahydrofurfuryl, pyrrolidinyl, N-alkylpyrrolidinyl, piperazinylamino, N-alkylpiperazinyl, morpholinyl, N-alkylaziridinylmethyl, (1-azabicyclo[1.3.0]hex-1-yl)ethyl, 2-(N-methylpyrrolidin-2-yl)ethyl, 2-(4-imidazolyl)ethyl, 2-(1-methyl-4-imidazolyl)ethyl, 2-(1-methyl-5-imidazolyl)ethyl, 2-(4-pyridyl)ethyl, and 3-(4-morpholino)-1-propyl. In the case of geldanamycin analogs, solubilizing groups can be added by reaction with amines, which results in the displacement of the 17-methoxy group by the amine (see, Schnur et al., 1995, "Inhibition of the Oncogene Product p185^{erbB-2} in Vitro and in Vivo by Geldanamycin and Dihydrogeldanamycin Derivatives," *J. Med. Chem.* 38, 3806-3812; Schnur et al., 1995 "erbB-2 Oncogene Inhibition by Geldanamycin Derivatives: Synthesis, Mechanism of Action, and Structure-Activity relationships," *J. Med. Chem.* 38, 3813-3820; Schnur et al., "Ansamycin Derivatives as Antioncogene and Anticancer Agents," U.S. Patent 5,932,655; all of which are

incorporated herein by reference). Typical amines containing solubilizing functionalities include 2-(dimethylamino)-ethylamine, 4-aminopiperidine, 4-amino-1-methylpiperidine, 4-amino-2-methylpiperidine, 4-aminohexahydropyran, furfurylamine, tetrahydrofurfurylamine, 3-(aminomethyl)-tetrahydrofuran, 2-(amino-methyl)pyrrolidine, 2-(aminomethyl)-1-methylpyrrolidine, 1-methylpiperazine, morpholine, 1-methyl-2-(aminomethyl)aziridine, 1-(2-aminoethyl)-1-azabicyclo-[1.3.0]hexane, 1-(2-aminoethyl)piperazine, 4-(2-aminoethyl)morpholine, 1-(2-aminoethyl)pyrrolidine, 2-(2-aminoethyl)pyridine, 2-fluoroethylamine, 2,2-difluoroethylamine, and the like.

[0079] In addition to post synthesis chemical or biosynthetic modifications, various polyketide forms or compositions can be produced, including but not limited to mixtures of polyketides, enantiomers, diastereomers, geometrical isomers, polymorphic crystalline forms and solvates, and combinations and mixtures thereof can be produced

[0080] Many other modifications of polyketides produced according to the invention will be apparent to those of skill, and can be accomplished using techniques of pharmaceutical chemistry.

[0081] Prior to use the PKS product (whether modified or not) can be formulated for storage, stability or administration. For example, the polyketide products can be formulated as a "pharmaceutically acceptable salt." Suitable pharmaceutically acceptable salts of compounds include acid addition salts which may, for example, be formed by mixing a solution of the compound with a solution of a pharmaceutically acceptable acid such as hydrochloric acid, hydrobromic acid, sulfuric acid, fumaric acid, maleic acid, succinic acid, benzoic acid, acetic acid, citric acid, tartaric acid, phosphoric acid, carbonic acid, or the like. Where the compounds carry one or more acidic moieties, pharmaceutically acceptable salts may be formed by treatment of a solution of the compound with a solution of a pharmaceutically acceptable base, such as lithium hydroxide, sodium hydroxide, potassium hydroxide, tetraalkylammonium hydroxide, lithium carbonate, sodium carbonate, potassium carbonate, ammonia, alkylamines, or the like.

[0082] Prior to administration to a mammal the PKS product will be formulated as a pharmaceutical composition according to methods well known in the art, e.g., combination with a pharmaceutically acceptable carrier. The term "pharmaceutically acceptable carrier" refers to a medium that is used to prepare a desired dosage form of a compound. A pharmaceutically acceptable carrier can include one or more solvents, diluents, or other liquid vehicles; dispersion

or suspension aids; surface active agents; isotonic agents; thickening or emulsifying agents; preservatives; solid binders; lubricants; and the like. Remington's Pharmaceutical Sciences, Fifteenth Edition, E.W. Martin (Mack Publishing Co., Easton, PA, 1975) and Handbook of Pharmaceutical Excipients, Third Edition, A.H. Kibbe ed. (American Pharmaceutical Assoc. 2000), disclose various carriers used in formulating pharmaceutical compositions and known techniques for the preparation thereof.

[0083] The composition may be administered in any suitable form such as solid, semisolid, or liquid form. See Pharmaceutical Dosage Forms and Drug Delivery Systems, 5th edition, Lippicott Williams & Wilkins (1991). In an embodiment, for illustration and not limitation, the polyketide is combined in admixture with an organic or inorganic carrier or excipient suitable for external, enteral, or parenteral application. The active ingredient may be compounded, for example, with the usual non-toxic, pharmaceutically acceptable carriers for tablets, pellets, capsules, suppositories, pessaries, solutions, emulsions, suspensions, and any other form suitable for use. The carriers that can be used include water, glucose, lactose, gum acacia, gelatin, mannitol, starch paste, magnesium trisilicate, talc, corn starch, keratin, colloidal silica, potato starch, urea, and other carriers suitable for use in manufacturing preparations, in solid, semi-solid, or liquified form. In addition, auxiliary stabilizing, thickening, and coloring agents and perfumes may be used.

[0084] It will be apparent from the forgoing that the invention provides many useful compositions and methods of using them. Without intending to limit its scope, in one aspect, the invention provides a recombinant DNA molecule that encodes a polypeptide, module or domain derived from a chalcone polyketide synthase (PKS) gene cluster. In an embodiment, the DNA molecule (or its complement) has substantial sequence identity to SEQ ID NO:1. In an embodiment, the DNA molecule hybridizes under stringent conditions to a nucleic acid having the sequence of SEQ ID NO:1 or its complement. In a related aspect, the invention provides a recombinant DNA molecule, comprising a sequence of at least about 200, optionally at least about 500, basepairs with a sequence identical or substantially identical to a protein encoding region of SEQ ID NO:1. In an embodiment, the DNA molecule encodes a polypeptide, module or domain derived from a chalcone polyketide synthase (PKS) gene cluster.

[0085] In one embodiment, the recombinant DNA molecule comprises a sequence encoding at least one module of a chalcone polyketide synthase. In an embodiment, the recombinant

DNA molecule encodes a chalcomycin polyketide synthase polypeptide selected from the group consisting of ChmGI, ChmGII, ChmGIII, ChmGIV, and ChmV.

[0086] In one aspect, the recombinant DNA molecule includes a coding sequence for a chalcomycin modifying enzyme, such as a chalcomycin P450 hydrolase enzyme selected from the group consisting of ChmHI, ChmPI, and ChmPII.

[0087] The invention also provides vector that comprise the recombinant DNA molecules of the invention. In an aspect, the invention provides a recombinant host cell comprising the vector. In a related aspect, the invention provides a recombinant host cell comprising a DNA molecule of the invention integrated into the cell chromosomal DNA.

[0088] Also provided is a chimeric PKS that comprises at least one domain of a chalcomycin PKS, and a cell containing such a chimeric PKS. In a related aspect, the invention provides a modified functional chalcomycin PKS that differs from the *S. bikiniensis* chalcomycin PKS by the inactivation of at least one domain of the chalcomycin PKS and/or addition of at least one domain of a non-chalcomycin PKS (for example, a loading domain, a thioesterase domain, an AT domain, a KS domain, an ACP domain, a KR domain, a DH domain, and an ER domain). The invention provides a cell comprising a modified functional PKS. The invention also provides a method to prepare an chalcomycin derivative which method comprises providing substrates including extender units to the cell.

[0089] In an aspect, the invention provides a recombinant expression system capable of producing a chalcomycin synthase domain in a host cell, said system comprising an encoding sequence for a chalcomycin polyketide synthase domain, and said encoding sequence being operably linked to control sequences effective in said cell to produce RNA that is translated into said domain, and a host cell modified to contain the recombinant expression system.

[0090] The invention provides an isolated polypeptide encoded by a recombinant chalcomycin polyketide synthase (PKS) gene, and a recombinant host cell containing or expressing such a polypeptide.

[0091] The invention also provides a recombinant *S. bikiniensis* cell in which a *chmGI*, *chmGII*, *chmGIII*, *chmGIV*, or *chmV* is disrupted so as to reduce or eliminate production of chalcomycin.

[0092] The invention also provides a recombinant DNA molecule encoding a first protein comprising one or more modules of a chalcomycin PKS and a second protein comprising one or

more modules of a tylosin PKS or spiramycin PKS, optionally one or more polypeptides of a chalcomycin PKS and one or more polypeptides of a tylosin PKS or spiramycin PKS. In a related aspect, the invention provides a recombinant host cell comprising a hybrid polyketide synthase comprising one or more modules of a chalcomycin PKS and one or more modules of a tylosin PKS or spiramycin PKS.

EXAMPLES

[0093] The following examples are provided to illustrate, but are not intended to limit, the present invention.

Example 1 Isolation and Characterization of Chalcomycin PKS Cluster From *Streptomyces bikiniensis* NRRL 2737.

[0094] Growth of organism and extraction of genomic DNA. For genomic DNA extraction, a spore stock of *Streptomyces bikiniensis* NRRL 2737 was used to prepare a seed culture. Spores were stored as a suspension in 25% (v/v) glycerol at -80°C and used to inoculate 5 ml of unbuffered Trypticase Soy Broth (TSB) liquid media. The entire seed culture was transferred into 50 ml of the same growth medium in a 250 ml baffled Erlenmeyer flask and incubated with shaking for 24 h at 28°C. A 10 ml portion of the cell suspension was centrifuged (10,000 x g) and the resulting pellet was washed once with 10 ml buffer 1 (Tris, 50 mM, pH7.5; 20 mM EDTA). The pellet was suspended in 3.5 ml of buffer 1 containing 150 µg/ml RNase (Sigma-Aldrich) and 1 mg/ml lysozyme. After incubation of the mixture at 37°C for 30 min, the salt concentration was adjusted by adding 850 µl 5 M NaCl solution, then the mixture was extracted two times with phenol:chloroform:isoamylalcohol (25:24:1, vol/vol) with gentle agitation followed by centrifugation for 10 min at 3500 x g. After precipitation with 1 vol of isopropanol, the genomic DNA knot was spooled on a glass rod and redissolved in 200 µl of water. This method yielded about 0.5 mg total DNA. Standard agarose gel electrophoresis using 0.7% Seakem® LE-Agarose (BioWhiaker Molecular Applications, Rockland, ME) at a voltage of 50 mV overnight revealed that the sample contained mainly high molecular weight DNA of 50 kb or greater.

[0095] PKS Probe design. Five degenerate PCR primers were designed (degKS1F 5'-TTCGAY SCSGVSTTCTTCGSAT-3' [SEQ ID NO:44]; degKS2F 5'-GCSATGGAYCCSCARCARGSVT-3' [SEQ ID NO:45]; degKS3F 5'-SSCTSGTSGCSMTSCAYCWSGC-3' [SEQ ID NO:46]; degKS5R 5'-GTSCCSGTSCCRTGSSCYTCSAC-3' [SEQ ID NO:47]; degKS7R 5'-ASRTGSGCRTTSGTSCCSSWSA-3' [SEQ ID NO:48]) based on conserved regions of ketosynthase (KS) domains of type I PKS genes and codon bias of high G+C organisms. The primers were used in the following combinations: degKS1F/degKS5R, degKS2F/degKS5R and degKS3F/degKS7R. The PCR conditions for the amplification of KS domains were as follows: A total reaction volume of 50µl contained 100 ng of *S. bikiniensis* total DNA, 200 pmol of each primer, 0.2mM dNTP, 10% DMSO and 2.5 U Taq DNA polymerase (Roche Applied Science, Indianapolis, In). Thirty-five cycles of PCR were performed using the following steps: denaturation (94°C; 40 sec); annealing (55°C; 30 sec); extension (72°C; 60 sec), 35 cycles. The resulting PCR reactions were subjected to electrophoresis on 1% agarose gels and the PCR products of approximately 700 bp were extracted from the gels using the gel extraction kit from Qiagen (Valencia, CA) according to manufacturer's protocol. The fragments were treated with *Pfu* DNA Polymerase (Stratagene, La Jolla, Ca) to remove the A overhangs and cloned into the plasmid vector pLitmus28 (New England Biolabs, Beverley, Ma) cut with *EcRV*. Thirty-two "amplimers" (the ca. 700 bp PCR-amplified segment) for each primer pair were sequenced using standard protocols. Of the 96 inserts sequenced, 81 were found to be KS amplimers. Employing the sequence comparison program ClustalW, 15 of the 81 KS amplimers were found to be unique and were compared with the 8 KS sequences of the related tylosin PKS cluster of *Streptomyces fradiae* using the program ClustalW. Each KS amplimer was thus assigned to a particular KS within the putative chalcomycin PKS cluster.

[0096] Genomic library preparation. Approximately 10 µg of genomic DNA was partially digested with *Sau3A1* (1 hr incubation using dilutions of the enzyme) and the digested DNA was run on an agarose gel with DNA standards. One of the conditions used was found to have generated fragments of size 35-47 kb. The DNA from this digestion was ligated with pSuperKos plasmid, a derivative of pSuperCos (Stratagene) digested with *AfeI* and self-ligated to eliminate the *neo* marker, pre-linearized with *BamHI* and *XbaI* and the ligation mixture was packaged using a Gigapack XIII (Stragene) *in vitro* packaging Kit and the mixture was

subsequently used for infection of *Escherichia coli* DH5 α employing protocols supplied by the manufacturer. Approximately 2000 of *E.coli* transductants were probed by *in-situ* colony hybridization with DIG labeled Sb3/7-31 (KS^q), Sb1/5-75 (KS3) and Sb1/5-78 (KS7). Plasmids from 15 colonies, which showed strong hybridization signals were isolated, digested with *Bam*HI and subjected to Southern blotting employing the KS^q or KS7 amplimers as probes. Ten plasmids showed strong hybridization with one or both amplimers. The ends of the insert in each of the 10 plasmids were sequenced using convergent primers for each (T7 promoter and T3 promoter). Two cosmids, pKOS146.185.1 and pKOS146.185.10 were found to possess high homology at one end with a segment of the PKS from the tylosin biosynthesis cluster. These two plasmids also each gave rise to DNA fragments of ca. 1 kb and 1.2 kb after *Bam*HI-digestion.

[0097] Identification of chalcomycin biosynthetic gene cluster. Further verification that cosmids pKOS146.185.1 and pKOS146.185.10 contained the chalcomycin biosynthesis cluster was performed by PCR. Specific primer pairs were designed for the chalcomycin KS^q (Sb3/7-31 forward 5'-CGTCAGCCTGATCCTCGCCGA-3' [SEQ ID NO:49]; reverse 5'-TCCAGGTGGCCGACGTTC GTC) [SEQ ID NO:50], KS3 (Sb1/5-75 forward 5'-AACGAGATCCCGCCGGG CCTC-3' [SEQ ID NO:51]; reverse 5'-ATCA CGCGTTGCTGGGCGAGG-3' [SEQ ID NO:52]) and KS7 (Sb1/5-78 forward 5'-GGACGTCTGCCGGAGG GTTCC-3'[SEQ ID NO:53]; reverse 5'-GGCCCGTTGGGCACGGACAGA-3'[SEQ ID NO:54]) amplimers and used in PCR reactions with each of the 8 KS amplimers using the following conditions: total reaction volume of 50 μ l contained 20-100 ng of plasmid DNA containing an amplimer, 100pmol of each primer, 0.2mM dNTP, 10% DMSO and 2.5 U Taq DNA polymerase. Cycle steps were as follows: denaturation (94°C; 40 sec), annealing (55°C for KS^q and KS3 specific primers, 65°C for KS5 specific primers; 30 sec), extension (72°C; 60 sec), 25 cycles. Each primer set was found to amplify its cognate amplimer exclusively, with the exception of the primer set for KS7, which was also seen to give a small amount of amplification of non-cognate amplimers. Each primer set was then used for PCR with cosmids pKOS146.185.1, pKOS146.185.10 and pKOS146.185.11 employing the same conditions as described above but using cosmid DNA in place of the plasmid-containing amplimer DNA. pKOS146.185.1 gave correctly sized amplimers with KS^q and KS3 primers but not with KS7 specific primers, whereas pKOS 146-185.10 gave a correctly sized

amplimer with KS7 but not with KSq and KS3 specific primers, indicating that pKOS146.185.1 contained the 5' region of the chalcomycin PKS genes.

[0098] The sequence of the insert of pKOS146.185.1 corresponds to bases 1 to 48,595 of SEQ ID No.1 and the sequence of the insert of pKOS146.185.10 corresponds to bases 44,218 to 85,915 of SEQ ID No.1. Table 2 below provides open reading frame (ORF) boundaries corresponding to the nucleotide position in SEQ ID NO:1 (Table 3) of the chalcomycin PKS as well as the nucleotide sequences encoding enzymes involved in precursor synthesis and chalcomycin modification. In addition to the ORFs listed in Table 2, SEQ ID NO:1 includes additional open reading frames of genes encoding proteins or domains thereof that may be useful in the biosynthesis of chalcomycin and/or analogs thereof in certain host cells. The various open reading frames, module-coding sequences, and domain encoding sequences shown in Table 2 and the figures are sometimes referred to as "subsequences." Those of skill in the art will recognize, upon consideration of the sequence shown in Example 1, that the actual start locations of several of the genes could differ from the start locations shown in the table, for example due to the presence in-frame of codons utilizable by the initiator methionine tRNA in close proximity to the codon indicated as the start codon. The actual start codon can be confirmed by amino acid sequencing of the proteins expressed from the genes.

Table 2- Chalcomycin PKS and modifying gene cluster ORFs of SEQ ID NO:1

* "C" encoded by complement of SEQ ID NO:1

ORF boundaries	Name	Proposed Function (homology)	Strand*	No. residues
1 – 1009	Orf1	Orf1 complement integral membrane protein (homolog of S. coelicolor SCF51A.28c)	C	343 [SEQ ID NO: 2]
1121 – 1963	Orf2	Orf2 complement (homolog of S. coelicolor SCF51A.29c)	C	280 [SEQ ID NO: 3]
3008 – 3889	Orf3	Orf3 complement Oxidoreductase (homolog of M.tuberculosis MLC581.18c)	C	293 [SEQ ID NO: 4]
3991 – 5208	chmCIV	3,4-dehydratase, D-chalcose pathway (EryCIV homolog)	C	405 [SEQ ID NO: 5]
5339 – 6118	chmMIII	D-chalcose O-methyltransferase (SpnH homolog)	C	259 [SEQ ID NO: 6]
6239 – 7696	chmCV	D-chalcose pathway (EryCV homolog)	C	485 [SEQ ID NO: 7]
7761 – 10271	chmR	beta-glucosidase, extracellular reactivator of chalcomycin (OleR, DesR, EryBI homolog)	C	836 [SEQ ID NO: 8]
10306 – 11511	chmPII	P450 C12, C13-epoxidase (MycG homolog)	C	401 [SEQ ID NO: 9]
11549 – 12772	chmPI	P450 C8-hydroxylase (OleP homolog)	C	407 [SEQ ID NO: 10]
12762 – 13610	chmI	TEII (homolog of TEII of tylosin cluster [the predicted product of ORF5 of GenBank accession # AF145042])	C	282 [SEQ ID NO: 11]
13631 – 14602	chmAII	TDP-glucose 4,6-dehydratase	C	323 [SEQ ID NO: 12]
14648 – 15562	chmAI	TDP-glucose synthase	C	305 [SEQ ID NO: 13]
15869 – 16459	chmJ	3-epimerase; D-allose pathway (TylJ homolog)	C	196 [SEQ ID NO: 14]
16523 – 17290	chmMII	D-mycinoase 3' OH-MT (TylF homolog)	C	255 [SEQ ID NO: 15]
17551 – 18810	chmHI	P450 C20-hydroxylase (TylHI homolog)		420 [SEQ ID NO: 16]
18831 – 19052	chmHII	Ferredoxin (TylHII homolog)		73 [SEQ ID NO: 17]
18959 – 20029	chmD	D-allose pathway 4-KR (TylD homolog)		326 [SEQ ID NO: 18]
19049 – 20029	chmD	Alternate N-terminus		[SEQ ID NO: 19]
20062 – 21273	chmMI	D-mycinoase pathway 2'OH-MT(TylE homolog)		403 [SEQ ID NO: 20]
21329 – 22576	chmN	D-allose glycosyltransferase (TylN homolog)		418 [SEQ ID NO: 21]

22653 – 23495	chrB	Resistance determinant; 23S-rRNA N1-methyltransferase (TlrB homolog)	C	280 [SEQ ID NO: 22]
23622 – 36947	chmGI	PKS, Modules 0-2		4441 [SEQ ID NO: 23]
23823-25046	KSOq	PKS Ketosynthase Oq loading domain		
25353-26396	AT0	PKS Acyltransferase loading domain		
26499-26756	ACP0	PKS Acyl carrier protein loading domain		
26808-28079	KS1	PKS Ketosynthase 1 domain		
28386-29432	AT1	PKS Acyl transferase 1 domain		
30099-30794	KR1	PKS Ketoreductase 1 domain		
30966-31220	ACP1	PKS Acyl carrier protein domain		
31296-32567	KS2	PKS Ketosynthase 2 domain		
32889-33932	AT2	PKS Acyl transferase 2 domain		
33975-34574	DH2	PKS Dehydrogenase 2 domain		
35472-36257	KR2	PKS Ketoreductase 2 domain		
36402-36659	ACP2	PKS Acyl carrier protein 2 domain		
37041-42965	chmGII	PKS, Module 3		1974 [SEQ ID NO: 24]
37143-38414	KS3	PKS Ketosynthase 3 domain		
38724-39869	AT3	PKS Acyl transferase 3 domain		
39903-40544	DH3	PKS Dehydrogenase 3 domain		
41442-42281	KR3	PKS Ketoreductase 3 domain		
42411-42668	ACP3	PKS Acyl carrier protein 3 domain		
43022-54388	chmGIII	PKS, Modules 4 and 5		3788 [SEQ ID NO: 25]
43139-44422	KS4	PKS Ketosynthase 4 domain		
44750-45796	AT4	PKS Acyl transferase 4 domain		
46436-47248	KR4	PKS Ketoreductase 4 domain		
47318-47575	ACP4	PKS Acyl carrier protein 4 domain		
47651-48925	KS5	PKS Ketosynthase 5 domain		
49226-50272	AT5	PKS Acyl transferase 5 domain		
50309-51001	DH5	PKS Dehydrogenase 5 domain		
52085-52957	ER5	PKS Enoylreductase 5 domain		
52925-53728	KR5	PKS Ketoreductase 5 domain		
54439 - 59277	chmGIV	PKS, Module 6		1612 [SEQ ID NO: 26]

54544-55818	KS6	PKS Ketosynthase 6 domain		
56122-57168	AT6	PKS Acyl transferase 6 domain		
57844-58707	KR6	PKS Ketoreductase 6 domain		
58753-59019	ACP6	PKS Acyl carrier protein 6 domain		
59387 - 63439	chmGV	PKS, Module 7 and TE		1350 [SEQ ID NO: 27]
59489-60778	KS7	PKS Ketosynthase 7 domain		
61112-62209	AT7	PKS Acyl transferase 7 domain		
62276-62533	ACP7	PKS Acyl carrier protein 7 domain		
62549-63436	TE	Thioesterase		
63522 - 64760	ChmCII	NDP - hexose 3,4-isomerase; D-chalcoose pathway component (EryCII homolog)		412 [SEQ ID NO: 28]
64804 - 66081	ChmCIII	Chalcoose glycosyltransferase (EryCIII homolog)		425 [SEQ ID NO: 29]
66194 - 66940	ChmU	Post PKS Ketoreductase (SimJ2, NovJ homolog)		248 [SEQ ID NO: 30]
67323 - 68471	Orf4	Permease homolog (SCF6.09 homolog)	C	382 [SEQ ID NO: 31]
68733 - 70196	Orf5	Membrane protein homolog (SC66T3.03 homolog)	C	487 [SEQ ID NO: 32]
70193 - 70888	Orf6	D-alanyl-D-alanine carboxypeptidase homolog (SCD6.17c homolog)	C	231 [SEQ ID NO: 33]
71382 - 72542	Orf7	Sensory histidine kinase homolog (SCE94.10 homolog)	C	386 [SEQ ID NO: 34]
72638 - 73324	Orf8	Two-component syst. response regulator homolog (SCE94.09 homolog)	C	228 [SEQ ID NO: 35]
73651 - 75081	Orf9	permease (xanthine/uracil permease type) (SC9G1.02, SC9G1.04 homolog)	C	476 [SEQ ID NO: 36]
75401 - 76117	Orf10	SC6A11.03c Homolog	C	[SEQ ID NO: 37]
76537 - 78375	Orf11	Permease homolog (SC9G1.02, SC9G1.04 homolog)		612 [SEQ ID NO: 38]
78521 - 79192	Orf12	MerR-family transcriptional regulator (SC1A4.06c homolog)		223 [SEQ ID NO: 39]
79228 - 79983	Orf13	Type-II thioesterase (SanP homolog)	C	251 [SEQ ID NO: 40]
80489 - 81439	Orf14	Open reading frame	C	[SEQ ID NO: 41]
81806 - 82528	Orf15	Response regulator homolog (SCD49.02c homolog)		240 [SEQ ID NO: 42]
82712 - 85912	Orf16	Open reading frame		[SEQ ID NO: 43]

[0099] Genes listed in Table 2 that encode proteins with post-PKS polyketide-modifying activities include: chmPI, chmPII, chmHI (P450 homologs), chmN, chmCIII (glycosyltransferases) and chmU (polyketide ketoreductase).

[0100] Genes listed in Table 2 that encode proteins predicted to participate in the biosynthesis of sugar residue subunits of chalcomycin or modification of sugar residues after their addition to the polyketide include: chmCIV, chmMIII, chmCV, chmAII, chmAI, chmJ, chmMII, chmD, chmMI, and chmCII. Of these, three are predicted to participate in D-challose residue biosynthesis (ChmCII, ChmCIV and ChmCV), two are predicted to participate in D-allose residue biosynthesis (ChmD and ChmJ) two are predicted to participate in conversion of the D-allose residue to D-mycinoside residue after covalent linkage of the D-allose to the polyketide (ChmMI and ChmMII), two are predicted to provide precursors for both the allose and challose pathways (ChmAI and ChmAII), and one is predicted to O-methylate the challose residue (ChmMIII).

[0101] As noted above, the invention also provides inter-polypeptide linker sequences, which can be identified by the skilled reader (e.g., comprising the sequences between the N-terminus of the polypeptide and the beginning of the first KS domain; or between the C-terminus of the polypeptide and the beginning of the last ACP domain) and polynucleotides encoding such linkers.

Table 3

Chalcomycin PKS cluster from *Streptomyces bikiniensis* NRRL 2737 (SEQ ID NO:1)

```

1  GGGGCCCCGCC  GGACGGGGCT  GCCCGGCTCT  CGGCGGTGCC  CGGTGGGCGG  GGTGCGGGCT
61  CGCCCGCGGC  GAGATGCTCC  AGGACCTCCG  CCAGTTCCCG  GCAGGCGCGG  CGTACCGAGC
121  GGCGGGTCGC  ACGCTGCTCC  GTGATGACGG  AGGCGAGAAG  CAGGGCGGTC  AGTGCGGCGG
181  AACCGTTGAA  CGCCTGGAGC  TTGGCCATGA  TCTCGACGTC  CGAGAGGTGG  AGGAACCTC
241  CCCGTCCGCG  GTTCGCCTCG  AAGGTGGCGA  GCACGGAGGC  GAAGAGCGCG  CAGAGCATGC
301  TTCCGGTGAG  CTGGAAGCGG  AGCGCCGCCC  AGATCAGCAG  GGGGAAGACG  AGGAAGAGCA
361  TGCCACCCGG  GCTGAGCACG  GCCATGGGCA  TGAGGATCAG  GGTGCGGAGA  CCCAGCAGGG
421  CCGCCTCCTT  CCAGCGCCGT  ACGCGGAACC  GTCCGGCCGG  CCCCAGGAGG  ACGAGGAGGA
481  GCGGGGCGAC  GAGCAGCACC  CCCATCGTGT  CGCCACCCA  CCAGGCCAGC  CAGACGGGCC
541  AGAAGTCGGT  CGTGTCAGG  GAGTCTTCG  CCACCTGCAG  TCCGACCCCG  GCGGTCGCGC
601  TGATCAGCAT  GGCGCCGAAC  CCGCCGAGGA  AGACCAGGGA  GAGTCCGTCC  CGCAGCCGTG
661  CCATGTCGAG  CCGGAAGCCG  GCCCGTGTCA  GCAGCAGGAA  GGCGCAGAGC  GGCGCAGCGG
721  TGTGCTGAC  CACGGTGACC  ACGGTGGTGG  GCCCCGGCGT  GGTGAGGGAG  GCGATGACGA
781  GGAAGGAGCC  GAGGGCGATC  CCGGGCCAGA  CGCGCGCGCC  GAGCAGCAGC  AGGGCGGCGA
841  CGGCGACGCC  GGTGGGAGGC  CAGATGGGGG  TGACCACCAC  GCCTTCGACG  ACGAGGCGGC
901  CCATCAGGCC  GAGTCGTCCG  GCCGCGTAGT  AGAGCACCGC  CACGGCCAGC  GACATCAGCG
961  CCGTCGCCGC  GGGGGACCGG  TACTGCCGAA  TATCCAACAC  GTCTGCCATC  AGACACCGAC

```

1021 CGGGTTGCCG CGCCCTGCA TGGCCGCTG CGTGTGCGGG ACACGCCGCC CGGCCCGGAC
1081 CGGGCCGCGG GGAGGACCGG CCCGAGGCGG GTCCCCTCGC TCACTCCCCG GTCGCCGGCC
1141 GGGGCGGACC GCCGTCTGCG CCAGACGACGA GGACGGCCGC GTCGTCTCTG TGCCCCACCG
1201 TGGCCGCCAG TCGCATGACG GCGGTGGCGA GCGCGTCGAC GTCCAGCCCG GCGACGGCCG
1261 TGATCCCGGC GAGTCTCGTC ACCCGGTGCA GACCCTCGTC GATGTGGAGC GAGGGCCCCCT
1321 CCACGACCCC GTCGGTCAGG AGGACGAAGA CGCCGTGCGC GGTGAGCCGG TGGCGCGTGG
1381 CCGGGTAGTC GCGCGCCGCG AGCACGCCGA GAGGAGGCCG GCCCTCGCTG TCCTCGATGC
1441 CGGAGCGGCC GTCGGCGGTG GCCCAGATGT GGGGGATGTG GCCGCCCCGG GCGCATTCCA
1501 GGGTGCCGGC GGCGGGGTG AGCCGACGGA AGGTGCAGGT GCGGAAGAGG TCGGCGCCGA
1561 GGGAGACGAG CAGGTCTGTG GTGCGGCCGA GCAGCTCTCC CGGGTCCGCG GTGACGGAGG
1621 CCAGCGCGCG CAGTGCCACG CGGACCTGTG CCATGAAGGC GCGGCGCTCG ATGTTGTGTC
1681 CCTGGAGTC GCCGATGGAC ATGCCGATCC CCCCAGCAGG CAGGGGGAAG CGCTCGTACC
1741 AGTCGCCGCC GACGTTGAGC CCGTGTTGG CGGGCTCGTA CCGGACGCC AGCCGCGCAC
1801 CCGGAAGACT GGGCAGGTCC GAGGGCAGCA TGCCGCGCTG CAGGGCCACG GCGAGCTCGA
1861 CACGGGACCG CTGCGTCTCG GCCAGTCCC GCGCCCTGGC GGTACGCGAC CCGAGCCGGA
1921 CCAGAAGGTC CTCGCTGCTG TCGGCCGGGC GTCTGCGGAA CATCGATCAC TCCGACGTCA
1981 CGACAATCCT CGCATCACTC CGTCCCGTCT CCAGCACGCG GGACCACAGG GGACCACCCC
2041 GGTACGAACA GGTCTTCCC ACTGTGCCCC GAGGGGGCGG GGTCCGCATC TCATCGGCGG
2101 GAGAGCGCGG TGGATCCCAG GGGGCCCGCT CAGGTACCCG AAAACGAGCA AACGTTTCGAT
2161 AATGTGGTCG CGCCGGTCTG TGCGGCCGTT CAGCGTTCGA CGGTCACTGC GCGGCGCGCG
2221 ATGCCGTCGC GCACCAGCCA CCGGCCGGTG AACC CGCCCA GCTGCCGTCC GTCGACCGTC
2281 GGCCCGGGCA CGAGCAGCCG GGCCCTGAAA CCGCCGCCCG GCTGGAAGTC GACGGCCGCC
2341 TCCCCGAAGT CGAGCCGGCT CCGGGTGAGC GGAACACG CTTGTAGAC GGCTCCTTG
2401 GCGCAGAACA GCAGCTGTC CCACGGGATG CCGGGCCGGG CCAGTGCCAG AGCGGCCAGC
2461 GGCCCGCGCT CATCCGCGGT CGTACCGCC TCGAAGACGC CGTGCGGCAG CGGAAGGGCG
2521 GGCTCGGCGT CGATGCCAG AGACGCCACG TCCGCTCGG ACGCCACCGT CCGGCGCGG
2581 TAGCCGCGC AGTGGGTCAT GTCGCCGAC ACACCGGGCG GCCATCCCGG CGCACCCCGC
2641 TCACCGGGCA CGAGGGCCAC CGGCCCCAC CCCAGACCG CCAGCGCGG TCGCGCGCAG
2701 AAGCGCACGG AGGTGAACTC CTTGCGTCGC TTGTGACCG CGCGCCCGAT CGCCTTCTCC
2761 TCGTCGGCGA ACAGCCGCG CTCGGGGTAC CCGTCGGCAT CCAGGACGTC GCCGAAGACG
2821 TCCACGACA CCGCGGCGGG CGGCAGCAGT GCGCAGATCA GCGCGGCCCA CCGCGGCACC
2881 GACACGGCGG CGTCGGCCTC GGCACGGTCG TGCACGCACG CCGACGCCGC GCGCTCGGCG
2941 AGGGGGCCCC TGCGGCTGCC GTCCCGGAC CGCCGCGCCG AGGACGCCGC CGGCGGGAAG
3001 CCGTCCCTCA CACGGGCACC GTGGCGTCGT CGTGCGTGCG TCCGAGCGCG TTCAGCCGGG
3061 CCAGCTGGCC ATCGGAGAGA GCGATGCCCG ACGCCGCGAC GTTCTCCCTC AGATGCGCGG
3121 GCGAGCTGGT GCCGGGGATG GGAATGACCG CCGGCGAGCG GTGCAGCAGC CACGCGAGCG
3181 CCACCTGACC GGCCGACACC TCCAGTCCG TGCGGATGTC GGCCACCGGG CTCCCCCGG
3241 CCGCGAGCGC ACCGCGGGCG ATCGGACGCC AGGCGATGAA CGCGATCTCG CGTCTCTCGC
3301 AGTACTCGAC CACCTCGTCG TTGCGCCGGT CCGTCAGGTT GTACACGTTT TGCACCTGG
3361 CCACGGTGAT GTGCTACGG GCGGCTCCA CTTCCCGGAC GGTGACCTTG GACAGCCCGA
3421 TGTGCCGGAT CTTCCCTTCG TCCTGCAGTT CCCCAGCGC ACCGAACCTG TCGGCCGCCG
3481 GCACCTTCGG ATCGATCCGG TGCAGCTGGA AGAGGTGAT GCGGTGAGT CCGCAGCTGC
3541 GCAGGCTCAG CTCGGCCTGC TGGCGGAGGT ACTCCGTCG GCCGCACGGC ACCCACTGGT
3601 CCGGACGGGG CCGGCACTGT CCGGCTTCG TCGCGATCAC GAGGCCGTCG GGGTACGGGC
3661 GCAGTGCTTC GGCCAGCAGC TCCTCGTTGC TTCCAGCCC GTAGGAATCG GCCGTGTCGA
3721 TGAAGGACAC ACCGAGGTCC ACGCCAGCC GGGCCGTGCT GATCGCAGCC TCCCGGTCTT
3781 CCGGCGGGCC CAGTACCCC GGACCGGTCA GCCGAGGGC GCCGAAACC AACCGGTGTA
3841 CCGAGAGGTC GCCTCCAGA GGAAGGTGG TCCTGCCGGG CTGTGCCATG CGTTCCTCCT
3901 GGACGACGTC CGTGCACTCG GGTGGGGCGT GTGGTGACCT CCGTGGGGGC GGGCCGATGC
3961 CGACCGTCCG AACACGGTGG ATCCCCGGT TCAGGGAGCC GTCGTGGAGG GCACCCGCTC
4021 GTCGGCCCCG CGGGTCACCT CGTGTCCCCG CTCAGAGTG AGCCGACGA TGTCCGAGAC
4081 CCGACGGATG TCCTCGCGAG AGACGGTGGG GCGGTTGGG AGGGCGAGGA CTTTCCGCGC
4141 GAGCCGTTTC GTGTGGGGCA GGGAGACCG CCGCTCCGAG CGGTAGGGCT CCATCTCGTG
4201 GCATCCGGGG GAGAAGTACC GCTGGCACAT GATGTTCTCC GCCCTCAGCA CCTCGTCCAG
4261 CAGGTCCCGG TGGACCCCG TCACCGCGGC GTGACCTCC ACGACCAGAT AGTGGTAGTT
4321 GTTGCCTCG GCACGGTCGA ACTCCATGAC CTTAGCCCC GCGAGCCCG CGAGTTCCGA
4381 CCGGTAGTCG TCGTGGTTGG CCTCGTTCCG GCGAACCGTC TCCTCGAAG CGTCGAGCGA

4441 GGTGAGTCCC ATCGCGGCGG CGGCTTCGGT CATCTTCCCG TTGGTGCCGG TCTCCGTGGA
4501 CACCCGCCCC TGGGTGAATC CGAAGTTGTG CATCGCGCGG ACCCGCTGGG CCAGCCTCTC
4561 GTCATCGGTC ACCACGCGC CGCCCTCGAA GCGGTTGACC ACCTTGGTGG CGTGGAAGCT
4621 GAACACCTCG GCTTGTCCGA AGCCGCGGAT CGGCTGCCCT TCCGACGTGC AGCCGAGTCC
4681 GTGCGCGGCA TCGTAGAAGA GCCTGAGACC GTGATCGGCC GCGACCTTCG CCAGCCGGTC
4741 GACCGCGCAG GGCCGACCCC ACAGATGGAC CGGCACGACC GCACTCGTAC GGGGGGTGAT
4801 CGCCGCTCG ATCAGATCCG GGTCCAGGCA GTTGGTGGCC GGGTCGATGT CCACGAAGAC
4861 CGGGGTCAGA CCCAGCCAGC GGAACGCCTG GGCGGTCGCC GGAAGGTCA GCGACGGCAT
4921 GATGACCTCG CCCGACAGAT CGGCGGCGCG GGCCAGCAAC TGGAGGGCGA CGGTCGCGTT
4981 GCAGGTCGAC ACGCAGTAGC GCACGCCGCG GAGTTCCGCC ACGCGCTGCT CGAACTCCCG
5041 GGCGGCGGC CGCCGTTGG TCAGCCACTG GTGGTCCAGC GCCCAGTTCA CACGGTCCAG
5101 GAACCGCGCT CGGTGCGCCA CGTTGGGCGG CCCCACGTGA AGTGGTTGCA GGAACGCGGA
5161 CGGGCCGCGG AACACGGCGA GATCACCGAG ATTGCGTTTC ATGGTCATAC CTCCCCGGTG
5221 CACGGGACGG TGCACCCGGC AGCAGCCGGC ACAGGACGTG GACGTACCGG AGGGACAGGG
5281 GCCGACGCG ACGACGGCGT CTCCGTCGTG CGTACGCGAA AGGGGCGCAC GGAACGGATC
5341 AGTGCTCGCG GCGCCAGTAG ACGCCCGTCA CGTCCACCGT CTCGATCGGC TCGTCGATGC
5401 CGTGTTCGCT CCGGTAGTCG TGGACGGCCT GCTTGACGCG CGGGATCAGG TAGTCGTCCA
5461 CGATCACGAA CCCGCCACG GACAGCTTGG GGTAGAGGTT GACCAGCGCG TCCCTCGTCG
5521 ACTCGTACAG GTCGCCGTCC ACCCGCAGCA CCGCGAGCCG GTCGATCGGC GCGGTGCGCA
5581 GCGTGTGCGG GAACATGCCG GGCAGGAACC TGACCTGCTC GTCCAGCAGG CCGTAGCGGG
5641 CGAAGTTCTC CCTCACCTGC TCCTCGGAAC AGCTCAGTAC CCAGTTCAGG TGGTGGAACT
5701 CCATCGCCCG GTCGAGCGGG TGGCTGTCTT CGGACGTCAC CGGGACACCG GCGAACGAGT
5761 CGGCGAGCCA CACGGTGCGG TCCTCCACAC CGTGCGCCTT GAGGAGCGCG CGCATCAGGA
5821 TGCAGGCGCC GCCGCGCCAC ACGCCGGTCT CGATGAGATC ACCGGGAACA TCGTCTGGA
5881 GGACCCTCTC CACGCACCTC TGGATGTTGT CGAGGCGTTG CAGGCCGATC ATGGTGTGCG
5941 CGACCGTCGG CACGTCCAGT CCTTCGGCCC GGTGGTGGC GTCGAAGGTC CCGCGCTCGA
6001 CGTCCGGGCC CTCCGCCCCC GGACGCATGC GGTCCGCCAG TTCCTTGTCC AGGACGTTCA
6061 TCCCGACCGG GAAGGTCGGG TGATCCCCGT AGATGGTGTT CGACACGACG TTCTTCATGA
6121 GGTCCACGTA GAGCTCGCGG GTCTGCACGG TCGACTTACC TCCGGCTAGA TATCGAACAG
6181 AGAGAGAATG TGCGGGGCGA CGGCGTCCGC GGACGCGGTG GGAGCCGTCG CGGTGCGGTC
6241 ACCTCAGGAA GCCGCGCGCG TCCTCCAGC CGGCCACGAC ATCGGCCCTCC AGCTGGTTGA
6301 GCCGCGCCGC CACCACCTGG TCGAACCCGT CCATGAAGTA CTCGTACCCG GCGTGCGGCG
6361 CTATCAGACG GCCGTGCTCC ACGAACCCTG CGACGACCTC CGTCAGGGAG GTGCCCGGCC
6421 CCACCCGGCC CGCGACGTAC CGGTCCGCTC CGGTGAGATC CGGGAACCCC GCCTCCCGGT
6481 ACAGGTACAC GTCACCCAGC AGGTCCACCT GTACGGACAC CTGGGGATGC GCGGACCGGC
6541 GCATGGTTCC GGGCCTGATC CTGAGCAGT CGGCGTCCGC GCCGCTCTTC AGGCTGTGCA
6601 ACGCGTAGCC GTAGTCGATG TTCAGCGTGG GGGTCCGCGG GCTCACCGCC TCCTCCGAAC
6661 CGAGCAGCCC CTCTGGAGT TCGGCGCGTT CGGCCTCGAA CAGCCTGCCG TCCTCCGGGC
6721 CGCTGTAGTC CTCGCGCACG TTCAGGAAGT CCACCGGCCG GTCCGGCCGG CCTCGTTCA
6781 GGTGCGCGAT GAAGTCGACG AGGTGAGCA GCCGGTGGAC GCGCCCGGGC AGCACGATGT
6841 AGCTGAGCCC GAGCCGGATC GGGCTCTCCC GCTCGGACCG CAGCTGCTGG AAGCGCCGCA
6901 GGTTGGCGCG GACCCTTCCG AAGGCGGCGC GCTTGCCCGT GGTCTCCTCG TACTCCTCGT
6961 CGTTCAAGCC GTACAGCGAG GTGCGCACCG CGTGCAGGTC CCACACCCCG GGCTGCCTGT
7021 CCAGCGTCCG CTCGGTGAGC GCGAACGAGT TCGTGACAC GGTGCGCCGC AGCCCGCGAG
7081 CCGCCGCACG GCTGCTGAGC GCGCCAGGC CCGGGTTGGT GAGGGGCTCC AGACCGCCCG
7141 AGAAGTACAT GGCGTACGGG TTGCCGGCCG GGATCTCGTC GATGACGGAC GCGAACATCG
7201 CGTTGCCGGA CTCCAGCGCC GACGGGTGCT ACCGCGCACC GGTCAACCCG ACGCAGAAGT
7261 GGCAGCGGAA CATGCAGCTC GGCCCGGGT ACAGGCCAC GACATAGGGG AAGGCCGGCT
7321 TGTGCGCGAG CGCCGCTCG AAGACCCCGG GTCGCTCCAG CGGCAGCAGG GTGTTCTGCC
7381 AGTACTTGCC CGCCGGCCCG TTCTCCACGG CGTGGCGCAG CTCCGGGACA CGGCCGAAGA
7441 GGCCGAGGAG CCGGCCGAAG GAGGCCCGGT CCACGTCCAG CATCCGGCGT CCTCCTCCA
7501 GGGGCGTGAA GGGGTGGTTC CCGTAGCGCT CGGCCAGCCG CACGAGCCGG CGCGCGACCG
7561 TCGGGCCCTC GTCGACACCG ACGCGGCCGT CGGAGACCG GGCAGCGTGC ACCGTGTGGA
7621 CCGCTGCCGG CAGGTGCGCG CCGGGGCGGG CGCACAGGGC GACCGGATCG GCCGCGGTGG
7681 AGGCGTGCGA GGTATCCTT CGTGTTCAAT CGTCTGCGTC CGGAGGGTCG GTCCGTTCCC
7741 CGGGAAACGC GCGGGGCGG TCACCGGGAC GGCACCGTGA CGGATGTGGT CAGGGACGTC
7801 TCGGCCGCGG ACGGGCCAC GTGTACGGCC CTCCTGCCGG TGCCCGGCTT CCACGTGCCG

7861 GCGGCGGTGT CCCAGTAGCG CAGTTGCTGC TCGTCGACGG GGACGGTGAC CCGCCGCTGT
7921 TCTCCCGGCC GGAGGGTGAC CTTGGTGAAT CCGGCGAGTT TGCGCAGCGC CTGGGGGGCC
7981 TGGGTGTCCG GACTTGCCCC GAGGTAGACC TGGACGGTCT CCCTGCCCCG CCGGTACCCG
8041 GTGTTGCGGA CGGTGACCGT GGCCTCCAGC CCCCGGGCGG TGCGCGCCAC GGACAGGTCTG
8101 CTGTAGGCGA AGGTGGTGTA CGACAGGCCG TACCCGAACG GGAAGAGCGG GGCCACGCCG
8161 GTCCGGTTCGT ACCACCGGTA GCCGACATCC AGTCCCTCGG AATAGGTCTC CTTGCCGTCTG
8221 ACACCCGGGT AGCGGTGCGG GTCACCGGCC ATGGGATGGC CGGTCTCGGT CCCCCGGAAG
8281 GTCTGGGTCA GCCGGCCGCT GGGATTCTCG TCGCCGAACA GCAGGGCAGC GGTGGCTTCC
8341 GCGCCCTCCT GCCCGGGTA CCACATCTCC AGTACGGCGG CCGTCTCACG CAGCCAGGGC
8401 ATGAGCACCG AGGAACCGGT GTTGAGGACG ACGATCGTGC GGGGGTTGAC CTTGGTGATC
8461 GCCGCGATCA GCTCGTCCTG TCGGCCGGGC AGGGACAGCG AGGACCGGTC CACGCCCTCG
8521 GCACTGTCGT CGTGGGCGAA GACGACGGCG GTGCGGGCCT CGGCCGCGTC CGACAGGGC
8581 CGGTCGAAGT CGTCCGGGC AGCCTCGGGA GTGACCCAGC TCAGCTCCAC CGACAGGGG
8641 GTCTGTTTGA AGGCCAGCC GTTCATGGTC ACCCGTGGG TGCCGCGGGT CAGCCGCATC
8701 GTGGTGGTGA CGGTGCCGAA CGCCTCGGTG CCGAGGACAG CGGACTGCCC CGCGATCTGC
8761 AGGTTGGCGA CCCC GCCGAC GCGGTGAAG GCGATCTTGT AGTCGCCGTC GCGGGGACG
8821 GTGAGCCGAC CCTCGTAGAA GACGCCCTGG CCGTGGGAT CCAGTTGCTT CCCGCTCGTG
8881 AAGGCGGGGG TGAGCGAGCT TTCGGGCACG GGCACGCCGA CCAGGTCCTC ACCGGGCTCG
8941 TGGACGACCC GGGCCTTCTC GCCGGCGCGC CGTGCAGGG CGTCGACGGG TGCGGTCTGCC
9001 CGGTCGGGTA TGACGTGCGC GCTGCCGTTG CCGGTGACCT TGGGGTGCTT GCGCTGTTG
9061 CCGATGACGG CGATGTCCGT GGCCTCCTCA CCGGTCAGGG GCAGCGTCCG GCGCTCGTTG
9121 CGCAGCAGCA CCCC GCCGCT CTCGGCGATG GTGCGGGCCG CCGCGCGGCC GGCTCGGGA
9181 TCACGCTGCG GCGCTCGGT CGCCTTGCCG TCGAGCAGGC CGAAGCGCTC CATCTGGCCG
9241 AGGATGCGGA CGACGGACCG ATCGAGCGAT GCCTCGGGGA CGCTGCCGTC CCGCACGGCG
9301 GCCCTGAGCG CGGAGGAGAA GTACTTCGAT TCCGGCACCG GCTGCCCCAG GCTCAGTCTG
9361 ACGCCAGTT CCTGGTCGAG GCCCTGGTG ATGTCGCCG TGCGGTGGGT CGCCAGCCAG
9421 TCGACACCA CCCAGCCGCG GAAGTCCCAC TGTTCGCGCA GCACCTCCTG CAACAGGTGC
9481 TCGTTCCCGC ATGCGTGCGC GCCGTTGACC TTGTTGTACG AGCACATCAC CGAGGCGGCG
9541 CCGCCCGCA CGGCGCTGCG GAAGGCCGGC AGCTCCACCT CCTGGAGCGT CTGCTCGTCG
9601 ACCACGGCGT CGATGGTCTC CCGCTGGTAC TCCTGGTTGT TCGCGGCGAA GTGCTTGACC
9661 GTGGCCATCA GGCCTGGTT CTGGATGCCG CGGACCTCGT GGGCGGCCAT CCGGGACGAC
9721 AGCAGAGGAT CCTCGCTGTA GGTCTCGAAG TTCCGCCCCG CGTGCGGCAC CCGGATGACG
9781 TTGGTCATGG GACCAGGAC GATGTCCTGT CCGAGGGCCC GTCCCTCCCG GCCCAGGACG
9841 GTGCCGTACT CCTCGGCGAG GCGTTCTGTC AAGGTGGCGG CGAGCGCCAC GGGGGTGGGC
9901 ATGGCGGTGG CGGTACCGCC GAGCAGACGG ATGCCGACCG GGCCGTGCGC GGTGCGCAGC
9961 TCGGGGATGC CGAGCCGGGG CACGCCCGGC AGATAGCCGA TGCCGGTCAT GGTGCGCCCCG
10021 CCCACGGGCC CGGTGGTCCA GTGGACGAAG GAGATCTTCT CGTCGAGGGT CATCTTCGCC
10081 ACCAGCCCGC GCACCCGCGC CGTCCCGGGC TCGGCGGGCG GAGCACCGGC GAGCGAGGGG
10141 GCGGTGAGCA GACC GCCGAC GCACAGGGCC GCGAGCGCG ATCCGACGGT GCGCCGATG
10201 CCGCGACCCG TCCTCGTCTG GCCGAACAGC ATGCTGACGG ACGTCTTTT TGCCGAGGTT
10261 GCGCTCCTCA TCGGGGCGGG AACGTTTCTG TCCGTGCCGC CATGATCACC AGCCACGAG
10321 CATCGTGCGC GGGCCCCGCA CCACCATCTC CGTCTTCCAC TCGACGGGCT GGGCGAGGTG
10381 CAGCCCGGGG AGTTCGTGCA GCAGGGTCCG CAGCGCCTCC TGGAGCTCCA GCCGCGCGAG
10441 GGACGCGCCG AGGCAGTGAT GCGGACCGTG TCCGTACCCC AGGTGCCGGC CGGCGTCTGC
10501 GCGGGTGATG TCGAGCACGC CGGGCGAGCG GAAGCGCAGG GCGTCCCGGT TGGCGGCGTT
10561 CATCTGGACC AGCACC GGAT CCCCCGCCG CACCAGCGTC CCGCCACCT CGACGTCCTC
10621 GGTGGCGTAG CGCGGAATC CCGCTGGCT GCCGAGCGGA ACGAACCGCG TCAGCTCTTC
10681 CACCGCGTTG TCCAGCAGGT CAGGACGGTC CCGGAGGAGG GCCAGCTGGT CCGGCTGTTT
10741 GAGCAGGACC AGGACGAAGT TGCTGATCTG GCTGGCCGTG GTCTCGTGCC CGGCGAACAG
10801 GAGGAAGACG ATCAGGTGCA CCAACTCTC CTGCACAGC CGGCCCTGGG GTACAGGGC
10861 CTCGACGAGC GCCGAGACGA GATCGTCTCG CGGCGCGCG CGGCGGGCG TGATCAGGTC
10921 CGCCAGATAG CCGGTCAGCT CGCCGGCCAG CCGCACATGG TCCTCGGCGG TGAGCGAGCT
10981 GGTGGACATC GCTATCTCGC ACCAGCCGCG GAACAGGTCA CCGTCTCTCT CCGGCACGCC
11041 CAGCAGGCCG CAGATGACCG CCACGGGAAG GGGGACGGCG TAGTGGTCCA CGAGGTCGAC
11101 GGGCGATCCG AGCGCCGTCA TGTCCCGGAG CAGCGACGCC GTCATCTTTC GGACGTGCGG
11161 CCGCATGGCC TCCACGCGGC GCGGGGTGAA CGCCTTGGTG ACCAGCCCGC GCAGCCTGGT
11221 GTGGTCCGGC GCGTCCATGC CGATGATGCC GTTGGGCGTC CGCAGCTCCC GCATGCGCGG

11281	CGCGTCGTTT	TCCGCCTCCG	CGGCGTGGCT	GAACCGCCGG	TCGCCGAGGA	CGAAACGCGC
11341	GTCGTCGTAA	CGGGAGACGA	GCCAGCCCAG	CTCCCCGTAC	GGCATGTGGA	CCCAGAGGAG
11401	TCCTTCGCTC	TTCCGCGCCT	GCTCGTACGC	CTCGTCCAGG	TCCAGTCCCT	CCGGGCGGCC
11461	GAAGGGATAG	GAGACGGGTG	CGGTCTTCGT	GCTGGTCAAG	GGGAGCCCCA	TATCGCGTCG
11521	TTGGGGTGCT	TAATCGTCTG	GGGCCGGATC	ATGCGGCCGA	GCCGCCCCAG	GTGACGGGGA
11581	CCGCCTCGGG	GGTGCGCAGG	AGGGAGCCGG	CCCGCCAGCG	AAGCTCACTC	GCGGGGACGG
11641	ACAGCCGGAG	CTCCGGCAGG	CGCTCGACCA	GGGTGCTCAG	CACCACCTGC	AGTTCGAGCC
11701	GGGCCAGGGG	GGCGCCCATG	CAGTAGTGGG	CGCCGTGACC	GAAGCCGAGG	TGCGGGTTCT
11761	GGGCACGGGC	CAGGTGAGG	GAGCGGCAC	CGGAAACGC	CGTGTCGTG	AGGTTCCGCG
11821	ACGCGATCGA	GGTGATGACC	GCCTCGCCCG	CGCGGATGAG	CGTGCCGCCG	ATCTCGACGT
11881	CCTCCAAGGC	GATGCGGGCG	AACCCGTCCA	GGGTGCTCAG	CGGGGTGAAG	CGCAGCAGCT
11941	CCTCGACGGC	GGAGGGAACC	AGGTCAGGTT	CGGTCAACAG	GCGCTCGTAG	AGGCGGCGGT
12001	CGTCGAGCAG	GAGGAGGACG	AAATTGCCGA	TCTGGGTGGC	GGTCGTCTCG	TATCCGCTGA
12061	TCAGCAGGCC	GGAGCCCATC	ATGAGGAGCT	CGGCCTCGGA	GAGCCGGTCG	CCTTCGTAC
12121	GGGCCTGGAC	CATGGTGCTG	AGGAAGTCGT	CGGTGGGCCG	GGCGCGGCGA	TGGGCCACGA
12181	GGTCGGCCAT	GTAGGCGGAG	AAGTCCTCGG	TCGCCCCTG	CACTTCGGCG	GGCCCCAGGG
12241	AGGAGGACAC	CAGCGCCTCG	GAGAAGTCCC	GGAAGAGGTG	GCGGTCGTG	TAGGAGACGC
12301	CCAGCAGTCC	GCAGATCACG	GAGATCGACA	CGGGCAGCGC	CAGGTCTTCC	ATGACCTCGC
12361	CGGACGGCTC	GTCGCGCGCG	ACCATGCCGT	CGAGCAGTTC	ATCGGTGAAC	CGTGAGACCC
12421	GCGGGCGCAG	TTCTTCCACC	CGGCGGGCGG	TGAACGCCTT	CCCGGCGAGC	CGCCGGAGCC
12481	TGGTGTGTCC	GGGCGGGTCC	ATGGAGATGA	GACCGCCGGC	GGGCGCGGG	TACTCGGTGG
12541	GCCGGGGCAC	GTCACGTCCG	GCCCCGGCCT	CCATGCTGAA	CCGCGGGTCT	CCCAGGACCG
12601	CCCTCACGTC	GGCGTGTCCG	GTCAGACGCG	AGGCCTCACC	GCCGTACGGC	ATGCGGATCC
12661	GGGACACGGG	CTCGTGCTCC	CGCAGACGGC	TGTAGAGCGG	ATCCAGCGCG	ATGCCCTCGG
12721	GCGGGGAGAA	GGGGTACGGG	CGAGTCCGGT	GGACCGGACA	GCTAGACGTC	ATGGACTACTC
12781	TCTCGGTCTG	ACGGGGCGGC	GGCAGAGCTC	GAAGGGTGCG	GGCGGCCGAC	GGCGAGCCCG
12841	GTCGCCGTCC	GGATCGTCCG	GCACACCGCT	TCGGCCTGCT	CGGTGAGGTA	GAAGTGGCCT
12901	CCGGGGAAGG	AACGGAACGC	CGTCTCCCCG	GTGGTCAGCC	CGTGCCAGGC	CAGGGCTCCG
12961	TCGGTGGGGA	CGTGCGGATC	CGCGCTTCCC	GTCAGCACGG	TGATCGGGCA	GGCGAGCGGA
13021	GCTCCCGGAC	GCCACGTGTA	GGTGGCGGCG	GCCCCTAGT	CGTTGCGGAT	CGCCGGCAGG
13081	GCCATCCGCA	GGACCTCCTC	GTCGGCCAGC	ACCCGGGGGT	CGGTGCCTTG	CAGTTCGGCC
13141	AGCTTGCGGA	CCAGCCGGTC	GTCGCTCAGC	AGGTGCGCGG	TGGTCCGGTG	GGCGACGGTC
13201	GGGGCGACGC	GGCCGGAGAC	GAACAGATGC	GCCAGCCTGC	TCTCCGGCGC	CTGTTCCGCG
13261	AGCCGGCGGG	CGGTCTCGAA	GGCCACCAGC	GACCCAGGC	TGTGACCGAA	GAGCGCCACC
13321	GGCCGGTCCA	GCCAGGGGCC	GAGCGCTCCG	GCGACGTGCG	TCACCAGAGC	GTCGACGGAG
13381	TCCACGAACG	GCTCCAGCCG	CCGGTCTCTG	CGCCCGGGAT	ACTGGACGGC	GAGCACCTCG
13441	ACCCGGTCCG	GCAGCAGACA	GGTGAAGGGG	AGGAAGGCGC	TGGCGGTGCC	GCCGGGTGCG
13501	GGAAGGCACA	CGAGCCGGAG	CGCGGGGTG	GCGACGGGCC	GGTAGCGGCG	GAGCCAGAGG
13561	TCGCCGGCGT	TGGTGGAGCC	GGGCGCCGTC	GTGGCGGGCC	CCTCGTTTAT	GCGTGATCCG
13621	CTTCCGGACG	TCACGGTGTC	AGCGCCTTCC	ACCACGTGCC	GTTGTCCCGG	TACCAGTCGA
13681	CGGTCTCCGC	GAGCCCGCGA	TCGAAGGCGA	CGCGGGGAGC	CCATCCCAGC	TCCTCGGTGA
13741	TCTTCCGGGT	GTCCACGCAG	TAGCGACGGT	CGTGCGGGC	CCGGTCCGGC	ACCCGGTCCA
13801	CCACGGACCA	GTCGGCACCG	AAGACGCCGA	GAAGACGACG	GGTGAGGTG	ACGTTGGACA
13861	GTTCCGTCCC	GCCGCCGATG	TTGTACACCT	CTCCGGCCCG	CCCCCGGGCG	GCGACCATGG
13921	CGATGCCCCG	GCAGTGGTCC	TCCACGTGCA	GCCAGTCCCG	CCGGTGGAGG	CCGTCCCCGT
13981	ACAGGGGAAG	GCGCAGGCC	TCCAGCAGAT	GGGTCAACGA	GAGCGGGACG	ACCTTCTCGG
14041	GGTGCTGGTG	GGGGCCGTAG	TTGTTGGAGC	AGCGCGTCAC	CCGGACGTG	AGGCCGTGGG
14101	TACGGTGGAA	GGCGAGCGCC	AGGAGGTGCG	AGGAGGCCTT	GGACGCGCG	TAGGGGGAGT
14161	TCGGGTCCAG	CGGATCGGCC	TCGGTGGAGG	AGCCCTCGGG	GATCGATCCG	TACACCTCGT
14221	CGGTGGAGAC	GTGGACGAAG	CGGCTGACGC	CCGCTTCGAG	CGCCGACCGC	AGCAGGTCT
14281	GCGTCCCCAG	CACGTTGGTG	GTGACGAAGG	CGGCGGAGTC	CGTGATCGAG	CGGTCCACGT
14341	GCGACTCGGC	GGCGAAGTGC	ACCACCAGGT	CGGTGCCGCG	CAGGGCCTGG	GCCACCCTGG
14401	GCGGGTCGCA	GATGTCGCCG	TGCAGGAAGG	TGTGACGGGG	GTGGCCGGCG	ACCTCGGCGA
14461	GGTTCTCGGT	GTTCCCGGCG	TACGTGAGCT	TGTCCAGCGA	GAGGACGTGG	GCGCCGGCCA
14521	GCTCCGGATA	GGAGCCCCGAC	AGGAGCTGTC	TGACGAAGTG	CGAGCCGATG	AAGCCCCGTC
14581	CCCCGGTCAC	CAGGACGCGC	ATCCTTGATC	CGCCTTTCTG	CCGTGCTGTG	TGGGGGAGGT
14641	GTGGTCAACC	GGTGCGCGTC	GCCCCGAGTC	CCGAGGCGAC	CTCCATGAGG	TAGTCCCCGT

14701	AGCTGGAGGC	GCTCAGCTCC	TCACCCAGCC	GGTAACAGGT	GTCCGCGTCG	ATGAAGCCCA
14761	TGCGCAGCGC	GATCTCCTCG	AGACAGGCGA	TGCGTACGCC	CTGGCGCTGC	TCGAGGAGCT
14821	GGACGTACTG	ACCCGCTTGG	AGCAGGGAGT	CGTGGGTTCC	CATGTCTGAGC	CAGGCGAATC
14881	CACGTCCGAG	CTGGGTCAGC	CGGGCGCGGC	CCTGCTCCAG	ATAGGACAGG	TTGATGTCTGG
14941	TGATCTCCAA	CTCGCTCTGG	GCTGAGGGCT	TGAGGTCTTT	CGCCAGCTCC	ACCACGTCTGT
15001	TGTCGTAGAA	GTACAGCCCG	GTGACGGCGA	GGTTGGAGCG	AGGACGGCTC	GGCTTCTCCT
15061	CCAGGGACAA	CAGGTGCCCC	TGCTCGTCTGA	TCTCGGCGAC	GCCGTAGCGC	TCCGGCGACT
15121	TGGACGGATA	GCCGAACAGT	TCACATCCGT	CGAGACGTCG	CAGGGAGTGC	TTCAGGACGG
15181	TGGAGAATCC	GGGGCCGTGG	AAGACGTTGT	CGCCAGAAT	GAGCGCCACC	CGGTCGTTCC
15241	CGATGTGCTT	GTCGCCGACC	AGGAACGCGT	CGGCACACC	GCGCGGCTCG	TCCTGGACCG
15301	CGTAGTCTGAG	CTGGATACCG	AGGCGCGAGC	CGTCGCCGAG	CATGACCTGG	AACGTCTCCA
15361	CGTGCTGGTG	CGAGGAGATG	ATGAGGATGT	CCTGGATTCC	CGCCAGCATC	AGCACCGACA
15421	CGGGATAATA	GATCATGGGT	TTGTCTATAAA	CGGGCAACTG	CTGTTTGGAA	AGCGCACCGG
15481	TCAGCGGCTG	CAGTCGAGTG	GCGCTTCCCC	CGGCGAGGAT	TATCCCCCTC	ACTCCGGGGC
15541	GTTTCAGCGG	TGTCTCGAAC	ACGGTTGGTC	CTCCGTGGTC	ACATGGCCGA	TATGGGGGGT
15601	GAAGACACTG	TCCTGAGAGG	CCGGCGGACC	GGCTGTGCGC	TCGCGGACAC	AGCGGCTTAA
15661	TGCATTACCC	CCGCCCCGGG	ACCGTCATCC	GAGAAGAAGG	AATGCGGTGT	CGTGGGAACC
15721	GACGTCCAGG	AGTTCTTTTC	GGGCCGCGGA	ACGGCGGCGC	GGAGATTCTG	AACCGCGGGG
15781	GATTCCAGGG	CGGTGGCAGG	GAAGGGAACC	ACCGCCGCGC	CATCTCTCCC	GGAACGTTCC
15841	GCAAGCGGCG	GGCCGTGCTT	CGGACGGCCT	ATCTCTGCGC	CTGTTGCTGT	TCCTGCCAGG
15901	CCTGATAGGT	CGGCAGCAGA	CCGAGCCGTT	CGGCCGTGCG	GAGGGTCGGG	GCGTTCTCGT
15961	CCCTGTGCGA	GAGCAGCGGC	TCGATGTCTG	CCGGCCACGC	GATTCCGAGG	TCGGGGTCTGA
16021	GCGGATTGAC	GGAGTGCTCG	CGTGCGGGAG	CGTATCCGGA	GGAGCAGAGG	TAGACGAGCG
16081	TGGCGTCTGC	GGTGAGGGAG	AGGAAGGCAC	GGCCAGTCC	CGCGGTCAGA	TAGACGGCGG
16141	TGTTGCGTTT	CGCGTCCATG	GGCAGCATCT	CCCAGCGCCC	GAAGGTCGGC	GAACCGATGC
16201	GGACGTCCAC	GACGACGTCG	AGGCCGGCTC	CCCGCACGCA	CACGCTGTAC	TTGGCCTGAC
16261	CTGGCGGGAT	CTCGGTGTAG	TGGATCCCGC	GCAGCGCGCC	GCGGTGCGAC	ACCGCGACAT
16321	TGACCTGGGC	CACCGGGAAG	TCATGGCCGA	ACGCCTGACG	GAAGCTCTCG	CCCCGGAACC
16381	ACTCGTGGGA	CCTCCCGCGG	TGGTCTGGAG	GGATGACGGG	TTCTTGCAGC	CAGGCCCCCT
16441	CGATGCTGAG	TGGATGCATC	GCGCCTTCTC	CTTCGGACCG	ATGGGTGGGG	TGCGGGGCGG
16501	GCCGGGGGCA	CGGCCGAGCC	GGTCAGCTGG	AGCGTCTCCA	GTAGGAACCC	TGGCGATCGA
16561	TCTGGTGGAT	CTCGTCCGTG	ATGCCGTGCT	CGTCCCGGAA	CTCGTGGACG	GCCTGCCGGC
16621	ACGCCCGAAT	GCAGTAGTCG	TCGACGATGA	CGTACCCGCC	GTCCGACACC	TTGTGGTAGA
16681	GGTTGGTGAG	AACCTCCCTG	GTGGCTGCGT	ACGAGTCCCC	GTCGAGCCTC	AGCACCGCGA
16741	GCCTCTCGAT	GGGCGCGGTG	GGCATCGTGT	CCTTGAACCA	GCCCGGGAGG	AAGCGGACCT
16801	GGTCGTCCAG	GAGTCCGTAG	CGCGCGAAGT	TCCCTTTCAC	GGTCTCCACG	TCGACCGGGA
16861	TGCTGAGGAC	GTCGTTGTAC	TGGCCGAGGT	CGATGTCGAC	GTCCAGTCTG	TGGTCTCTCT
16921	CGGTGGTCTT	GGGGAAACCC	TGGAAGGAGT	CCGCGACCCA	CACCTTCCGG	TCCCGCACGC
16981	CGTGCGCCCG	GAAGACGCCG	CGGGCGAAGA	TGCAGGCCCC	GCCCCGCCAG	ACCCCGGTCT
17041	CCGCGAAGTC	CCCCGGCACG	CCGTCGCGCA	GCACGTCCTC	CAGGCACTTC	TGCAGGTTGT
17101	CGAGCCGCTT	GAGACCGACC	ATCGAGTGCG	CCACGCGCGG	AAAGTCCTCA	CCCACCGAGC
17161	GCAGTTCCGC	GGAATACGAG	CTGCTGGTGA	TGAGGCCGCG	GACATTGGTC	TGGTCTCTCG
17221	AAATCATGTT	CGTCACGACC	TTCTTCAGAA	GGTCGAGATA	CAGGTCCGCT	TCGGCAGCTA
17281	TGACAGTCAT	TTTCTCTACT	TACGGGTAGC	AGTGCCCGAG	GGGCGGCTCG	TTCAGGACGG
17341	GGGCCGCCGG	GGCTGAATTC	CCTGTGTCCA	CACAGATGAG	GTGGATGAGG	TGGATGAGGT
17401	AGCCATCTAA	CCCCAGTGAT	CAGATTCGGG	CAAGGGTCGA	AAACGAGCCA	CGTCTTATGT
17461	CGATCCTGTC	CGGAAGCGAG	GGGCATATGG	TGCAGTGGCG	ACTGCGGCCG	ATCTGGCTGA
17521	TCCTTGCTGC	GGCGCTGACC	GTGTGCTTGC	ATGTTGGACG	TAGATCACCT	TCTCCCGATT
17581	GCATTACAGG	TGAGGAAATC	CATGAAATCT	TCAAAAGTCG	TTACAGCCG	TCCTGCGGAA
17641	GCGGGCGTCG	CATGGCCCGT	CGCGCGAACC	TGCCCTTTTA	CGCTCCCTGA	TCAGTACGCA
17701	GAGAAGCGCA	AGAACGAGCC	CATATGCCGG	GCTCAGGTCT	GGGACGACTC	CAGAACCTGG
17761	CTCATCACCA	AGCACGAGCA	CGTACGAGCC	CTTCTCGCCG	ACCCCGGGGT	CACCGTCGAC
17821	CCGGCCAAGC	TGCCCAGGCT	CTCCCCCTCC	GACGGCGACG	GCGGCGGCTT	CCGGTCCCTG
17881	CTGACCATGG	ACCCCCCGGA	CCACAACGCC	CTCCGCCGCA	TGCTCATATC	CGAGTTCAGC
17941	GTGCACCGGG	TCCGGGAGAT	GCGCCCGGGC	ATCGAGCGCA	CCGTGCACGG	GCTGCTGGAC
18001	GGGATCCTCG	AACGGCGGGG	GCCGGTGGAC	CTGGTGGCCG	AACTCGCGCT	GCCGATGTCC
18061	ACCCTGGTGA	TCTGTCTAGT	CCTCGGAGTG	CCCTACGAAG	ACCGCGAGTT	CTTCCAGGAA

18121	CGCAGCGAAC	AGGCCACCCG	GGTGGGCGGG	AGCCAGGAAT	CGCTGACCGC	GCTCCTGGAA
18181	CTACGGGACT	ACCTGGACCG	GTTGGTCAAC	GCGAAGATCG	AGACGCCGGG	TGACGACCTG
18241	CTGTGCCGGC	TCATCGCCAG	TCGACTGCAC	ACCGGTGAGA	TGCGACACGC	CGAGATCGTG
18301	GACAACGCCG	TGCTGCTGCT	CGCCGCCGGC	CACGAGACCA	GTGCCGCCAT	GGTGGCACTG
18361	GGCATCCTGA	CACTGTTGCG	GCACCCCGGC	GCCCTGGCGG	AGTTGCGGGG	CGACGGTACG
18421	CTGATGCCGC	AGACGGTCGA	CGAACTCCTG	CGTTTCCACT	CCATCGCGGA	CGGCCTTCGA
18481	CGGGCGGTCA	CGGAGGACAT	CGAACTCGGC	GGCATCACGC	TGCGCGCCCC	AGACGGCCTC
18541	ATCGTCTCGC	TGGCCTCCGC	CAACCGCGAC	GAGAGCGCCT	TCGCCTCCCC	GGACGGCTTC
18601	GACCCGCACC	ATCCGGCGAG	CCGGCACGTC	GCCTTCGGCT	ACGGCCCCCA	CCAGTGCCTG
18661	GGCCAGAACC	TGGCCCGGCT	GGAGCTGGAG	GTACCCCTGG	GCGCGGTGGT	GGAGGCGATT
18721	CCCACATGTC	GGCTGGCCGG	CGACGCCGAC	CGACTGCGCG	TCAAACAGGA	TTCCGACCATC
18781	TTCGGGCTGC	ACGAGCTGCC	GGTCGAGTGG	TGACGGAAGG	AGGACACAGC	GTGCGGGTGA
18841	CAGTCGACCA	GAGCCGGTGC	CTGGGAGCCG	GCCAGTGCGA	GCAGCTGGCG	CCGGAGGTCT
18901	TCCGCCAGGA	CGAGGAAGGA	CTGAGCCGGG	TCCTCGTCCC	CGAGCCCGAT	CCGGCGTCAT
18961	GGCCGCGGGT	GCTCCAGACG	GTGGACCTCT	GCCCCGTACA	GGCCGTCTCT	ATCGACGAGG
19021	GCCCCGGTCC	CGCGCCGCAG	GACACCAAGT	GACCGCTGAC	CGCTGGGCCG	GCCGCACGGT
19081	GCTCGTCACG	GGAGCACTCG	GGTTCATCGG	CTCCCACTTC	GTCCGACAGC	TGGAGGCGCG
19141	CGGAGCCGAG	GTGCTCGCCC	TCTACCGCAC	CGAACGGCCG	CAATTACAGG	CCGAGTTGGC
19201	CGCGCTCGAC	CGAGTACGCC	TGATCAGGAC	GGAGCTGCGG	GACGAGTCGG	ACGTGCGAGG
19261	GGCCTTCAAG	TACCTGGCAC	CCTCCATCGA	CACCGTCGTC	CACTGCGCGG	CCATGGACGG
19321	CAACGCGCAG	TTCAAGCTGG	AGCGCTCGGC	CGAGATCCTC	GACAGCAACC	AGCGGACCAT
19381	CTCCACCTG	CTGAAGTGG	TACGGGACTT	CGGCGTCGGC	GAGGCCGTGG	TCATGAGCTC
19441	CTCCGAGCTG	TACTGCGCGC	CGCCACCCG	GGCGGCCAC	GAGGACGACG	ACTTCCGCCG
19501	ATCCATGCGG	TACACGGACA	ACGGCTACGT	CCTGTCCAAG	ACCTACGGCG	AGATCCTGGC
19561	CAGGCTCCAC	CGCGAGCAGT	TCGGCACCAA	CGTCTTCCTG	GTGCGACCGG	GCAACGTCTA
19621	CGGGCCGGGA	GACGGCTACG	ACCCCTCCCG	GGGCCGGGTG	ATCCCCAGCA	TGCTGGCCAA
19681	GGCCGACGCC	GGCGAGGAGA	TAGAGATCTG	GGGGACGGC	AGTCAGACCC	GGTCCTTCAT
19741	CCACGTCACC	GACCTGGTAC	GGGCCTCACT	GCGCCTGCTG	GAGACCGGCA	AGTACCCCGA
19801	GATGAACGTG	GCCGGCGCGG	AACAGGTCTC	CATCCTGGAG	CTCGCCCGGA	TGGTGATGGC
19861	CGTCTGGGA	CGGCCCGAGC	GCATCCGCCT	CGACCCCGGC	CGCCCCGTCT	GCGCCCCGAG
19921	CAGACTTCTG	GATCTGACCA	GGATGTGCGA	AGTGATCGAC	TTGAGCCCCC	AGCCCCCTGCG
19981	GACCGGGCTG	GAAGAGACCG	CTCGCTGGTT	CCGCCACCAC	ACGCGCTGAA	CCTCCTCTCA
20041	TACCCCCCTG	GAAGGTAAC	CGTGGTCA	CACGCCCCGA	ACTCGCTGAT	CAGTGACATA
20101	ATCCGCGCCT	CCGGCGGGCA	TGACGCCGAC	CTCAAGGACC	TGGCCGCCCG	ACACGATCCG
20161	GCCGACATCG	TCCGCGTACT	CCTGGACGAG	ATCACCTCAC	GCTGCCCCGC	TCCCGTGAAC
20221	GACGTCCCCG	TCCTCGTCTG	GCTGGCCGTC	CGGGCGGGAG	ACCGCCTCTT	CCCCACCTAT
20281	CTGTACGTCC	TCAAGGGCGG	CCCGGTGCGC	CTCGCGGCCA	AGGACGAGGC	GTTCTGCGCC
20341	ATGCGCGTCG	AGTACGAGCT	GGCGGAAC	GCCCGCGAGC	TGTTGCGGAC	GGTGCGGGAG
20401	AACGTCACCG	GCGTCCGCGG	AACGACTCTC	TTCCCCCTACG	TCGGGGACAC	GGCGTCGGAA
20461	GGCGAGGAGG	ACTCGGGTGC	CGAGCACATC	GGCACGCACT	TCCTGGCCGC	GCAGCAGGGC
20521	TCCCAGACCG	TGCTCGCCGG	CTGCCATTCC	CACAAGCCGG	ACCTCAGCGA	GCTCTCCTCG
20581	CGCTACCTCA	CCCCGAAGTG	GGGCTCGCTG	CACTGGTTCA	CCCCCACTA	CGACCGCCAC
20641	TTCAGGAGCT	ACCGGGACCA	GCCCGTACGC	GTTCTGGAGA	TCGGCATCGG	CGGCTACAAG
20701	CACCCCGAGT	GGGGCGGCGG	CTCCCTGCGC	ATGTGGAAGC	ACTTCTTCCA	TCGCGGCGAG
20761	ATCTACGGCC	TGGACATCGT	CGACAAGTCG	CACTTCGACG	CGCCGCGCAT	CACGACCCTG
20821	CGCGGCGACC	AGAGCGACCC	CGACCACCTG	CGGTGATCG	CCGAGAAGTA	CGGACCCTTC
20881	GACATCGTCA	TCGACGACGG	AAGCCACATC	AACGACCACA	TCCGGACCTC	GTTCCAGGCA
20941	CTGTTCCCGC	ATGTGCGGCC	CGGCGGCCTC	TACGTGATCG	AGGACCTGTG	GACCGCCTAC
21001	TGGTCCGGCT	TCGGCGGCGA	CGAGGACCCG	AAGCGGTACA	GCGGGACGAG	CCTGGGCTCG
21061	CTCAAGTCCC	TCGTGACTC	GATCCAGCAC	GAGGAAC	CGGAGGCCGG	CGACCACTG
21121	CCCAGTTACG	CGGACCAGCA	CGTGGTCCGC	ATGCACCTCT	ACCACAACCT	GGCGTTTATC
21181	GAGAAGGGCA	CCAACGCCGA	GGGCGGCATC	CCCCCGTGGA	TCCCACGCGA	CTTCGAGACC
21241	CTCGTCGCGG	TCTCCTCCGG	GGGCCACGCA	TGAGGAGCCG	TCGGCACCAG	CCACCCGAAC
21301	ACACCCGACC	GGACCGCAGG	AGGCCCGCAT	GCGCGTGACC	CTGCTGAGCG	TCGGATCCCG
21361	AGGCGACGTC	CAGCCGTTCC	TCGCCCTCGG	CATCGGCCTC	AAGGCCCGCG	GCCACGACGT
21421	CACCCCTGGCC	GCCCCCGCCA	CGCTGCGGCC	ACTGGTCGAG	CGCGCGGGAC	TGACGTACAG
21481	GCTGTCCCCC	GGGGATCCCG	ACGGATTCTT	CACCATGCCC	GAGGTCGTCT	AAGCGCTGCG

21541	GCGCGGCCCC	TCGTTCAAGA	ACATGCTCGC	GGGGATGCCC	GAGGCGCCCC	AGAGCTACAC
21601	ACAGCAGGTC	GTCGACGCGA	TCCACGACGC	CGCCGAGGGC	GCCGACCTCA	TAGTGAACGC
21661	GCCCCTCACC	CTGGCCGCCG	CGTACGGGCA	CCCCCCCGCC	CCGTGGGCCCT	CGGTGTCTCTG
21721	GTGGCCCAAC	AGCATGACCT	CGGCCTTCCC	GGCCGTTCGAA	TCCGGGCAGC	GCCACCTCGG
21781	ACCGCTGACG	TCCCTGTACA	ACCGCTACAC	CCATCGCAGG	GCGGCACGCG	ACGAGTGGGA
21841	GTGGCGACGC	CCCAGATCG	ACGGCTACCG	CCGACGCCTC	GGCCTCCGGC	CCTTCGGCGA
21901	CGAGTCCCGG	TTCCTCCGAC	TGGGGCACGA	CCGCCCCCTAC	CTGTTCCCTT	TCAGCCCCAG
21961	CGTGTCTGCC	AAGCCGCGGG	ACTGGCCGCG	CCAGAGCCAC	GTCACCGGCT	ACTGGTTCTG
22021	GGACCAGCAC	GGGGAGCCGC	CCGCCGAGCT	GGAGTCGTTC	CTGGAGGACG	GGGAGCCCCC
22081	GGTGGCGCTC	ACCTTCGGCA	GCACCTGGTC	ACTCCACCGG	CAGGAGGAGG	CCCTCCAGGC
22141	CGCCCTCGAC	GCCGTCCGTG	GCGTCGGACG	CCGACTGGTC	ATGGTCGACG	GACCGGACAG
22201	CGACCTGCCC	GACGACGTGC	TCCGCCTGCA	CCAGGTGGAC	TACGCCACCC	TCTTCCCCAG
22261	GATGGCCGCG	GTGATCCACC	ACGGCGGCGC	CGGCACGACC	GCCGAGGTCC	TCCGGGCCCGG
22321	AGTGCCCCAG	GTCATCGTGC	CGGTCTTCGC	CGATCACCCC	TTCTGGGCGG	CTCGACTGTC
22381	CAGAACAGGC	GTCGCCGCCC	GGCCGGTCCC	CTTCGCCCCG	TTCAGCCGAG	AGGCACTGGC
22441	GCAGAGCGTC	CGCCAGGCGG	TCACCGATCC	CGCGATGGCG	GGCCGGGCCA	GGCGACTGGG
22501	CGAACGGGTC	TCCAAGGAAC	GGGGAGTGGA	CACCGCCTGC	GACATCCTCG	AGAAGTGGGC
22561	GGAGACGGCA	CGCGCCACGG	CCTGACACGG	CCACCGGCGG	GCGGGCCCCG	AAGCCGCACG
22621	CCCGCCGGCC	GACGGGTCCC	GGGACCGCGC	CGCTACGCCG	ACAACCGGTA	GGCGGAGAGC
22681	CGCACGGAGA	GCGTGACCCG	AGTCGGCGCC	GGCAGCCGCT	GGATCGTCTC	CAGATCCCGC
22741	TGCGCGTAC	GGTGCCAGGC	ATTGGGCCCC	ATGCCGACCA	GGTGCGCCAG	AGCCTGGTGG
22801	TCGAGAGCCA	TGGTCCGGGT	CAACTCCTCC	GTGGCGACGG	CCGAGAAAGT	CGGAGCGAGC
22861	TGCTCCGCGA	GACGCGACTC	CTTGCCCTTCG	TCCACCTGCA	GCAGGCCGAG	GGCGCCGATC
22921	ACCTCCCGCA	GGTGATCGGG	CAGAGGAGTG	ACAACCAGGA	GAACGCCACG	GGATGGGAGA
22981	ACGCGATGCA	GTTCAGGACC	GTTGCGGGGA	GCGAACGTGT	TGATCACCAT	GCCGGCTGCG
23041	GCATCCCGCA	GCGGAAGCGT	CTGCCAGGCG	TCGGTCACCG	CGGCCGCGAT	CCGCGGATGC
23101	GCCTTCGCGG	CACGCCGCAC	GGCGTACTTG	GAGATGTCCA	GCAGCAGGCC	CTGGGCATCG
23161	GGGAACGCTT	CCATGACCCC	GGCGTGATAG	TGGCCCGTCC	CCCCACCGAT	GTCGACCACA
23221	CAGCCGGGCA	CGGCCGGATC	GGCCGTCCGC	CGCGCCAGAT	CGACCAGCGC	ATCCATCACG
23281	GGGTGCTAGT	GACCCGCCGA	CAGGAATGCG	TCCCGGGCCT	CCACCATTTC	CTTGGTGTCTG
23341	GCCCGCAGCT	TCGTCCGCCCT	GGGAAGCAGA	TTCACATAAC	CCTGCTTCGC	GATGTCTGAAG
23401	GAGTGTCCGG	CGGGGCAGAA	AAGTGCGCGG	TCGCCCTGAG	CCAGCGAAGC	ACCGCAGTGC
23461	GGGCAGGCGA	GGTAGCGCAC	GATCCTGTTG	AGCATGGGGC	ACCGTTCCCTT	CGGGCGAGTC
23521	GGCAGACCGG	CCAACCCATA	CGCAGGCGCC	CGGCCGCCCA	CCGCCCGGCG	CAGGGCCGAC
23581	GAACCACCGT	GACGTGCACC	AGCCGCGCGT	GAGAACTCCT	CATGCGCGCA	CCCTACGGAA
23641	ATCGGCGAGT	CAACCGGCGA	TTCTTGCGGG	AATTCCGAGC	GAAACGGCCT	CACGTGTGTTT
23701	CCCCGCTGCA	TTTCCTCGCT	GAATTCAGCG	AATCCCGGCA	GACGACCGGC	TCTGCCGGCG
23761	TGACAGCCCC	TATCGATCGA	CCAGGAGTTT	CGATGGCCCC	GAAGAGTGGT	GCGCAGCGTT
23821	CGAGCGACAT	AGCCGTCTGC	GGCATGTCTT	GCCGCCTTCC	GGGGGCACCG	GGCATCGATG
23881	AGTTCTGGCA	TCTGCTGACC	ACCGGAGGCA	GCGCGATCGA	GCGTCGCGCC	GACGGCACCT
23941	GGCGCGGCTC	CCTGGACGGA	GCCGCCGACT	TCGACGCCGC	CTTCTTCGAC	ATGACCCCCC
24001	GCCAGGCCGC	CGCCGCCGAC	CCGCAGCAAC	GACTCATGCT	GGAACCTCGC	TGGACGGCCC
24061	TGGAGAACGC	CGGGATCGTC	CCCGGCAGCC	TCGCCGGCAC	GGACACCGGC	GTCTTCGTCTG
24121	GCATCGCGGC	CGACGACTAC	GCGGCACTCC	TGCACCGGTC	CGCCACCCCC	GTCAGCGGGC
24181	ACACCGCGAC	GGGCCTGAGC	CGGGGCATGG	CCGCCAACCG	CCTCTCCTAC	CTCCTGGGGC
24241	TGCGCGGTCC	CAGCCTCGCG	GTGGACAGCG	CGCAGTCCTC	CTCGTCTGTC	GCGGTCCACC
24301	TGGCCTGCGA	GAGCCTGCGC	CGCGGCGAGT	CCGACCTCGC	GATCGTCGGC	GGCGTCAGCC
24361	TGATCCTCGC	CGAGGACAGC	ACGGCGGGCA	TGGAGCTCAT	GGGCGCGCTC	TCGCCGGACG
24421	GCCGCTGCCA	CACCTTCGAG	GCACGCGCCA	ACGGCTACGT	ACGCGGTGAG	GGCGGAGCCT
24481	GCGTCTGTCT	CAAGCCCTTG	GAGCGGGCAC	TGGCCGACGG	GGACCGGCTC	CACGTCTGTCG
24541	TCCGAGGAAG	CGCGGTCAAC	AACGACGGCG	GCGGCTCCAC	CCTGACCACC	CCCCACCGCG
24601	AGGCCCAGGC	CGCCGTCTCT	CGGGCGGCGT	ACGAACGGGC	CGGGGTCTGG	CCGGACCAGG
24661	TGTCTTACGT	CGAACTGCAC	GGTACGGGGA	CGCCGGTCTG	CGACCCCGTC	GAGGCGGCGG
24721	CTCTCGGCGC	GGTCTCTGGC	ACGGCCACG	GCCGTAACGC	CCCGCTGTCC	GTGGGATCGG
24781	TCAAGACGAA	CGTCGGCCAC	CTGGAGGCGG	CCGCGGGCCT	CGTGGGATTC	GTGAAGGCAG
24841	CCCTGTGCGT	CCGCGAGGGC	GTGGTGCCGC	CGAGCCTGAA	CCACGCGACG	CCCAACCCTG
24901	CCATCCCCAT	GGACCGGCTA	AACCTGCGCG	TACCCACGCG	ACTGGAGCCC	TGGCCGCACC

24961 CGGACGACCG AGCGACCGGC CGGCTGCGAC TGGCCGGCGT CTCGTCCCTC GGCATGGGTG
25021 GGACGAACGC GCATGTGGTG GTGGAGGAGG CGCCGCTTCC GGAGGCCGGG GAGCCGGTCG
25081 GGGCCGGTGT GCCTTTGGCT GTGGTGCCGG TGGTGGTGTG GGGTCGTTCT GCGGGTGCCG
25141 TGGCTGAACT GGCCCTCCCGC TTGAACGAGT CGGTTCGTTT GGATCGGTTG GTGGATGTGG
25201 GGTTGTGCTC GGTGGTGTCC CGGTCGGTGT TCGAGCATCG GTCCGTGGTT CTGGCGGGGG
25261 ACTCTGCCGA GCTGAGTGCC GGTGAGTGTG CTCTGGCCGC TGACGGAGTG TCTCCTGTCC
25321 TGGTGTGGG TGTGGCGTCC GTCGGGGGTG GCCGGTCCGT CTTCTGTGTT CCGGGTCCCG
25381 GGGTGAAGTG GGCGGGGATG GCGCTCGGGT TGTGGGCGGA GTCTGCTGTG TTTGCGGAGT
25441 CGATGGCGCG GTGTGAGGCG GCGTTCGCCG GGTGGGTGGA GTGGCGTCTG GCGGATGTGC
25501 TGGGTGATGG GGCTGCGTTG GAGCGTGAGG ACGTGGTGCA GCCGGCGTCG TTCGCGGTGA
25561 TGGTGTGCTT GGCGGCGTTG TGGCGGTCTG TGGGTGTGGT GCCGGATGCG GTGGTGGGGC
25621 ATTCGAGGG GGAGATCGCT GCTGCGGTGG TGGCGGGTGG TCTGTCTGTT GAGGACGGGG
25681 CGCGTGTGGT GGTGTTGCGT GCGCGGGTGG CTGAGGAGGT TTTGTGCGGT GGGGGGATTG
25741 CTTGCGTGCG TCTTTCGCGG GCCGAGGTGG AGGAGCGGTT GGCGGGTGGG GGTGGTGGGT
25801 TGAGTGTGGC GGTGGTGAAT GCGCCGTCTG CGACGGTGGT GGCGGGTGAG TTGGGGGATT
25861 TGGATCGGTT TGTGCGGCGG TGTGAGCGCG AGGGGGTGGG GGCGCGTCCG CTGGAGTTCG
25921 GGTATGCGTC GCATTCGAGG TTCGTGGAGC CGGTGCGTGA GCGGTTGTTG GAGGGGTGGG
25981 CCGATGTCCG TCCGGTGAGG GGGCGGATTC CGTTCTATTC GACGGTGGAG GCTGCGGAGT
26041 TCGATACGGC TGGTCTGGAT GCGGAGTACT GGTTCGGGAA TCTGCGTCCG CCGGTTCCGT
26101 TCCAGGAGAC GGTGAGCGG CTGTTGGCGG ATGGTTTCCG GGTGTTCTGT GAGTGGCGCG
26161 CGCATCCGGT GCTGACCGGG GCGGTGCAGG AGACCGCGGA GACTGCGGGC CGGGAGATCT
26221 GCTCCGTCCG ATCCCTGCGT CGTGACGAGG GTGGAAGTGG TCGGTTCTGT ACCTCTGCGG
26281 CGGAGGCGTT CGTCCAGGGG GTGGAGTGTG CTTGGCCGGT GCTGTTCCAG GGCACCGGCG
26341 CCGGACGGT CGACCTGCCC ACCTACCCCT TCCAACGCCG GCACCCGACG
26401 GCTCCGCGTC GGCGGCGCCC ACACGGGACA TCCGACCGGA CGAGACCGCC GCGGTTCCAG
26461 CGGACACGAT GGACCTCGCG GGACAACTTC GCGCGGACGT GGCGTCTGTT CCCACCACCG
26521 AGCAGATCGC GCGGTTGCTC GACCAGGTAC GCGACGGTGT CGCCACGGTC CTCGGACTGG
26581 ACGCCCGGGA CGAGGTGCGC GCGGAGGCGA CGTTCAAGGA ACTGGGCGTC GAATCGCTGA
26641 CCGGCGTCGA GCTGAAGAAC CACCTCCGTG CCGGACCGG ACTGCACGTC CCCACCTCGC
26701 TGATCTACGA CTGCCCCACT CCCCTCGCCG CCGCTCACTA CCTCCGCGAC GAGCTCTTGG
26761 GCGGACCCGC GGAGCAGGCC GTCGTCCCCG CCGGCATCCC GGTGACGAA CCGATCGCGA
26821 TCGTGGGGAT GGGGTGCCGT CTGCCGGGTG GGGTGTGCTC GCCGGAGGGG TTGTGGGATC
26881 TGGTGGCGTC GGGGTGGGAT GCGGTTTCTC CGTTCCCCAC GGATCGGGGT TGGGATGTGG
26941 GGGGTCTGTT CGATCCGGAG CCGGGGGTGC CCGGGCGTTC GTATGTGCGT GAGGGCGGGT
27001 TCCTTCATGA GGCGGGGGAG TTCGACCGCG GGTCTTCCG TATCTCTCCG CGTGAGGCGT
27061 TGGGATGGA TCCGACGAG CGGTTGTTG TGGAGACGTC GTGGGAGCGG TTGGAGCGGG
27121 CCGGCATCGA TCCGCACACG CTTCCGCGTT CACGGACCGG CGTCTACGCC GTGATGATGG
27181 CCCAGGAATA CGGCCCCCGA CTCCACGAAG GCGCAGACGG ATACGAGGGC TATCTGCTGA
27241 CCGGATCCTC CAGCAGTGTC GCCTCGGGTC GTATCTCGTA CGTGCTGGGT CTGGAAGGGC
27301 CCGCGGTGAC GGTGGACACC GCGTGCTCGT CGTCGCTGGT CGCGCTGCAC CTGGCCGTGC
27361 GGGCGCTGCG CAGCGGTGAG TGCGACCTCG CCTCGCCGG CCGCGCGACC GTCATGGCCG
27421 AAGCCGGCAT GTTCGTGGAG TTCTCACGGC AGCGCGGGCT GTCTGCCAC GGACGGTGCA
27481 AGGCGTACTC GGAATCGGCC GATGGACCGG GCTGGGCGGA GGGGGCGGGT GTGCTGCTCG
27541 TCGAGCGGTT GTCGGATGCG GTACGTCATG GCGGTGCGGT GCTGGCGGTC GTGCGTGGTT
27601 CCGCGGTCAA CCAGGACGGT GCGAGCAACG GACTGACGGC GCCGAACGGG CCGTCCCAGT
27661 CGCGTTTGAT CCGTCAGGCG TTGGCGGATG CGCGGTTGGG TGTGGCTGAT GTGGATGTGG
27721 TGGAGGGCCA CGGCACGGGG ACGCGTCTGG GTGATCCGAT CGAGGCGCAG GCGTTGTTGG
27781 CGACGTATGG GCAGCGGGAT GCGGGTCCGG CTCTGCGGCT TGGTTCTGTC AAGTCGAACG
27841 TGGGGCATA GAGGCGGGT GCCGGTGTGG CCGGCGTGAT CAAGATGGT ATGGCGATGC
27901 GGCACGGTGT CCTGCCGAAG ACGTGTGACG TGGATGAGCC GACGGCGGAG GTGGACTGGT
27961 CCGCCGGCGC GGTGTCCCTG CTGAGGGAGC AGGAGGCGTG GCCGCGTGGC GAGCGTGTGC
28021 GGCGGGCCGG AGTCTCCTCG TTCGGCGTGA GTGGGACGAA CGCGCATGTG GTGGTGGAGG
28081 AGGCGCCGGT TCCGGAGGAC GGGGAGGCGA TCGAGGGCGG TGCGCCTTTG GCTGTGGTGC
28141 CCGTGGTGGT GTCGGGTCTG TCTGCGGGTG CCGTGGCGGA GCTGGCGGGC CCGGTGAGCG
28201 AGGTGCTGG GTCTGGTCCG TTGGTGGATG TGGGGTTGTC GTCGGTGGTG TCGCGTCCGG
28261 TGTTGAGCA CCGGTCCGTG GTGCTGGCGG GGGACTCTGC CGAGCTGAAT GCCGCTCTGG
28321 ATGCTCTGGC CGCTGACGGA GTGCTCTCTG TCCTGGTGTG GGGTGTGGCG TCGGGTGGAG

28381 GTGGCCGGTC GGTGTTCGTG TTCCCTGGTC AGGGGACGCA GTGGGCGGGG ATGGCGCTCG
28441 GGTTGTGGGC GGAGTCGGCG GTGTTTCGCG AGTCGATGGC GCGGTGTGAG GCGGCGTTTCG
28501 CCGGGTTGGT GGAGTGGCGT CTGGCGGATG TGCTGGGTGA CCGGTCTGCG TTGGAGCGGG
28561 TCGATGTGGT GCAGCCGGCG TCGTTTCGCG TGATGGTGTC GCTGGCGGAG TTGTGGCGGT
28621 CGTTGGGTGT GGTGCCGGAT GCGGTGGTGG GGCATTTCGA GGGGGAGATC GCTGCTGCGG
28681 TGGTGGCGGG TGGTCTCTCG CTGGAGGATG GCGCGCGTGT GGTGGTGTG CGTGCGCGGT
28741 TGATAGGCCG TGAGCTGGCC GGGCGCGGTG GGATGGCGTC GGTGGCGCTG CCCCTCGCGG
28801 TGGTGGAGGA GCGTCTGGCG GGGTGGGCGG GCGCTCTGGG TGTGGCGGTG GTCAACGGAC
28861 CCTCCGCCAC GGTCTGCGCG GGTGATGTGG ATGCGGTGGG GGAGTTTGTG ACCGCGTGCG
28921 AGGTGGAGGG GGTTCGGGCG CGTGTTCGTC CCGTGGACTA CGCCTCGCAC TCGGCGCACG
28981 TGGAGGACCT GAAAGCCGAG CTTGAACAGA TTCTGGCCCG CATCGGCCCC GTGACCGGTG
29041 GCATCCCGTT CTATTGACG TCCGAAGCCG CGCAGATCGA CACGGCTGGT CAGGACGCGG
29101 TGGTACTGGTT CGGGAATCTG CGTCGGCCCG TGCGGTTCGA GGAGACGGTC GAGCGGTTGC
29161 TGGCGGATGG TTTCCGGGTG TTCGTGGAGT GTGGCGCGCA TCCGGTGCTG ACGGGGGCGG
29221 TGCAGGAGAC CGCGGAATCC ACCGGTCGCC AGGTGTGTGC GGTGCGATCC CTGCGTCGTG
29281 ACGAGGGAGG TCTGCGCCGC TTCCTGACCT CTGCGGCGGA GCGGTTCGTC CAGGGGGTCG
29341 GGGTGTCTCT GCCCGCACTG TTCGACGGCA CCGGCGCCCC CACGGTCGAC CTGCCACCT
29401 ATCCCTTCCA GCGTCGCGCT TACTGGCTGG AGTCACGTCC TCCTGCGGCG GTTGTTCCTG
29461 CCGGGGTCCA GGACGGATTG TCGTATGAGG TGGTGTGAA GAGCCTGCCG GTACGGGAGT
29521 CGTCGCGTCT TGACGGCCCG TGGCTGCTCG TCGTGCCCGA AACCCTGGAC GCCGACGGCA
29581 CGCGGATCGC CCACGACCTC CAGCACGCCC TCACCACCCA CGGCGCCACG GTCTCCCGTG
29641 TGTCGGTCGA CGTGACGACG ATCGACCGCG CCGACCTGTC GGCGCGGCTC ACCACGAGCG
29701 CCGCCGAAGA CCAGGAACCG CTTGGGCGAG TGGTGTCCCT CCTGGGGTGG GCCGAGGGAG
29761 TACGGGCCCC TGGCCGAAC GTACCGACTT CCGTCGCCGC CTCCCTGGCA CTCGTGAGG
29821 CTGTCGGCGA TGCCGGGTTC GGTGTTCCGG TGTGGGCGGT GACGCGGGGT GCGGTGTCCG
29881 TGGTGCCTGG TGAGGTGCCG GAGACGGCGG GTGCGCAACT GTGGCGCTC GGCCGGGTCTG
29941 CCGGTCTCGA ACTTCCCGAC CGTTGGGGTG GTCTGATCGA TCTTCCGGCG GATGCCGATG
30001 CGCGTACGGC GGGGCTTGCG GTGCGGGCCC TGGCCGCCGG GATCGCCGAT GGTGAGGACC
30061 AGGTGGCGGT GCGCCCCCTCG GGTGCCTACG GCCGGCGTGT AGTTCAGGCA GCCCACCAGG
30121 AGCCGTGCGG AGCGAAGACG GAGTGGCGAC CGCGTGGCAC CGTGCTCGTC ACCGGGGGAA
30181 TGGGCGCCAT CCGCACTCGG GTGGCCCGCT GGCTGGCCCG GAACGAGACC GAACACCTGG
30241 TGCTGACCGG CCGCCGCGGT GCCGGGACCC CCGGCGCGGA CGAGCTGGCG GGAGAGCTGA
30301 GGGCGTCCGG AGTCCAGGTC ACGCTCGCCG CCTGCGACGT GTCCGATCGT GCCGCGCTGG
30361 CCGCGCTGCT CGACGCGCAT CCGCCGACCG CCGTCTTCCA CACGGCCGGT GTACTGAACG
30421 ACGGAACGGT CGACACGCTC ACTCCGCTC ACCTGGACGG GGTCTGAGC CCCAAGGCGA
30481 CCGCCGCCGT TCACCTGCAC GAGCTACCG CCCACCTGGA CCTGGACGCC TTCGTCTCT
30541 TCGCCTCCGT CACCGGCGTA TGGGGTAACG CGGGCCAGGC CCGGTACGCC ATGGCCAACG
30601 CGGCTCTGGA CGCGCTCGCC GAGCAGCGCC GTGCGGCGCG ACTTGCGGCG ACCTCCATCA
30661 GTTGGGGCCT CTGGGGTGGC GCGCGCATGG CCGAGGGTGA CCGCGAGGTG AGCCTCAACC
30721 GTCGTGGAAT CCGCGCTCTT GAGCCCAGCA CCGGCATCGA GCGCGTGCAG CGGACGCTCG
30781 ACCAGGGCGC CACCTGCCGC ACCGTGCTCG ACGTGGACTG GGGTCAGTTC GCTCCTCGTA
30841 CCGCGGCGCT GCGGCGCGGG CGGCTCTTCG CGGATCTGCC CGAGGTGCGG CGTGTCTTGG
30901 AGTCCGAGGG GGTGTCACGG GAGGACGCC GAACCGTCGA GCCCGGCGCC GTGCTCGCCG
30961 AGCGCCTCGC ATCGCGCTCC GAGGCCGAAC AGCGACGCAT GCTCGTCGAG TTGGTACGAG
31021 CCGAAGCGGC TGCCGTCTCG CGTACGACA CGACGGACCT CCTGGCGCCG CGCAGGTCTG
31081 TCAAGGACGC CGGGTTCGAC TCCTTGACCG CGCTGGAGCT CCGTAACCGG CTGAACACCG
31141 CCACCGGTGT CGTCCTTCCC GTCACCGTCG TCTTCGACCA CCCGAACCCC GGTGCACTGG
31201 CCGACTTCTT GTACGGCGAA GCACTGGGCC TGTCCGCGGC CAGGTCTTCC GCGAGCGATA
31261 CCGCCGACAC GACCCGCCCG GCCGCCGCC CCGAAGAGCC GATCGCGATC GTCGGAATGG
31321 CCTGCCGCTA CCCGGGCGAG GCCCGTTCCC CCGAGGAAC GTGGAAGTTG CTCATCGACG
31381 AACGGGACGT CATCGGCCCC ATGCCACCG ATCGGGGTTG GGATGTGGGG GGTCTGTTTCG
31441 ATCCGGAGCC GGGGGTGCCG GGGCGTTCTG ATGTGCGTGA GGGCGGGTTC GTTCATGAGG
31501 CCGGGGAGTT CGACGCGGGG TTCTTCGGTA TTTCTCCGCG TGAGGCGTTG GCGATGGATC
31561 CGCAGCAGCG GTTGTGCTG GAGACGTCG GGGAGGCGTT GGAGCGGGCG GGCATCGATC
31621 CGCACACGCT CCGCGGCTCA CAGACGGCG TCTACGCGG GATGTTCCAC CAGGAGTACG
31681 CGACCCGGCT GCACGAGGCA CCCGTGGAGT TCGAAGGCCA CTTGCTGACG GGGACGTCCG
31741 GGAGTGTGGC TTCGGGTCGT ATCTCGTATG TGCTGGGTCT GGAGGGGCCC GCGGTGACGG

31801 TGGACACGGC GTGTTTCGTCG TCGTTGGTGG CGCTGCATCT GGCGGTGCGG CCGTTGCGGA
31861 GTGGTGAGTG TGACCTTGCT CTTCGCGGTG GGGTGACGGT GATGGCGGAG CCGGGTGTGT
31921 TCGTGGAGTT CTCGCGGCAG CCGGGGTTGG CTGCGGACGG GCGGTGCAAG CCGTTTCGCGG
31981 CTGCTGCCGA TGGCACGGGC TGGGCCGAGG GTGTGGGCGT GCTGGCGGTG GAGCGGTTGT
32041 CGGATGCGGT GCGTCATGGG CGTCGGGTGC TGGCGGTGGT GCGTGGCTCG GCGGTGAATC
32101 AGGACGGTGC GAGCAATGGG TTGACGGCTC CGAACGGTCC GTCGCAGCAG CCGGTGATTC
32161 GTCAGGCTTT GCGCGATGCG CCGTTGGGTG TGGCTCATCT GGTGTGGTG GAGGGGCATG
32221 GGACGGGGAC GCGTCTGGGT GATCCGATCG AGGCGCAGGC GTTGTGGCG ACGTATGGGC
32281 AGCGGGATGC GGGTCGGCCT CTGCGGCTTG GTTCGCTGAA GTCGAATGTG GGCATACGC
32341 AGGCGGCTGC CCGTGTGGCG GCGGTGATCA AGATGGTCAT GGCGATGCGG CACGGGGTCC
32401 TGCCGAAGAC GCTGCACGTC GATGAGGTCT CTCCGCACGT CCACTGGTCG CCGGGCGCGG
32461 TGTCCCTGCT GACGGAGCAG GAGCCGTGGC CCCGTGGTGA GCGCGTACGG CCGGCTGGTG
32521 TCTCCGCGTT CCGTGTGAGT GGGACGAACG CGCATGTGGT GGTGGAGGAG GCACCTGCTT
32581 CGGAGGCGCC GGTGCGGGTG GAGCCGGTGG AGCCGGGGGC TGTGGGGCTT CTTCCGGTGG
32641 TGCCCGTGGT GGTGTCGGGT CGTCTGCGG GTGCGGTGGC TGAAGTGGCC TCCCGCTTGA
32701 ACGAGTCGGT TCGTTTCGAT CCGTTGGTGG ATGTGGGGTT GTCGTCGGTG GTGTCGCGGT
32761 CCGTGTTCTGA GCATCGGTCC GTGTTCTGCG CCGGGGACTC TGCCGAGCTG AGTGCCGGTT
32821 TGGATGCTCT GGCCGCTGAC GGAGTGCTC CTGTCCTGGT GTCGGGTGTG CCGTCCGGTCG
32881 GGGGTGGCCG GTCGGTGTTC GTGTTCCCGG GTGCGGGGGT GAAGTGGGCG GGGATGGCGC
32941 TCGGGTTGTG GCGGAGTCT GCTGTGTTTG CCGAGTCGAT GGCGCGGTGT GAGGCGGCGT
33001 TCGCCGGGTT GGTGGAGTGG CGTCTGGCG ATGTGCTGGG TGATGGGGCT GCGTTGGAGC
33061 GTGAGACGCT GGTGCAGCCG GCGTCGTTCC CCGTGATGGT GTCGTTGGCG GCGTTGTGGC
33121 GGTGTTGGG TGTGGTGGCG GATGCGGTGG TGGGGCATTC GCAGGGGGAG ATCGCTGCTG
33181 CCGTGGTGGC GGGTGGTCTG TCGTTGGAGG ACGGGGCGCG TGTGGTGGTG TGCGGGGCGC
33241 GGGTGGCTGA GGAGGTTTTG TCGGGTGGGG GGATTGCTTC GGTGCGTCTT TCGCGGGCCG
33301 AGGTGGAGGA GCGGTGGCG GGTGGGGGTG GTGGGTGAG TGTGGCGGTG GTGAATGCGC
33361 CGTCGTCGAC GGTGGTGGCG GGTGAGTTGG GGGAGTTGGA TCGGTTTGTG GCGGCGTGTG
33421 AGGCGGAGGG GGTGCGGGCG CGTCGGCTGG AGTTCGGGTA TGCCTCGCAT TCGAGGTTCC
33481 TGGAGCCGGT GCGTGAGCGG TTGTTGGAGG GGTGGCCGA TGTCCGTCCG GTGAGGGGGC
33541 GGATTCCGTT CTATTTCGACG GTGAGGCTG GGGAGTTCGA TACGGCTGGT CTGGATGCGG
33601 AGTACTGGTT CCGGAATCTG CGTCGGCCCG TTCGGTTCCA GGAGACGGTC GAGCGGTTGT
33661 TGGCGGATGG TTTCCGGGTG TTCGTGGAGT GTGGTGCGCA TCCGGTGCTG ACCGGGGCGG
33721 TGCAGGAGAC CGCGGAGACT GCGGGCCGGG AGGTGTGTGC GGTGTTGTTG CTGCGTCGTG
33781 ACGAGGGAGG TCTCCGTGCG TTCCTGACCT CTGCGGCGGA GGCGTTCGTC CAGGGGGTGG
33841 AGGTGTCTCG GCCGTGCTG TTCGACGGCA CCGGCGCCCG CACGGTCGAC CTGCCACCT
33901 ACCCTTTCCA ACGCCGCCAC TACTGGGCAC AGTCTTCGCC CGCCGGCGCG GCGAGCTCTG
33961 CTGCGGCCCC CTTGCGTATG ACCTGGGAGG AGCATCCGCT CCTCGGCGGC GCGTGGCCGC
34021 TCGCGGACTC CCGCGAGCTG CTGCTCGTCG GGAGGATCTC CCCGGCCTCC CACTCCTGGA
34081 TCGCCGACCA CACCGTGGCC GGGACCGCCC TGCTGCCCGG GACGGCCTTC GTCGACATGG
34141 CACTGCACGC CGCCGCGGTC GCGGGCTGTG CCGGTGTGGA GGAGCTGAGC ATCGAGGCCC
34201 CGCTGCCGGT GCACGGCGGG ATCCGGCTCC AGGTGGTGAT CGACGAGCCC GACTCCTCCG
34261 CGCGGCGCCG CGTGAGCGTG TTCGCGAGGC CGGAAGAGGA AGACGGGGAC GCCGGCCGCT
34321 GGACCCGACA CGCCACCGGC GTGCTGACCC CCGACGTCGC CCCCAGCCG GGCCGGCCGC
34381 AGTGGTGCCG GCAGGCCTGG CCGCCGAGCG GCTCCGTCCG GGTGGAGGCG TCGGAGCTCT
34441 ACGACCGGTT CTCCGCGCTG GGATACGACT ACGGCGAGGT CTTCCGCGGG GTCGAGGCCG
34501 TCTGGCTGCG CGAGGGCGAG GCCTTCGCG AGGTCCGCTT GCCACGGGC GCGGCGCCCG
34561 ACGCCGAGCG GTTCGGGGTG CACCCCGGCC TCCTCGACGC GGCTCTGCAC CCCTGGCTGC
34621 TGGGCGACTT CCTGTGCGCG CCCGACGGCC GATCCGTACT GCTGCCGTTT CCGTGGCGCG
34681 GCATCACGCT CCACACGGCC GGTGCCGACG CGCTGCGGGT CCGTCTCGGA CCGCCGGAG
34741 AAGGCGCTCT GTCGCTCGAA GCGCTCGACC TCTCCGGTGC CCCGTTGCTG TCGATGGAGC
34801 CACTGGTGCT GCGTCCGCTC GCCCAGGACC GCCTGGCGGA ACTGGTCGGC GGCACGACCT
34861 CCACCCCGCT GTACCGCGTG GACTGGCAGC GGAGCCCGAT CGCGAGGACG GCGCCGTCCG
34921 CCACGGGGCT CTTCCGCTCC CTCCCGTCCG GTGCCGTCCG CCGCTGGGCG GTCGTCGGGC
34981 AGGGCGGTGT CGCCGCACGG TACGCGACGG CGGAACCCGG CACGGGGTGC GTCGGGGTCT
35041 TCCCCGACCT GGACGCACTG CGTACGACGC TGGACTCCGG AGCGGACGGC CCCGACATCG
35101 TCCTCGCCGA CTTGCGGGCC CGGCCAGGCG ACGCCGCGCC GCACGGGACG GATCCGGCCG
35161 ACGGCGCACG CGACACGGTC CCGCGGGGGC TCGCCCTCAT ACAGGGCTGG CTGTCCGACG

35221 AGCGCTTCGC CGCCGCGCGT CTCGCCGTGC TCACCGAGCA CGCCGTCGCC ACCGAGGCGG
35281 ACACCCGCCG GACGGACCTC GCGGGCTCGG CACTGTGGGG GCTGATGCGT TCGGCGCAGA
35341 CCGAGCACCC CGACCGCTTC GTCTCTGTCG ACCACGACGG GCAGGACGCC TCGTACCGGA
35401 CGCTGCCCCAC CGCGCTCGAC AGCGAAATCC CGCAACTGGC GCTCCGAGCC GGGGAGACGC
35461 TGGCCCCCGA ACTGGCGGTC CTGCCGAGTC CGGCCGACGG GGGCCCCGCG ACAAGCGCGG
35521 CGTTCGATCC CGAAGGCACG GTACTCGTCA CCGGAGCCAC CGGCACCCTC GGCAGCCTGC
35581 TGGCCCGGCA CCTGGTCACG GCACACGGCG TACGGCATCT GCTGCTGCTC ACCCGCAGCG
35641 GACGCGAAGC CGCGGGGGCC GCCGAACCTG AGCGTGAAC TCCGTAACGG GGAGCCGAGT
35701 TCCAGCTCCT CTCCTGTGAC GCGACGGACC GGGCAGCGCT GAAGGAGGCC CTCGCCACCG
35761 TCCCCGCCGC CCACCCGCTG ACCGCGGTGA TCCACACGGC CGGCGTCCTC GACGACGGCG
35821 TCGTCGAGGC GCTGACCCCC GAACGGCTGA ACCGCGTGCT GCGCCCCAAG GCGGACGCCG
35881 CGCTGAACCT GCACGACCTG ACCGAGGGAA TGCCGCTGAA GCGGTTCTGC TGTACTTCCG
35941 GGGCGGTTCG ACTGCTGGGT GGAGCGGGCC AGGCCAACTA CGCGGCAGCC AACCGCTTCC
36001 TGGACGGCCT GGCCCAACAC CGGCACGCGC AAGGGCTGCC CGCGGTGTCC CTGGCATGGG
36061 GACTCTGGAG CGCCACCAGC ACCTTCACCG ACCATCTCGG CGAGGTGGAC CTGCGGCGCA
36121 TGGAGCGGTC CGGCATCACG CCGCTCACGG ACGAGCAGGG CCTTGACCTG TTCGACCGGG
36181 CCCTCGGCGC CGCGGTGGAC GCGCCGCGAG TCTGCGTGAT GGGGCTGGAC ACGGCGGCGC
36241 TGCGCCGGCA GCGGCGCGAG CACGGGCCGA CTTGATGCC TCCTCTGCTG CGTACGCTGG
36301 CGGCGCCTCC CGTACGGCGC GCGCGGGGCG GCTCCGGCCG GGGCGGACGG GCGGCGTCCG
36361 CCACGGACGC GCCGAGCCGG GCGCAGGCCC TGCGCGAGCG ACTGACGGGC CTGGACGCGG
36421 CGGCACGGCG GGACGAACCT CTGGTCCTGT CGCAGGCGCA GTTGGCCGAT GTGCTGGGCT
36481 TCGCCGACAA GACCGCGGTG GACCCCGTTC GTTCTTCCG CGAGATCGGT CTGGACTCGC
36541 TGACCGCCGT CGAGCTGCGC AACCGGCTCG GTGTGCTCAC CGGACTGCGG CTGCCGCCGG
36601 CGCTGGTCTT CGACACCCCC AACCTCGACG CGCTCGCGGC CCACCTGGCG GAGCTCCTCG
36661 CGGCTGAGGG CCGGACGACG GCGGCGCGCG CGGCGCTCTC GGAATCGAC CCCCTGGACC
36721 GGGCGGTCCG GGAGATGGCG GCCACGACA CGCGCCGTGA CGCGTCCGC CGACGCCTCG
36781 CGGAACCTGCT GCGGCTGGTC GCGACGCCC CGCGGGACGG CGGCCGCGCC CCACGGGCGG
36841 CCGCCGACGC GGGAGGCCCG GACGCTCAAG CGGACCCGCA CCTGCTGGGC CGGCTGGACT
36901 CCGCCTCCGA CGACGATCTG TTCGCGTTCA TCGAAGACCA GCTGTGAGCG GGACGCCGCG
36961 CGCGTTCCCC ACCCGTCCCT AAGCGCCGCA TCAGGCGCAC TCGCACCGAC ACGAGCACGC
37021 AGGCCAGGAG GGTCCGGTCG ATGACGGCCA ACGATGACAA GATCCGCGAC TACCTGAAGC
37081 GGGTCGTCGC CGAGCTGCAC AGCAGCGGCG AACGGCTCAA CGCCTTGGAG CACGACGCCC
37141 GCGAGCCCAT CGCCATCGTG GGATGAGCT GCCGGCTGCC CGGCGGGGTG ACCACCCCCG
37201 AGAGCCTGTG GAGGCTGGTC GACTCCGGCA CCGACGCCGC CTCGCCGTTT CCGACGACC
37261 GGGGCTGGGA CCTGGACGCG CTCCACCATC CGGAGTCGGG AGCCGTCCAC TCCGCGAGG
37321 GCGGATTCTT CCACGACAGC GCGGACTTCG ACGCGGAGTT CTTCCGCATC AGCCGCGGAG
37381 AGGCCCTGGC CATGGACCCG CAGCAGCGCG TGCTGCTGGA GACCGCTGGG GAGGTGTTTCG
37441 AGCGCGCCGG CATCGACCCG GTCTCCGCCC CGGCTCCCG CACGGGGGTG TACGCGGCGG
37501 TCATGTACCA CGACTACGGC GCCCGGCTGA ACGAGATCCC GCGGCGCCTC GAGGGCTACC
37561 TGGTCAACGG CAGCGCGGGC AGCATCGCCT CGGGCCGGGT GGCCTACACC CTCGGTCTGG
37621 AGGGCCCCGC CGTCACCGTC GACACGGCCT GCTCCTCGTC ACTGGTCGCC GTGCACCTGG
37681 CGGCACAGGC ACTGCGGCGG CGGGAGTGGC ACATGGCGCT CGCGGGCGGC GCGACCGTCC
37741 TGTCCACCCC CGACCTGTTC ATCGACTTCG CGCGACTCGG CGGCTGGGCC TCCGACGGGC
37801 GCTGCAAGGC GTTCTCCGAC GCCCGCGACG GCACCAGCTT CGCCGAGGGC GCCGGCCTGC
37861 TGCTCCTCAT GCGGCTGTGC GACGCGGTGG CCGAGGGCCA CACCGTCTTG GCGGTCTGTC
37921 GAGGCTCCGC CGTCAACCAG GACGGGGCGA GCAACGGCCT GACGGCCCCC AACGGCCTCG
37981 CCCAGCAACG CGTGATCCGC GAGGCGCTCG CCGACGCGGA CCTGGACCCC GACCAGATCG
38041 ACGCGGTGGA GCGCACGGC ACCGGAACCA GGCTCGGCGA CCCCATCGAG GCGCAGGCCC
38101 TGCTGCACAC GTACGGCACG AGCCGACGCG CCGAACGACC CCTGTGGCTC GGTTCTGCTGA
38161 AGTCCAACAT CGGCCACACC CAGGCCGCGG CCGGAGTGGC CGGAGTCATC AAGACGGTGC
38221 TGGCGATGCG CCACGGACGG CTGCCCCGCA CACTGCACGT CACCCGCCCC TCCAGCCGGG
38281 TGAATGGTTC GCGGGGCGCG GTGGAACCTG TCACGCGGGC ACAGGACTGG CCGGGCCAGG
38341 GGAACGCCCC GCGCCGCGCC GGAGTGTCTG CTTTCGGTGC CAGCGGCACC AACGCACACC
38401 TGATCCTGGA AGGCGTCCCG GACGGCGACA TCACGGTTCG GGAGACCCGA CCGGCCACCG
38461 GCGGCGGCGC CTGGCCGCTC GCGGGCCGGA CCGAAGCGGC CCTGCGCGCA CAGGCCCGGC
38521 GGCTCCACGA CCACCTCGCC GCCCGCCCCC ACGTCTCACC CGCCGCGGTC GGGCGGACGC
38581 TGGTCCGCTC CCGCACGGCG TTCGAGCACC GGGCCGTCGT CCTCGACAG GACACCGCCG

38641	ACCTCCTGAG	CGGCCTCGCG	GAGCTGGCGT	CCGGCGGCGC	TCACGGACCC	GGCGTGATCA
38701	CCGGCCGGGC	CGCGCGCGGC	CGCCGTACCG	CACTGCTCTT	CACCGGACAG	GGCAGCCAGC
38761	GGCCGGGTGC	CGGACGGCAT	CTCTACGAGC	GGTACGAGGT	GTTCGCCCCG	GCCCTGGACG
38821	AGACGGCCGC	GGCACTCGAC	CGGCACCTCG	ACCGCCCCGT	GCGCGACGTG	ATGTTTCGCG
38881	AGCCGGGCGG	CGCGACGGCC	GGACTCCTCG	ACCGCACCGA	GTACACCCAG	CCCGCACTGT
38941	TCGCCCTGGA	AGTCGCCCTC	TTCCGACTGG	TGACCGCCCG	GGGCCTGCGC	CCCGACGCAC
39001	TCCTCGGGCA	CTCCGTTCGGC	GAACTCGGCG	CCGCCCCACGT	CGCCGGAGTG	TTACCCCTGC
39061	CCGACGCCGC	CCGCCTGGTG	ACGGCGCGAG	GCCGACTGAT	GGGCGAGCTG	CCGGCCGGTG
39121	GCGCCATGAT	GGCGATCCAG	GCGAGCGGCC	CGGAGATCGA	GGAGACGATC	ACGGCGCTCG
39181	CGGCCCACCG	GTCGGCGCGC	GTCGCCGTCT	CCGCACTCAA	CGGTCCCGAC	GCCACCGTGA
39241	TCTCCGCGCA	CGAGGACGTG	GTCGCCGAAC	TCGCCACGCT	GTGGCGGGAG	CGGGGCCCGC
39301	GCACCGAGGC	GCTGCCCGTC	AGCGCCCGCT	TCCACTCGCC	GCACATGGAC	CGCATCTGGT
39361	AACCGTTCGC	CCGGATTCGCG	CGCGACGTCT	CCTACGCCGA	ACCGCGCATC	CCGGTGGTCT
39421	CCAACCTGAC	CGGCGGCATC	GCGTCGGCCA	CGACGCTGTG	CGCCCCCGAG	TACTGGGTGC
39481	GCCACGCGCG	CGAGGCCGTG	CGCTTCAGCG	ACGGCTTCCG	CGCCCTGCGC	GACCAGGGGA
39541	TCGACACCTT	CATCGAGCTC	GGACCGGACG	GCGTGCTGTC	CGCCCTGGGC	CGCGACTGCC
39601	TCCGCGAGGA	GGAAGGAGAC	GCCCCACGCC	AGGACGGCTC	GGCGGACCCC	GACACGACCG
39661	GCTCCCGCGC	CGACGGGGGG	CGGCGACCCG	TGCTGACGGT	GCCGCTGCTG	CGCCGGGACC
39721	GCGACGAGAC	GACCACCTGC	CTCGGGGCCC	TGGCCACCGT	CCACACCCAC	GGCGTCCCCG
39781	TCGACCTCGC	GGCCGTGCAC	GGCGCCCCCG	AGGGGCCCGC	CGTCGAGCTC	CCCACCTACG
39841	CCTTCCAACG	CACGCGCTAC	TGGCTGGACG	CCCCGGCCCC	CGCCGCCGGC	CCCACCGCCA
39901	CCGGTCTGGA	GGCGACGGAC	CAGCCCCTGC	TCCCGGCCGT	CATCGACCTG	CCCGACGGGG
39961	AAGGCACCGT	ACGGACCGGA	CTGCTCTCCC	TGCGCACCCA	TCCGTGGATC	GCCGACCACC
40021	GCGTCCGCGA	CCACGCCGTG	GTGCCCGGAG	CGGCCCTGCT	GGACGTCGCG	GCCTGGGCGG
40081	GCACCGAAGC	GGGCTGCCCC	CGGGTCGCCG	AACTGACCTT	CGCCACGCCC	CTCGTCTCTG
40141	CCGAGAACGG	AGAAGGAGTC	CGACTGCGCG	TGACGGTCAG	CGGCCCCGAC	CGGAAGGCA
40201	TCCGTTCGCT	ACGCATCGAC	TCCCGGCCCG	CCGACACGGT	CCGTACCGCC	GATGCCCCCT
40261	CCGACTGGAC	CCGCCACGCG	TCCGGCACCC	TCGTCCCCGC	ACCCGAGGAG	GCCGGCGACG
40321	GCACCGGCGT	GCCGACCGAA	CTGCTCGGCG	CCTGGCCCCC	GGCCGACGCG	ACCCCGGTCT
40381	CCCTCGACGC	GGACGCCGTC	GCGGCCGAGT	ATCAGCGCCT	CGCGGCCGGC	GGCGTGACGT
40441	ACGGCCCCGC	GTTCCGGGCA	CTGCGCGCCG	TCTGGCGCCG	CGGCGCAGAG	GTCTTCGCCG
40501	AGGTCCGGCT	TCCCGGCCAG	GCGGCCGCCG	ACGCCTCGCG	GTACGGCATG	CACCCGGCCC
40561	TGCTGGACGC	CCTGACGCAC	GCCACCGGGT	TCGGCGAGCG	GTCCACCGAG	GCCCCGGGCC
40621	TGGTCCCGTT	CGCCTGGAGT	GACGTCCGGA	TCCACGTCCG	CGGCGCCGAC	TCCCTGCGCG
40681	TACGCATCGC	GCCGGCCGGC	CCCGACGCCG	TGACCGTCGC	CGCGGTTCGAC	CCGACGGGCC
40741	GCCCGGTCTT	CGCCGCCCGC	TCGCTCACGC	TGCGCCCCCT	GGCGGAGAGC	CGGTTCCAGG
40801	ACCCGGAGGC	GGACAGCAGC	CCGCTGTACC	GACTGGAGTG	GACACCGGCC	CCCGGTTCCG
40861	TGACCGGGCA	CGCCGGTCCA	AGGCAGGCGG	CAGCGGAGTG	GGGCGTCCTC	GCGGACCCGG
40921	TCCAGGCCCT	CCTCGACGCC	GTGCGCGACG	GGGCGGAGGC	ACCCGTGCGA	ACCCATGACG
40981	ACCTGCTCGC	GCTCGCGGCC	TCCGACACGG	CCCCGCCCGA	CCATGTGCTG	GCGCTGCTGG
41041	GCCACGACGG	GGACGCTCTC	GCCACGGGCG	CCCACGACCT	GGCCGACGCG	GCCCTGGCCC
41101	TGGTACAGGG	CTGGCTGACC	CACGCCCGCT	TCGCCGACGC	GCGACTGGTC	GTGCTGACGC
41161	AGGGGGCGGT	GACGGCCGGC	ACGAGCCCCG	TCCACCCGGC	CGCGGCCGGC	GCCTGGGGGC
41221	TGCTGCGCAG	CGCACAGTCC	GAGCACCCGG	GCCGCTTCGT	CCTCGTCGAC	GCGGACCCCG
41281	CCGACCCGGC	CGCCTCGTAC	CGTTCCCTGC	CACGGGCCGT	CGCCTCCGGG	GCGTCCCAAC
41341	TCGCCCTGCG	CGGCGCCGAG	ATCCTCGTCC	CCCGGCTCGC	CCGGGGAACG	GACCGACAGG
41401	CCACCGTGCC	CGGACACCCC	GGCGACGTCA	CCGCACCGGA	GACGACCGCT	GCCCCCGAGC
41461	CGGCCCCGTC	CGGCACCCCC	TCCGGCCCCCT	GGCCCCGCGA	CGGCACCGTG	CTCGTCACGG
41521	CGGGAACCGG	GACCCTGGGC	AAGGCCGTGG	CCCGGCACCT	CGTGACCAAG	CACGGTGTCC
41581	GGCACCTGAT	CCTGGCCGGT	CGGCGAGGCG	CGGACACCCC	CGGGGCGGGC	GACCTGGCCA
41641	CCGAACCTGAC	CGGCCTGGGC	GCCACCGTGA	ACATCGTCCG	CTGCGATGCC	CCCGACCGCT
41701	CGGCGCTCGA	AGGCGTCCTG	GCCGCCGTCC	CCGCCGCGCA	CCCGCTCACC	GCCGTCTGTC
41761	ACACCGCCGG	AGTGCTCGAC	GACGGCATCG	TCACGGCGCA	GACGCCCCGA	CGCCTCTCGG
41821	CGGTCTTGCG	CGCCAAGGCG	GACGCGGTCA	GCCACCTGCA	CGAACTGACC	CGCGACCTGG
41881	ACCTGTCCGC	CTTCGTCTCT	TTCTCATCGG	CCGCCGGAAC	CCTCGGCAGC	CCCGGCCAGT
41941	CCGGCTACGC	GGCCGCCAAC	AGCTTCCTCG	ACGCGTTCGC	CGCCTGGCGG	CGAGCGCAGG
42001	GCCTCCCCGC	CGTGTCCCTG	GCATGGGGAC	TGTGGGGTGA	CGGCGGTGAC	GGTCTGTACG

42061 GCGGTGGCTC GCGGCGCCGAC GGCATGGGAG CGAGCCTGGC CGCCGCCGAC CTGGCACGGC
42121 TGCGCCGTTC CGGCATCCTC CCGCTCGACC CGGCCGAAGC GCTGCGCCTG TTCGACGAGG
42181 CCTGCGACCC CGCCAGGACC GAGGCCGTAC TGCTGCCGAT CCGCCTCGAC CTGACCGGCC
42241 TGCGCGCCCG TTCCGCCCGC GCGCGCGTAC ACGCGAGCGT GGTGCCCCGAA GTGCTGCACA
42301 CCTTGGTGCC CCCGCCCGCC GGTGCCGGAT CCCCGGCCGG TGCCGACGCG TCGGATCCCG
42361 CGGCGGGCCA GCGCCCCCGG GCGCCGGCGT CCGACACCCT GGCCGAACGG CTCGCCGGGA
42421 AGCCCCGAGG CGAACGGCTC ACCGCCCTCA CCCAACTGGT ACGCACCGAG ATCGCCTCGG
42481 TACTCGGGCA CCCCAGACTC GCGCGCTCC AGCTCCAGTC CTCCTTCAAG GAGTCCGGCT
42541 TCGACTCGCT CACCGCCGTC GAACTCCGCA ACCGGCTCAC CGCGGCCACC GGAACGAAGC
42601 TTCCCGCCAC CCTCGTCTTC GACCATCCGA CACCGCGGCG ACTCGTCGAC CACCTGGAAC
42661 AGGAACTGCC GAAGGCAGCA CAGGAGATCC CGGCGGACCT CCCGGCCGTT CTCGACGCAC
42721 TCGACCGGAT CCGGGACGGA CTCGCCACCG CCGCCACCGA CGACAGCAGC CGCGACCACA
42781 TCGCGGAGCG TCTCCAGGCG TTGCTCGGCA CGCTCACCTC GGCTGCGGGC GTCAGCCGCC
42841 CGACCGGCAG CCCGGGCGAG CACGACCGGC AGGGCCCCGA TGAGCTGTCT CTCGGCCAAC
42901 GACTCGCCGC CAGCAGCGAC GACGAACTCT TCGACCTCTT CGACAGCGAC TTCCGATCGA
42961 CGTAGCCCAG GGCCACCCTT CCGCCTCCGC CGCCCGCCCC ACACCCTTGG AGAACAGCAC
43021 GATGTCTTCC ACATCGCCCG CCACCAACGA AGAGAAGCTC CGCGACTACC TCCGCCGCGC
43081 CATGACCGAC CTGCACGAGG CCCGCGAGCA GATCCGCCGG ACCGAGTCGG CCAGGCACGA
43141 GCCGATCGCG ATCGTGGGGA TGGGGTGCCG TCTGCCGGGT GGGGTGTCTG CGCCGGAGGG
43201 GTTGTGGGAT CTGGTGGCGT CCGGGGTGGA TGCGGTTTCT CCGTTCCCCA CGGATCGGGG
43261 TTGGGATGTG GGGGGTCTGT TCGATCCGGA GCCGGGGGTG CCGGGGCGTT CGTATGTGCG
43321 TGAGGGCGGG TTCTTTCATG AGGCGGGGGA GTTCGACGCG GGGTTCTTCG GTATCTCTCC
43381 GCGTGAGGCG TTGGCGATGG ATCCGCAGCA GCGGTTGCTG TTGGAGACGT CGTGGGAGGC
43441 GTTGGAGCGG GCGGGCATCG ATCCGCACAC GCTCCGCGGC TCACGGACCG GCGTCTACGC
43501 CGGAGCTATG TACCAGACT ACGGCAGCAC CGCGACCCTC TCCGTCGCTT CCGACGACGA
43561 GACCGCCGGA TTCCTCGGCA CGGGGACGTC CGGGAGTGTG GCTTCGGGTG GTATCTCGTA
43621 TGTGCTGGGG CTGGAGGGGC CCGCGGTGAC GGTGGACACG GCGTGTCTGT CGTCTTGGT
43681 GCGCTGTCAT CTGGCGGTGC GGGCGCTGCG GAGTGGTGAG TGTGACCTTG CTCTTGCGGG
43741 TGGGGTGACG GTGATGGCGG AGCCGGGTGT GTTCGTGGAG TTCTCGCGGC AGCGGGGGTT
43801 GGCTGCGGAC GGGCGGTGCA AGGCGTTTCG GGCTGCTGCC GATGGCACGG GCTGGGCCGA
43861 GGGTGTGGGC GTGCTGGCGG TGGAGCGGTT GTCGGATGCG GTGCGTCACG GCGCGCGGGT
43921 CCTGGCGGTC GTGCGTGGTT CCGCGGTCAA CCAGGACGGT GCGAGCAATG GGTGACGGC
43981 TCCGAACGGT CCGTCGCAGC AGCGGGTGAT TCGTCAGGCG TTGGCGGATG CGCGGTGGG
44041 TGTGGCTGAT GTGGATGTGG TGGAGGGGCA TGGGACGGGG ACGCGTCTGG GTGATCCGAT
44101 CGAGGCGCAG GCGTTGTTGG CGACGTATGG GCAGCGGGAT GCGGGTCGGG CTTTGCGGGT
44161 TGGTTCGCTG AAGTCAACG TGGGGCATA GCAGGCGGCT GCCGGTGTGG CCGGCGTGAT
44221 CAAGATGGTC ATGGCGATGC GGCACGGTGT CCGGCCGAAG ACGCTGCACG TGGATGAGCC
44281 GACGGCGGAG GTGGAATGGT CCGCGGGCGC GGTGTCCCTG CTGAGGGAGC AGGAGGCGTG
44341 GCCTGAGGTG GGGCGTCTGC GTAGGGCTGC GGTGTCTTCG TTCGGTGTGA GTGGGACGAA
44401 CGCGCATGTG GTGGTGGAGG AGGCACCTGC TTCGGAGGCG CCGGTCGCGG GGGAGCCGGT
44461 GGAGCCGGTG GAGCCGGGGG CTGTGGGGCT TCTTCCGGTG GTGCCGGTGG TGGTGTCCGG
44521 TCGTTCTGCG GGTGCGGTGG CGGAGCTGGC CTCCCGTTG AACGAGTCGG TTCGTTCCGA
44581 TCGGTTGGTG GATGTGGGGT TGTGCTCGGT GGTGTGCGCG TCGGTGTTCT AGCACCGGTC
44641 CGTGGTTCTG GCGGAGGACT CTGCCGAGCT GCATACCGGT CTGGTTGCTG TCGGGACTGG
44701 GGTGCCGTCG CCTGGCGTGG TGTGCGGTGT GGCCTCGGTC GAGGGTGGCC GGTGCGGTGT
44761 CGTGTTCCTT GGTGAGGGGA CGCAGTGGGC GGGGATGGCG CTCGGGTTGT GGGCGGAGTC
44821 GCGGTGTTCG GCGGAGTCGA TGGCGCGGTG TGAGGCGGCG TTCGCCGGGT TGGTGGACTG
44881 GCGTCTGGCG GATGTGCTGG GTGACAGGTC TCGGTTGGAG CCGGTCGATG TGGTGCAGCC
44941 GCGCTCGTTC GCGGTGATGG TGTGCTGGC CGAGCTGTGG CCGTCTGCTG GTGTGGTGCC
45001 CGATGCGGTG GTGGGGCATT CGCAGGGGGA GATCGCTGCT GCGGTGGTGG CCGGTGGTCT
45061 CTCGCTGGAG GACGGCGCGC GTGTGGTGGT GTTGCCTGCG CCGTTGATAG GCCGTGAGCT
45121 GGCCGGGCAC GGTGGGATGG CGTCCGTGGC GCTGCCGGTC GCGGTGGTGG AGGAGCGTCT
45181 GCGGGCGTGG GCGGGGCGTC TGGGTGTGGC GGTGGTCAAC GCACCCTCCG CCACGGTCTG
45241 CGCGGGTGAT GTGGACGCGG TGGCGGAGTT TGTGACCGCG TGCGAGGTGG AGGGGGTTCT
45301 GCGCGGTGTT CTGCCGGTGG ACTACGCCTC GCACTCGGCG CACGTGGAGG AGCTGAGGGC
45361 CGAGCTTGAA CAGATTCTGG CCGGCATCGA CCCGGTGGCC GGTGAGACCC CCCTGTACTC
45421 CACGGTGGAG GCGGGTGTCT TGGATACGGC GTCGATGGAT GCGGGGTACT GGTTCAGGAA

45481 TCTGCGTCGG CCGGTTTCGTT TCCAGGAGAC GGTCGAGCGG TTGCTGGCGG ATGGTTTCCG
45541 GGTGTTTCGTG GAGTGCGGCG CGCATCCGGT GCTGACGGGG GCGGTGCAGG AGACCGCGGA
45601 ATCCACCGGT CGCCAGGTGT GTGCGGTCGG ATCCCTGCGT CGTGACGAGG GTGGTCTGCG
45661 ACGCTTCCTG ACCTCTGCGG CGGAGGCGTT CGTCCAGGGG GTGGAGGTGT CCTGGCCGGT
45721 GCTGTTTCGAT GGCACCGGCG CCCGCACGGT CGACCTGCCC ACCTACCCCT TCCAGCGTCG
45781 GCGTTACTGG CTGGAGTCAC GTCTCTCTGC GGCGGTGTGT CCGTCGGGGG TCCAGGACGG
45841 ATTGTCGTAT GAGGTGGTGT GGAAGAGCCT GCCGGTACGG GAGTCGTCC CTCTTGACGG
45901 CCGGTGGCTG CTCGTCTGTC CCGAAACCTT GGACGCCGAC GGCACGCGGA TCGCCACGA
45961 CCTCCAGCAC GCCCTACCA CCCACGGCGC CACCGTGCAC ACTCTTGCTC TTGACCCAG
46021 CGCGGCGCAC TTCGACGGTC TCTTTGACGG GATACTCCAG GAAGAAACAG ATGTACAGGG
46081 CATCTTCTCT CTCTCGGAC TGGCATCGGG CCCGCACCCG GATCACGGCG AGGTGGAGCT
46141 CGCGGGAGCC GCGTCGCTGA CGTTGATGCG CCAAGCCAG CGAGACGGCT TCCGTGCTCC
46201 GGTGTGGGCG GTGACGCGGG GTGCGGTGTC CGTGGTGCCT GGTGAGGTGC CGGAGACCGC
46261 GGGTGCCAA CTGTGGGCGC TCGGCCGGGT CGCCGGTCTC GAACTCCCCG ACCGTTGGGG
46321 TGGTCTGATC GATCTCCCGG CGGATGCCGA TGCGCGTACG GCGGGGCTTG CCGGTGCGGGC
46381 CCTGGCCGCC GGGATCGCCG ATGGTGAGGA CCAGCTGGCG GTGCGCCCTC CAGGTGCCTA
46441 CGGCCGCGCG CTCGTACGAG CCACCGCGCG CCGGGGACGG AAGGACTGGC GCCCCAGGG
46501 TACGGTGCTG CTCGCCGGGC ACCTCGACGC CGTCGGTGAA CCACTGGCCC GATGGCTGCT
46561 CACCGGCGGC GCGGACCACG TCGTCTTGC GGATCCCGCC CTGACCGAAC TCCCGGCCAC
46621 CCTCGCGGAT CTGGCCCAGA CCGTGACGAC CGCTGCGGCA CCCGACCTTG CCGACCGTGC
46681 AGTCTCGCC GCCCTGGTCA CCGAGTACGT ACCCGCCACC GTGGTCGTCTG TTCCGCCCCG
46741 GGCGGAGCTC GTCCTCGTGG CGAGTATCAG CCCGGCCGAC CTCGCGGCGG CCGTCACCGC
46801 CAAGTCCGCG ACCGCGGCGC ACTTCGACGC GTTGCTCGAC GGACCCACG CACCGGACT
46861 GGTGCTGATC TCCTCGGTG CGGGGACTTG GGGTGGTGTG CCGCAGGGTG GTGACGCCGT
46921 CCGTGCCGCT CACCTCGATG CCTTGGCCGC CCGCCGAGG GCGCGCGTCT TGTGCGCGGC
46981 CTCCGTCGCG TGGACGCCCT GGGCGGGTTC CGTCACCGCG GACGGTCCG CCGCCGAGTC
47041 GCTGCGGCG TACGGCATCG CTCCGCTGGA GCCGAGGCG GCGCTCGCGG AGCTGGACCG
47101 GGCGCTGAAC CAGCAGCTGC ACGGCGGCG GGGCGACGCG GCGGTGGCCG ACATCGACTG
47161 GGAGCGGTTT CTCGCGTCTG TCACCTCCGT ACGTCCCAGC GTTCTCTTCG ACGAGCTGCC
47221 CGAGGTACGC CGTCTCCGCG AGGCGGAGGC GGGCGCCATG GCGGACCAGG CCGCCGCCCG
47281 GACGGGAGCG CCCGGCGGAA CGGAGCTGGC GCGCTCTCTG CCGGCCAAGT CCCTGAACGC
47341 CCAGCGAAGT GCGCTCCTGG AATTGGTCAC TGCCCACGTG GCGGCCGTGC TGGGAGAGAG
47401 CGTTCCCCGAG GCGATCGACC GGAGCCGGGC GTTCAAGGAC ATCGGCTTCA CCTCCATGAC
47461 CGCGATGGAA CTGCGCAACC GGCTCAAGGA GGCCACCGGG CTCGCCCTTC CTGCCTCCCT
47521 CGTCTTCGAC CACCCCCACC CCGGCGCACT CGCCGACCAC CTGCGCGAGG AACTCCTGGG
47581 CGAGGACGGT GCGGCGGGCG CCGACTCCG GCGGAGGAA CCGAGCGCTA CCTCTCCGAC
47641 GGTCCAGGAC GAGCCGATCG CCATCATCGG CATGGCCTGC CGCCTCCCTG GTGACCTGCG
47701 AACACCCGAC GAACTCTGGG AGCTGCTGGA AACC GGCCGC GACGCGATGT CGGACCTGCC
47761 CGTCAACCGC GGGTGGGACG TGGCGGGGCT CTACGACCCG GATCCAGACG CCGCGGGGCG
47821 TTCCTACGTC CGGGAGGGCG GGTTCCTCCA CGACGCGGGG GAGTTCGACG CCGAGTTCTT
47881 CGGCATCTCG CCGCGTGAGG CGCTGGCGAT GGACCCGCG CAGCGCATCG TCCTCGAACT
47941 CGCCTGGGAA TCGTTCGAAC GTGCGGGCCT GGACCCGGCC GGCCGCCGCG GCAGCCGTAC
48001 CGGCGTGTTT ATGGGAACCA ACGGCCAGCA CTACATGCCG CTGCTGCAGA ACGGCAACGA
48061 CAGCTTCGAC GGCTACCTCG GCACCGGGAA CTCGGCCAGT GTCATGTCGG GCCGCATCTC
48121 GTACACCCTC GGCTTGGAGG GGCCGGCGCT GACGGTGGAC ACGGCGTGTT CGTCGTCTGCT
48181 GGTCGCGCTG CATCTGGCGG TCGGGGCGCT GCGCAACGGT GAGTGCGACC TCGCCCTCGC
48241 CGGCGGCGCG ACCGTGATGT CGACGCCGGA AGTCCTGGTG GAGTTCTCCC GGCAGCGTGC
48301 AGTCTCCGCA GACGGTCGCT GCAAGGCGTT CTCCGCTCG GCCGACGGCT TCGGACCGGC
48361 CGAGGGTGCG GCGGTGTTGC TCGTCGAGCG GTTGTCTGGT GCGGTGCGTC ATGGGCGTCG
48421 GGTGTTGGCG GTCGTGCGTG GTTCGGCGGT GAATCAGGAC GGTGCGAGTA ATGGGTTGAC
48481 GGCTCCGAAC GGTCCGTGCG GATGTCGAGT TGGTGGAGGG GCATGGGACG GGGACGCGTC TGGGTGATCC
48541 GGTGTCGAGC CAGGCGTTGT TGGCGACGTA TGGGACGCG GATGCGGGTC GGCCGTTGCG
48601 GCTTGGTTTC TTGAAGTCGA ACGTGGGGCA TACGACGGCG GCTGCCGGTG TGGCGGGCGT
48661 GATCAAGATG GTCATGGCGA TGCGGCACGG TGTCCTGCCG AAGACGCTGC ACGTCGATGA
48721 GGTCTCTCCG CACGTCGACT GGTGCGCGGG TGCGGTGTCC CTGCTGACGG AGCAGGAGCC
48781 GGTCTCTCCG CACGTCGACT GGTGCGCGGG TGCGGTGTCC CTGCTGACGG AGCAGGAGCC
48841 GTGGCCGGAG GTGGGGCGCC CTCGCAAGGC TGCGGTCTCT TCGTTCCGGC TCAGCGGGAC

48901 GAATGCGCAT GTGGTGGTCG AGGAGGCGCC GGTGCGGGAG GCGGGGCAGG CCGCCGGGGA
48961 TGCTCGGTTG GCTGTGGTGC CGGTGGTGGT GTCGGGCCGG TCTGCGGGTG CGGTTGCTGA
49021 ACTGGCCTCC CGCTTGAACG AGTCGATTCG TTCGGATCGG TTGGTGGATG TGGGGTTGTC
49081 GTCGGTGGTG TCGCGGTCGG TGTTTCGAGCA CCGGTCCGTG CTAAGTGGCG GGGACTCTGG
49141 CGAGCTGCAT ACCGGTCTGG TTGCTGTTCG GACTGGTGTG CCGTCGCCTG GTGTGGTGTG
49201 GGGTGTGGCG TCGGTTCGGG GTGGCCGGTC GGTGTTTCGT TTCCCTGGTC AGGGGACGCA
49261 GTGGGCGGGG ATGGCGCTCG GGTGTGGGCG GGAGTCGTTC GTGTTTCGGG ACTCGATGGC
49321 GCGGTGTGAG GCGGCGTTCG AGGGGTGGT GGACTGGAGT CTGGCGGATG TGCTGGGTGA
49381 CCGGTCCGCG TTGGAGCGGG TCGATGTGGT GCAGCCGGCG TCGTTTCGGG TGATGGTGTG
49441 GCTTGTCTGAG CTGTGGCGGT CGTTGGGTGT GGTGCCGGAT GCGGTGGTGG GGCATTTCGA
49501 GGGGGAGATC GCTGCTGCGG TGGTGGCGGG TGGTCTGTTC TTGGAAGACG GGGCGCGTGT
49561 GGTGGTGTGG CGTGCGCGGT TGATCGGCGG TGAGCTGGCC GGGCGCGGTG GGGCGCGTGT
49621 GGTGGCGCTG CCGGTTCGCG TGGTGGAGGA CGGTCTGGCG GGTGGGCGG GGCCTCTGGG
49681 TGTGGCGGTG GTCAACGGAC CGTCCGCCAC GGTCTGTCGG GGTGATGTGG ATGCGGTGGC
49741 GGAGTTTGTG ACCGCGTTCG AGGTGGAGGG GGTTCGGGCG CGTGTCTGTC CGGTGGACTA
49801 CGCCTCGCAC TCGGCGCACG TGGAGGACCT GAAGGCCGAG CTTGAAGAGG TGCTGGCCGG
49861 CATCGGCCCC GTGACCGGTG GGATCCCGTT CTATTTCGAC TCCGAAGCCG CGCAGATCGA
49921 CACGGCTGGT CTGGACGCGG GGTACTGTTT CGGGAATCTG CCGCGGCCGG TGCGGTTCCA
49981 GGAGACGGTC GAGCGGTTGT TGGCGGATGG TTTCCGGGTG TTCGTGGAGT GTGGTGCCTG
50041 TCCGGTGCTG ACGGGGGCGG TGCAGGAGAC CGCGGAATCC ACCGGTTCGG AGGTGTGTGC
50101 GGTGCGGATC CTGCGTCTG ACAGGGGAGG TCTGCGCCGC TTCCTCACCT CTGCGGCGGA
50161 GGCGTTTCGT CAGGGGGTTC GGGTGTTCGT GCCGGCCTG TTCGACGGCA CCGGCGCCCC
50221 TATCGTTCGAC CTGCCACCTT ACCCCTTCCA ACGACGGCAC TACTGGTACA ACGACCTGTC
50281 CCGCCGCACG GCGGATGCCA CCTCCTTCGG TATGGCGCAG GCCGGTCATC CCTTGCTCGA
50341 TGCCGCTACG GAGCTCCCTG AATCAGGCGA GCACCTCTAC ACCGCTCGCG TCGCCGCGCA
50401 CTCGCATCCT TGGCTGCTGG AACACACCCT GCTGGGTGCG CCGTTGCTGC CCGGTGCGGC
50461 GTTCGTTCGAC CTCGTCTCTG GGGCCGGCGG GGAGGTTCGA TGCGACCTGA TCGAAGAGCT
50521 GACGCTGACC TCGCCGCTGC TGTGTTCGCA CAGCGCTGCC CTTCAACTGC GGCTGGTCTG
50581 GGGCACGGCG GACGCGGAGG GACGTCGTAC GATCACCCTC CACTCGCGGC CGGACGGAGA
50641 CCCGCGTACG ACGCGCACAC CTGCGGCATC GTCCGAGACC AGCCCGGACG CGGAGTCGGA
50701 CACGGAGATC CGTAGGGACA CGTCCGCTG GACGAAGCAC GCTCAGGCGA CGGTGCGCCC
50761 CGCCCTGAC GTCCCTCTTT CCGGGGTGGA CGCGGAAGGG GACGCGCTTC GCGCCGAGT
50821 GGAATGGAGC GTGGCGGCGA CGGAGTCGGA TGCCTTCCAG GCCGAGGACT TCTACGCGTC
50881 CTTGCGCCGA CACGGCTATG GCTACGGCCC GCTGTTCGAG GGCCTACGGT CAGGCGGTCA
50941 GGACGGGACC GACGCTTACG CCGAAGTCGC CCTGGATCAC GACCGCTTGC CGTCTGCCGA
51001 GCAGTTTCGG CTGCACCCCG CGTGTCTGCA CGCGGCGTTC CAGACGATGC GTCTGGGATC
51061 GTTCTTCCCC GACGACGGAC AGGCACGTGT GCCGTACACC TTCCGGGGGA TCTGCTCTTA
51121 CGCCCCGGGA GCCGCGCGCC TGCGGGTCCG TGTCTCGGCG GTGCGGGGCG ATGCGGTACG
51181 CGTGGAGTGC GCCGATGAGC GGGGCGGGCT CGTCTGTGAG ATCGACGCCC TCGTCTGAG
51241 CACGGTCTCC CCGGACCACT TGCGGCCGGC CGGACAGGAC GCGACCCAGG ACATGCTGCA
51301 CCGGATCGAG TGGCCCGTCC TCTCCCGGCC GACCGGCAGC GCCACCTCCC CTGCTCCGCC
51361 CCGCTGGATC GTGGTTCGGG GCGAGGACGA GGGCCTCGGG CTCGGGGGCC TCTGACTCGA
51421 CCGTCCGAGG CTTGACGGTC CCGGGCTTGC GGAAGCGCTG TCCGAAGCCG GTATGGGGAC
51481 CGAGCGTCAC CGGAACCTGG CCGACGCGCT GTCGGCCGTA CGGACGCCGG TGGACACGGC
51541 AGGCTCCGCT GCCGCGGCCG GCACGACCTC CCTCATAGCC GTCCCGGTAC CGCAGTCGCC
51601 CACCATGGAC GCCGGTGCCG TGCGCCACGC CGTCCACCGA GCCCTGGAGC TGGTGCAGGG
51661 CTGGGTGGCG GCGGACGAGG CGGCGGAAGA GGGCGGGAGC GACGGTGCCG CGGCGGACCG
51721 GCGGCTGGTG CTGGTTCACG GCGGAGCGGT GTCCACGGGT GACGCGGACC CGCTGCGCGA
51781 CCCGGTGGCC GCGGCGGTCT GGGGTCTGAT CAAGTCCGCC CAGTCGGAGC AGCCCGGCCG
51841 CATCGTCTTC GTTGACCTCG ACGAGGAGCG CGTGGACGGG GCGGCCTTGG CCGCCGCGAT
51901 CTCGACCGGC GAACCAACAAC TCGCCCTGCG CGACGGCGAT GTGCACGTGC CCAGGCTGGC
51961 ACCCTGTCTC GTGCGGGACT CGCAGACGCT GCTGCCGCCG GCCGGTACCG GCGCCTGGCA
52021 TCTGGTCCGC GCCGGCACCG GAACCTTTTC GGACCTCGCG CTCGTACCGG CGCAGACCGA
52081 CACCGTCCGC CTCGCACCTG GGCAGGTGCG GATCGCGGTG CGAGCCGCCG GACTCAACTT
52141 CCGGGACACG CTCATCGCGC TCGGTATGTA TCCGGGCGAG GGCCTGATGG GCGCCGAGGG
52201 CGCCGGAGTG ATCACCAGG TCGGCCCGGA CGTGGTGAGC CTCGCCGTCG GGGACCGCGT
52261 CCTGGGCATG TGGACCGACG GGTTCGGGCC GTACGTCGTG GCCGACCACC GCATGGTGGC

52321 CCCGATGCCG CGCGACTGGT CCTACGCGGA GGCCGCTTCG GTACCCGCCG TCTTCCTCAG
52381 TGCCTACTAC GGA CT CAGGC ACCTGGCCGG TCTGCGCGCC GGCCAGTCGG TGCTGGTGCA
52441 CGCGGCGGCG GGCGGTGTGG GCATGGCTGC CGTCCAAC TC GCCCGGCACT TCGGGGCCGA
52501 GGTCTTCGGC ACGGCCGGCA CGGCCAAATG GGACGCACTG CGGGCACAGG GCCTGGACGA
52561 CCGGCACATC GCCGGTTCAC GGACGCTGGA CTTCGCGGAC CGGTTTCTCG ACGCGACCGA
52621 GGGGCGGGC GTGGACGTCG TCCTGAACTC GCTGGCGGGC GACTTCGTCG ACGCCTCCCT
52681 GCGACTGCTG CCGCGCGGAG GGCGGTTCGT GGA ACTGGGC AACCCGACG TACCGCACGC
52741 CGCGCAGGTC GCCGCCGACC GGCCGGGAAC CGTCTACCGG GCCTTCGAGC TGATGGAGGC
52801 CGGGCCGGAG CTGATCGGCC GCATGCTGAA CGAACTGCTG GAACTGTTCG AGTCCGGGC
52861 GCTGCGCCTG CTGCCCGTCA CCCCCTACGA CATCCGGCGG GCACCCGACG CCTTCCGCAC
52921 GCTCAGCCAG GCCGGTCACG TCGGCAAACT GGTCTGACG ATGCCACCGG CCTTCGAACC
52981 CCACGGCACG GTCTTGATCA CCGCGGCAC CGGGAACCTG GGCGGAACAC TCGCCCGCCA
53041 TCTCGTGACC GAACACGGAG TCGGCCACCT GCTCCTGGCC GGACGTAGGG GGCCCGAGGC
53101 CGAAGGCGCC GCCGAACTCG TACGGGAACT GCACGACCTG GGCGCCTCCG TCACGGTCGC
53161 CGCCTGTGAC GTGGCCGACC GAGCGGCGCT CCGGAACTC CTCGGCGGCA TACCGCCGGA
53221 GCGCCCGCTC ACCGGAGTCG TCCACGCGGC GGGCGTTCTC GACGACGGCG TGGTCACGTC
53281 ATTGACCCCG GACAGGGTCG ACGGCGTCCT GCGGCCCAAG GTGGATGCCG CTCTCAACCT
53341 CCACGAAGCG GCCCTCGATC CCGAACTCGG TCTCGACATC ACCGCGTTCG TCCTGTCTCTC
53401 GTCCGTCGCT GCCCTGCTCG GCGGCTCGGG TCAGGGAAGC TACGCCGCCG CCAACGGCTT
53461 CCTCGACGGA CTCGCCCAGT ACCGGCGTGG CCGCTCGCTG CCCGCGCTCT CCCTCGGCTG
53521 GGGCCTGGCC GGGAGCGGCC GGATGACATC CCACCTGGAC AGCCGGGCCC TGCTCCGGCG
53581 CATGGCCAGG GGCGGTGTCC TGCCGCTGTC CCCGGCGGAG AGCATGGCAC TGTTGACGCG
53641 GGCCAGGGC TTCGACGAGG CGTCCAGT GCGGCGCGC TTCCACACCG CCGCACTGGG
53701 CGCCGACGGC AACGTCCCGC CGCTCTTCAA CGGACTGATC CGGGCGGGA GGGCGCATGC
53761 CGAGGCCCGG CGCAGGACGG TCGGCGCGTC GCGCGCGGT GGTCTGCGG GAGGCGAGCC
53821 GGTGAACCTC GCCGACCGGC TGTCGGACT GACGGAGGAC GAACAGCGGG CGCTGCTCCT
53881 CGACACGGTG CGCACGCACG CGGCTCTCGT CCTGGGCCAC ACGGGCACGG ACGGCATCCA
53941 GGCCGACCGG GCGTTCAAGG ACCTGGGATT CGACTCGCTG ACGGCCGTCG AGATGCGCAA
54001 CCGGCTCACC GCCGCCACGG GGCTGCACCT CCGGCGGACG CTGGTCTTCG ACCACCCCGC
54061 TCCGGCGGAC CTCGCCGAGC ACCTCCGCTC TCGACTCGTC CCCGAGGGGA CGGACGTACC
54121 GCGGCTCCTC GCGGAACTCG GTCCGCTCGA AACGGCGTTC AAGAAGCTGA CCACCGCGGA
54181 CCTCGCCTCG GTCTGCCCCG ACGACATCGC CCGCGACGAG ATCGCCGTAC GTCTCGCCGC
54241 CCTCGGTTCC CTGTGGAACG GGCTCCATGG CAACGGCCTC AGCGGAGACG CGGCGCAGAA
54301 GCACGGCGAC TCGATCGTCG AGGACATCGA CTCCGCCGAC GACGACGAGA TCTTCGCCTT
54361 CCTCGACGAG AGCTTCGGCG ACTCCTGACC GCAGGCACCT CCGTACGGAC CGACGACTCT
54421 GCAGACGGGT GATGAGAGAT GGCAGCCGAA CACGAGCAGA AGCTCCGCGA CTACCTCAAG
54481 CCGGCCACCA CCGAACTCCA CAAGGCCACG GAACGGCTGA AGGAGTTGGA ACAACGCGCT
54541 CACGAGCCGG TTGCGATCGT GGGGATGGGA TGCCGGTTCC CGGGCGGGG GTCTCGCCT
54601 GAGGAGTTGT GGGACCTGGT GGCGGCGGAG ACGGACGCGG TCTCCCCCTT CCCGGTGGAC
54661 CGGGGGTGGG ACGTGACGGG GCTGTACGAC CCGGATCCGG ACGCGGCAGG GCGTGCCTAC
54721 GTCCGCGAGG GCGGGTTCCT CCACGACGCG GGGGAGTTCC ACGCGGGGT CTTCGGAATC
54781 TCTCCGCGTG AGGCGTTGGC GATGGATCCG CAGCAGCGGT TGCTGCTGGA GACGTGCTGG
54841 GAGGCGTTGG AGCGGGCGGG CATCGATCCG CACACGCTGC GCGGCACGCG GACCGGGGTC
54901 TACATGGGTG CCTGGAACGG CGGATACGCC GAGGGGATT CCAACCCAC GCGGGAAC TG
54961 GAGGCCACG TCCTCACCGG CGGCGTGGTG AGCTTCACCT CGGGCCGTGT GTCCTACCTC
55021 CTGGGTCTGG AGGGGCCGGC GGTGACGGTG GACACGGCGT GTTCGTCGTC GCTGGTCCG
55081 CTGCACCTGG CCGTGCGGGC GCTGCGCAGT GGTGAGTGCG ACCTCGCCCT CGCCGGCGGC
55141 GCGACGGTGA TGTGACGCC CGACGTGTTT GTGCGCTTCT CCCGGCAGCG AGGAGTGGCC
55201 GCGGACGGTC GCTGCAAGGC GTTCTCCGCG TCGGCCGACG GATTCGACC GGTGAGGGT
55261 GTGGGCGTGC TGGCGGTGGA GCGTGTGTCG GATGCGGTGC GTCATGGGCG TCGGGTGGTG
55321 GCGGTGCTGC GTGGTTCGCG GGTCAACCAG GACGGTGCGA GCAACGGACT GACGGCGCGG
55381 AGCGGACGAG CTCAGGCCCT TCTGATTCTG CGAGCGTTGG CGGATGCGCG GTTGGGTGTG
55441 GCTGATGTGG ATGTGGTGGA GGGGCATGGG ACGGGGACGC GTCTGGGTGA TCCGATCGAG
55501 GCGCAGGCGT TGTGGCGGAC GTATGGGCAG CCGGATGCGG GTCGGCCGTT GCGGCTTGGT
55561 TCGTTGAAGT CGAATGTGGG GCATACGACG GCGGCTGCCG GTGTGGCGGG CGTGATCAAG
55621 ATGGTCATGG CGATGCGGCA CGGTGTCCTG CCGAAGACGC TGCACGTGGA TGAGCCGACG
55681 GCGGAGGTGG ACTGGTCGGC CGGCGCGGTG TCTTTGCTGA GGGAGCAGGA GCGGTGGCCT

55741 GAGGTGGGGC GTCTGCGTAG GGCTGCGGTG TCTTCGTTCG GTGTGAGTGG GACGAACGCG
55801 CATGTGGTGG TGGAGGAGGC GCCGGTTCGG GAGGACGGGG AGGCGGTCGG GGGCGGTGTG
55861 CCTTTGGCTG TGGTGCCGGT GGTGGTGTCT GGTCTGTTCTG CGGGTGCGGT GGCAGAGCTG
55921 GCGGGCCGGG TCAGCGAGGT GGCTGCGTCT GGTCTGTTGG TGGATGTGGG GTTGTCTGTCG
55981 GTGGTGTCTG GGTCTGTTGT CGAGCACCGG TCCGTGGTAC TGGCGGGGGA CTCTGCCGAG
56041 CTGAATGCCG GTTTGGATGC TGTGGCCGGT GGTGTGCCGT CGCCTGGTGT GGTGTCCGGT
56101 GTGGCGTCTG GTGAGGGTGG CCGGTGCGGT TTCGTGTTCC CTGGTCACCC GACCGAGTGG
56161 GCGGGGATGG CGCTCGGGTT GTGGGCGGAG TCGTGGTGT TCGCGGAGTC GATGGCGCGG
56221 TGTGAGGCGG CGTTCGTCTG CTTGGTGGAC TGGCGCTTGT CGCAGGTTTT GAGCGATGGG
56281 TCGGCGCTGG AGCGGGTGA GGTGGTGCAG CCGGCGTCTG TCGCGGTGAT GGTGTCTGCTT
56341 GCTGAGCTGT GCGGTCTGTT GGTGTGTGGT CCGGATGCGG TGGTGGGGCA TTCGTAGGGG
56401 GAGATCGCTG CTGCGGTGGT GCGGGGTGGT TTGTCTGCTG AGGACGGGGC GCGTGTGGTG
56461 GTGTTGCGTG CGCGGTTGAT CGGTCTGAG CTGGCCGGGC GCGGTGGGAT GCGTCTGGTG
56521 GCGCTGCCGG TCGCGGTGGT GGAGGAGCGT CTGGCGGGGT GGGCGGGGCG TCTGGGTGTG
56581 GCGGTGGTCA ACGGACCGTC CGCCACGGTC GTGCGGGGTG ATGTGGATGC GGTGGCGGAG
56641 TTCGTGGCCG CGTGCGAGGT GGAGGGGGTT CCGGCGCGTG TTCTGCCGGT GGAATACGCC
56701 TCGCACTCGG CGCACGTGGA GGACCTGAAA GCCGAGCTTG AACAGATTCT GGCCGGCATC
56761 GGCCCCGGTGA CCGGTGGGAT CCCGTCTCTAT TCGACGTCCG AAGCCGCGCA GATCGACACG
56821 GCTGGTCTGG ACGCGGGGTA CTGGTTCGGG AATCTGCGTC GGCCGGTGCG GTTCCAGGAG
56881 ACGGTCGAGC GGTGTGTGGC GGATGGTTTC CCGGTGTTCG TGGAGTGTGG CGCGCATCCG
56941 GTGCTGACGG GGGCGGTGCA GGAGACCGCG GAATCCACCG GTCGCCAGGT GTGTGCGGTC
57001 GGATCCCTGC GTCGTGACGA GGGAGGTCTG CGCCGCTTCC TCACCTCGGC CGCGGAGGCA
57061 TTCGTCCAAG GCGTGGAGGT GTCCTGGCCG GCACTGTTCT AAGGCACCGG CGCCCGCACG
57121 GTCGACCTGC CCACCTACCC CTTCCAACGT CCGGCGTACT GGCTGGAGTC GCGCCCTCCC
57181 GCGGCGCCGA TCGAGACTGC CGCAGCCTCT GGCATCGAGA GCTGGCGCTA CCGCGTGGCG
57241 TGAAGAGACC TGTCGCTGTC GGAGTCGTCT CGTCTTGACG GCCGGTGGCT GCTCGTCTGT
57301 CCCGAAACCC TGGACGCCGA CGGCACGCGG ATCGCCACG ACATCCAGCA CGCCCTCACC
57361 ACCCACGGCG CCACGGTCTC CCGTCTGACG GTCGACGTGA CGACACCGA CCGCGCCGAC
57421 CTGTGCGCGC GGCTCACCAC CACCGCGGCC GAAGACCAGG GGCCTCTCCG GGGCGTCTCT
57481 TCCCTCTGT CCACCGATGA ACGGCAGCAC CCGGATCATC CCGGTGTCTG CCGTGCCACG
57541 GCGGGCACGA TGCTGCTCGC CCAGGCGTGC GGGGATCTGG TCGTGGCCCG GGGCGTGGAG
57601 CCGAGGCTGT GGGTCTGTGAC CCGCGGGGCG GTCGCGGTGT CCCCCGCCGA GCGTCCGTCG
57661 TCAGCCGGCG CCCAGGTCTG GGGCCTGGGG CGCTGCGCGG CGCTCGAACT TCCCACTCGG
57721 TGGGGTGGGA TGGTTCGACCT TCCCCGGCG GCGCGGGATG CTGGAAGGCA CGTACGGCGG
57781 CTCGTGCGTC TGCTGTCTGA GACCTGTGCG GAGGACCAGG TGGCGCTGCG TGCGTCCGGT
57841 GCGTACGGCC GCAGGCTGCT GCCCGCGTCC AGCCCCCTCC TATCCGTCCC CCGGACCGCG
57901 AAGAGCGGCT ACCAGCCGCG CGGCACGGTG CTGGTGACCG GCGGAACCGG TGCCCTCGGT
57961 GGCCACTTGG CACGGTGGCT GGGCCGCAAC GCGCGCGAGC ACATCGTTCT GGGCGGGCGT
58021 CCGGGCGAGG GTGCTCCAGG AGCCGCGGAA CTGTGCGCGG AGCTCAAGGA GCTGGGTGCG
58081 GAGGTACCG TCGCGGCTG CGACGTGGCG GACCGGAACG CGTTGCGTGA CATGCTGGAA
58141 TCCCTGCCGG CCGACCGGCC GCTGTGCGGG GTGTTCCACG CTGCCGGTGT CCCGCACTCG
58201 GCGCCGCTGG CCGAGACGGA TGTGGCGGGG CTCGCCGCCG TGCTCCCGGG GAAGGTCTGT
58261 GGGGCACGGC ACCTGCACGA ACTACCAAGG GAGAAGGAAC TGGACGCGTT CGTGCTGTAC
58321 GCGTCCGGCG CCGGGGTGTG GGGGAGCGGC GGGCAGAGCG CGTACGAGC CGCCAACGCC
58381 GCACTGGACG CGCTGGCCGA ACAGCGCCGG GCTGAGGGAC TGCCCGCCAC TTCGGTCTCC
58441 TGGGGCCTGT GGGACGGCGG AGGCATGGCC GGCGAGCGAG GCGAGGAGTT CCTCACCGCC
58501 CTCGGCCTGC GGGCCATGGA GCCCGAGTCG GCTGTGCGCG CCCTGGAGGA GGCCCTGGAT
58561 CGTGGGGACA CCTGCGTGAG CGTGGTCTGAC GTGACTGGT CCCGGTTCGC CGAGTCTGTT
58621 ACCGCCTTCC GGCCAGCCC GCTGATCGGG GAGCTCCCCG GGTACGTGC CGTGCCCGAC
58681 GGATCGGCGG CCGGACCGTC GCGGACCTTC GCTGCGCCGG GCGACGGGCG ACGACCGGCA GGACATCTGT
58741 GACCGGGGTG TGCTTGCAGG GCTCGCCCGG GCGACGGGCG ACGACCGGCA GGACATCTGT
58801 CTCGATCTCG TACGCCGCCA TGCCGCCGCC GTCCTCGGTC ACCCGGGACC GCAGCACATC
58861 GAGCCCGACG CCGGTTTCCG GACCCTGGGG TTCAGTTCGG TCACCGCGGT GGAAGTGGCC
58921 AACAAGCTCG GTGCGGCCGT GGAACGAAG ATCCCCGCCA CCTTCGCGTT CGACCAACCC
58981 AACGCCCCGT CCGCGGCGTC CCGCCTCGAC GTCCTGTTGG CCGCGTCGAG CGATGAGACC
59041 GCGCAGGAGG CCGGATCCG GCAGGCACTG CCGACTGTGC CGTGGCCCCG GCTGCGGGCT
59101 GCGGGGCTCC TCGACGGCCT GCTCGAACTC GCGGGGCTGG AAGCGGAGCC CGGCCTGCCG

59161 GGCACGTAC CGGATCGCGG TCGGCCACG CCGACGAGG AGTCCGCCCT GCGGAAGTC
59221 GACGGCCTGG ACGCCGAAGC ACTGGTCGAC CTCGTCCTCA ACCAGTCCGA CTCCTGACCG
59281 CCGGCGGCGG CGCCGCGGCC CGCCGTGCGG TCGCCGCCCT CGCCGTACG AAGAACCCCA
59341 CAGACCTGAC CGGGTCACGG CCCGGTGCTC AGCAAGGAGA CCACTCATGG CTCTGTCCCA
59401 AGAGAAGGTA CTGGAGGCAC TGCGCACCTC CGTCAAGGAC GCCGAACGGC TGCGCAAGCG
59461 CAACCGCGAA CTCTCGCGG CCCGCCACGA GCCCATCGCC GTCGTGCGCA TGGCCTGCCG
59521 CTATCCCGGC GGGGTCCGTT CGCCGAGGA CCTCTGGGAA CTCGTCTCT CTGGCACCGA
59581 CGCGGTGGGT CCCTTTCCCG AGGACCGTGG CTGGGACGTG GAGCGGATCT ACGACCAGGA
59641 CCCGTCCGTC CCGGGCACCA CGTACTGCCG CGAGGGCGGA TTCCTTTACG ATGCGGGGGA
59701 CTTGACGCG GCTTCTCTCG GGATAGGGCC GCGCGAGGCC ACCGTGATGG ACCCCAGCA
59761 GCGCCAGCTG CTGGAGGCGT CCTGGGAAGC CCTGGAGCAG GCCGGCTGG ACCCCCGGGC
59821 GCTCCGCGGC AGCCAGGGGG GTGTGTTCTG CGGCGCGGCG AACCAGGGCT ACGTACGGG
59881 TGACGCGGCG GCGTCGGGAC GTCTGCCGGA GGGTTCCGAC GGTATCTGC TCACCGCAA
59941 CGCCGACGCC GTCCTGTCGG GCCGATCAG CTACTTCCTG GGCCTGGAAG GCCCGTCCAT
60001 GACCGTCGAG ACGGCCTGCT CCTCCTCCCT GGTGGCACTG CACCTGGCGG TGCAGGCGCT
60061 GCGCCGTGAG GAGTGCAGT TCGCCCTGGC CGGAGGGGTC GCCGTGCTCG CCAACCCGGC
60121 CGCCTACGTG GAGTTCGCCC GGCAGCGGGG ACTCGCCCCG GACGGGCGCT GCAAGGCGTT
60181 CGACGACGCG GCGGACGGTA CGGGCTGGGC CGAGGGCGTC GGCCTCTGG TGGTGGAGCG
60241 GCTGTGCGAC GCGGTACGCA AGGGGACCG GGTCTTCGCC GTCGTGCGGG GCACGGCGGT
60301 GAACCAGGAC GGTGCCAGCA GCGGTCTGTC CGTGCCCAAC GGGCCCTCCC AGCAGCGGGT
60361 CATCCGCCGA GCGCTGGCCG ACGCCCGGCT GGAGGCCGGC CAGATCGACG CGGTGGAGGC
60421 CCACGGCACC GGCACCTGCG TGGGGGACCC CATCGAGGCG CAAGCCCTGC TGGACACGTA
60481 CGAGAGGAG CGGAGCCCCG AACGCCCTCT GTGGGTCGGG TCGTTGAAGT CGAACTTCGG
60541 TCACGCACAG GCGGCAGCCG GAGTCGCGG CGTCATCAAG ACGGTGATGG CGCTCCGCA
60601 CGGCCTGCTT CCGCGCACGC TCCATGTGAC CAGCCCGACG CGGCACGTCG ACTGGGGCGA
60661 CGGACAGGTG CGGCTGCTGA CCGAGCCGGT CGACTGGCCG CGGACCGGCG CCCCCGCG
60721 GGCCGCGGTC TCGGCGTTCG GCGTGAGCGG CACCAACGGG CACATCATCC TCAGGAGGC
60781 GCCGCCGCCG ACCCGGCCCG AAGCGGTCCG GCAGGCCGGG GAGCGGCGGC CGGTCTGGT
60841 CCCGTGGACG CTGTCCGGCC GTACGAGGCC GCGCTGTGC CGGCAGGCCG CGCGCTGGC
60901 GGCGCACCTC GAACAGCACC CGGACCTCGA CCCGCTGGAC GTCGGGTTCT CGCTCGCCAC
60961 GACGCGCACC CACTTCGAGC ACCGGGCCGT GCTGCTCGCG GACGCCGCA CCGAGGGCGG
61021 CTCCCGTGCC GACGCGCTCG GGGCGTTGCG GCGATCGCG GAGGACCGCG ACCCGGGCGG
61081 GGCGGTACGG GACACCGCGC GGGGCGAAGG GCGTATCGCC TTCCTGTTCT GCGGGCAGGG
61141 CAGCCAGCGG CCCGGCATGG CGGAGCAGCT GTACGCGCAG TACCCGGCGT TCAGCGGGGA
61201 ACTGGACAG ATCGCGACGC ATCTGGACGC CCATCTGGAC CGTCCGTTGG CGACGGTGAT
61261 GTTCGCGCCG GCCGGTACGG CGGAGGCCG GCTGCTCGAC GGCACGCAGT ACGCCAGGC
61321 GGCCCTGTTT GCGGTAGAGG TCGCGTTGTT CCGGCTCTTC GAGGGCTGGG CGCTGGCCCC
61381 CGACGTACTG CTGGGCCATT CCGTGGGCGA GCTGGCCGCC GCCACGTGG CCGGGGTGTT
61441 CGGGCCGGCG GACGCTGCTG CGCTGGTCGC CGCACGCGGC CGGCTCATGC AGGAGCTGCC
61501 GGCCGCGGCG GCGATGCTCT CGGTCCGTGC CGCCGAGCAC GAGGTGCGGG AGCTGATCGC
61561 CGGGCAGGAG GACCGCATCG CGGTGGCGGC CGTCAACGGG CCCCCTCCG TGGTCGTATC
61621 CGGGGACGAG GACGCGGTCT CGGCGCTCGC CGAGGAGCTG ACCGAATACG GCGTGCAC
61681 CAAGCGCCTC AACGTCAGCC ACGCCTTCCA CTCCCACGT CTGGACTCCA TGCTGGAGAC
61741 GTTCCGCCGG GTCGCGGAGA CGGTGGAGTA CCGCGAGCCG ACGCTCGACG TGATCAGCGG
61801 CCTGACCGGC CGCCCGGCCG ACGCCGGGGA ACTCGCCACC GCCGACTACT GGGTCCGGCA
61861 GGCGAGGGAG ACCGTCCGGT TCCACGACGG GGTGCGCGCC GCGCACGCGC GCGGCGTCAG
61921 CACCTTCGTG GAGCTGGGGC CGGACGGCGT GCTGTGCGGC CTGGCCCTGG AGACCCTGGC
61981 GGAGGAGACC GACGGGGAAG CGGCCGCCGA GACGCCGGC CGGGCGCGGG CGGCGCTGGT
62041 GCGCGTGATG CGTCGGGAGC GGCCGAGGG CAGTACCTC CTGACGGCGC TCGCCACGGC
62101 CCACGCGCG GGGGCGGAGG TGGACTGGTC CCGGTTCTAC GCCGACACC GCGCCCGCCA
62161 CACCACTG CCCACCTATG CCTTCCAGCG CCAGCGGTTT TGGCTGGAGA CGGCGGCCCC
62221 CGCCGCGCCC GCGGCGGGCC AGGGGGCCGG ACCGGCCGAC CCGCAGGACA GCACCGGTCC
62281 GGCCGCCCCG CCCACGCTGA CGGAACAGGA CCTCCTCTG CTCGTGCGGA CGGAAGCGGC
62341 GGCCGCACTC GGCCACGCCG AACTGGAGGA CGTACCGGCC GACAGCCTCT TCGGCGACAT
62401 CGGCTTCGAC TCGCTCGCGG CCATCGAACT GGGCGCCGCC CTGACCGGCG CCACCGGGCT
62461 GGAAGTGCCG TCGTCCCTCG TCCTCGACCA CCCCACGCC AGGGAGCTGG CCGCGACCT
62521 GGCAGCCGCC CGGACGGCCG CCGACAGCGA CGACACGTCC CCCGAAGGCC CGGACACGGC

62581 CCGTGAGAGC AGCCTGTCCG CGATGTACCG GCGGGCCGTG CGGCTCGGCC GGGCCGAGCC
62641 GTTCATCGGC AACTCGCCG AACTCGCCG CTTCCGGCCC GTCTTCCCCG CCGATCACAC
62701 CCTCGCGGAC GCGGAGACCG TCGGACAGGC GGCCGCGGCC TGGCAGCCGG CTCCGGTGCG
62761 CCTGGCCACC ACGGACGGTG AGGGACCGGA GCTGATCTGC TGC CGGGTA CCGCGGTGGC
62821 GTCGGGACCG GAGGAGTTCA CCGCGCTGGC CGCGGCCCTG GCGGACCGGC TGACCGTGTC
62881 GGCACGTGCG CAGCCCGGCT TCCGCGCGAA CGAGTTGCTG CCCGGCTCCC TGGACGGGCT
62941 GCTCGACGCG CAGGCGGACG CGGTGCTGCG GCACACGGGT GACAGCCCTT ACCCCCTCCT
63001 CGGCCACTCG GCGGGCGGGG CGCTGGCGCA CGCGCTGGCC TGCCGACTGG AGGAGCTCGG
63061 CGCGGGTCCC GCGGCGCTGG TCCTGGCCGA CGTCTATCTG CCCAGCTCGC CGGGGGCGAT
63121 GGGGGTGTGG CGCAACGAGA TGCTCGACTG GGTCTATGCG CGTTCCGTGG TGTCCATCGA
63181 CGATGCCCCG TTGACGGCCA TGGGCGCCTA CAACCAGATG CTCCTGGAGT GGACACCGCG
63241 GCCCACGAAG GCGCCGGTCC TGTTCCTGCG CGCGACGGAG CCGGTGAGGC CGTGGTCCGG
63301 AGAACCGGAG AGCTGGCGGG CGCACTGGGA CGGCGGCGAC CACACCGCCG TCGACGTGCC
63361 CGGCACCCAC CTGACGCTGA TGACCGAGCA CGCCCGCCAC CTCGCGCGCA CCTCCACAC
63421 CTGGCTCGGC ACCCTGTGAA CCACGCCCGG GCGGGCTTCG CCGCGCGTAG GACTGCCGCC
63481 TCCCCCGACT TCCGTACACC GCGACACCTT GGAGGACTCC CGTGACAACG CAGTGGACCA
63541 CCCCCTCCGT GCTCGGCCGC AGACTGCAAC GCACCTACGT GGGGCACTGG TTCGAGGAA
63601 CGCAGGGAGA CCCCTACGCG CTGATCCTGC GCGCCAGCG GGACGACACC ACCCCCTACG
63661 AGGAGGACGT CCGCGCACGC GGACCGGTGT TCCACAGCGA GGTGCTCGAC ACCTGGGTGA
63721 TCACGGACGG CGCTCTCGCC CGGTCCGTCC TGACCGACGC CCGCTTCGGC GGGCTGACGC
63781 GCGCGGGAGG ACGGTATCGC GCGGAGCTTC TCCCTCCGGC GGGCCCCGAG GTCGGTCCGG
63841 CCCGCGCAGG GGTACGCGGC GCGGTGCGGG CCGACGCCGA TCCGGCGGTG TCGGCGCAGG
63901 ACGAGGTGGT GGTGGAGGCC CTCGCGGAGC AGCTCTACG CACCCTCCTG GCGGACTCG
63961 GCGACGACTT CGACCTCGTC GCCGCTTTG GCGGACGCTT GCGGACAGG GTCCTGGCGG
64021 AATTCTCGG GCTGCCCCGA GCCGCGCGCA GCCGGTTCGA GGAACGTGCT GCGGCTGCG
64081 CCCACAGCCT CGACAGCCGG CTCTGTCCGC AGACGCTCGA CATCACACGG ACCGGCCTCG
64141 GAGCGGCGGC CGAGCTCCGG GAACTGCTCG CGCGCCACCT CCGCGGGAGC GGACACGCT
64201 CCGCTCAAGC GGCAGTCTCC CTGGCAGTCG AGGTGGCCGC ACCCGCCGGC GCGCTCATCT
64261 GCAACGCGGT CGAGGCGCTG AGCAGCTCTC CCGGGCAGTG GAACGCCCTC CGCCAGAACC
64321 CGGAGAAGGC CGACGCCGTC GTGGCGGAGA CCTGGTGGCG ACGACCGCCG GTGCGGGTGG
64381 AGAGCCGGAT CGCCCAGGAG GACGTGACG TGGCCGGAGT GCCCGTCCCC GCGGACGGGC
64441 ACGTGGCGAT CCTCGTCCGC GCCGCCCAGC GCGACCCGGC GATCACCCCG GCCCCGACGA
64501 AGGACGACAC CGGCACCCCC GGACAGGGCG ACTGCGGCGT GCCCTGGGGG CTCGTGGCGG
64561 ACGCGCACGC CACCTCCGCC GCCCGGACGG TCCGCGCCCT CTGCCGCGGT GCGCTGCGAG
64621 CGCTCGCGCA GGAGGCACCG GGCTGCGGC CGAACGGGAC CCCGGTGCGC CTCAGGCGGG
64681 CACCCGTCAC GCTCGGCCAC GCCCGCTTCC CCGTCGCCCG GACGGGCCGG GGGAGACCGA
64741 CCGACGCGGG CGCGGCATGA GCACCCGCGA CGACCACCGA CTGCCGAACG GGGAGACGAG
64801 CCGATGCGCG TCCTGATGAC GTCGATCGCC CACAACACGC ACTACTACCA CTTGGTGGCG
64861 CTCGCTGGG CCTGAAGGC CGCGGGCCAC GAGGTGCGCG TCGCCGGCCA GCCCCGCGTC
64921 ACGGACATCA TCACCGGGTC CGGACTGACC GCGGTGCGCG TCGGTGACGA CGAGGACATG
64981 ATGGAGCTGT TCGCCGAGAT CGGCGGAGAC ATCACCCCTT ATCAGGAGGG ACTGGACTTC
65041 GCGGAGGAGC GGCCCGAGGC ACGGTCTTGG GAACATCTGC TCGGACAGCA GACCGTTCTG
65101 ACCTCGCTGT GCTTCGCACC GCTCAACGGC GACTCGACGA TGGACGACAT CGTCCGCTG
65161 GCGCGCTCCT GGCAGCCGGA CCTGGTGATC TGGGAACCTT TCACCTTCGC CCGAGCGGTC
65221 GCGCGCCACG CCGTGGGCGC GCGCACGCCC CGGTCTCTGT GGGGTCCCGA TGTATCGGC
65281 GGGGCCCGGG AACGGTTCGT GGAGGCCAAG GCACAGCAGG CTCCCGAACA CCGGGAGGAC
65341 CCGATGGCCG AGTGGCTCGG CTGGACCCTG GAGAGGCTGG GCCTCCCGGC CGCCGAGAC
65401 GGGATGGAGG AGTTGCTGAA CGGCCAGTG GTCATCGACC CGGGCCCGGA GAGCGTCCGG
65461 CTCGACCTTC GCGAGCCGAT CCTGCCCCAT CGTTTCGTTT CCTACAACGG ACCTGCCGTC
65521 GTCCCCGGAT GGCTGTCCGA GAAGCCGAAG CGACCGCGCG TCTGCCTCAC CCAGGAGTG
65581 TCGGGACGCG AGACCCACCG CAAGGACGCC GTCCGCTTCC AGGACCTGCT CGCGGCGCTC
65641 GGCGACCTCG ACATCGAGAT CGTCGCCACC CTGGACAGCA CCCAGCGGGA GAACCTGACG
65701 GAGGTCCCCG ACAACGTCCG GATCGTCGAC TTCGTCTCGA TGGACGTGCT GCTGCCGAGT
65761 TGCGCCATGA TCATCTACCA CCGTGGCGCC GGCACCTCGG CGACGGCCCT CCTGCACGGC
65821 GTTCCGCGAG TCGTCATCGG AGCGCACTGG GACGTGCCGG TCAGGGCACG GCAGCTCGAC
65881 GACCTGGGCG CCGGCATCTT CATCCGCCCC GAGGACCTCG ACGCCGCCAC ACTGCGCGCG
65941 GCGGTTACAG GCGTGCTCAC CGAGCCCTCC CTCCAGCGGG CCGCGGACCG GCTGCGGGCC

66001 GAGATGCGCT CCAACCCAC GCCGCGCGAG ACCGTACGG TGCTGGAGCG GCTCTCCCGG
66061 AGCCACCGAC AGCCCCGCTG ACCACACGCG GTACACGGTG CGGGCCCACG TGCCGGGGG
66121 TCCACCGTCG CCGGCGGTCG TCGGATCGCC GTCCGGCCAT GTCCCGGCAC CCAAGGACGG
66181 AGCAGAGCAG AACATGGAAT TCGAAGGTCA GGTGCGGCTC GTCACCGGGG CCGGCAGGGG
66241 GATCGGCCGT GCGACGGTCG TCCGCTCGC GGAGGCCGGA TGTGACATCG CCCTCCACTA
66301 CAACCAAGCG AAAGCGCAGG CCGAGGAAGT CGCCGAGCGC ATCGCCGCAC TGGGCCGCAC
66361 GGTGCAACTG TTCCCGGGCG ACCTCTCCCG CCCCAGACG GGGCGACAGC TCGTCCCCCG
66421 GGTGCAGCAG AAGTTCGACC GGATCGACAT CCTGGTGAAC AGCGCGGGCA TCACACGGGA
66481 CAAACTCCTG CTGTCCATGG AGGCGGACGA CATCCACCAG GTCATCGCCA CCAACTCGT
66541 CGGCCCGATG TTCCTCACC AGGCGGTGCG GCTCACCATG CTGCGTCAAC GCTCCGGGCG
66601 CATCGTCAAC ATCTCCTCCG CCGCCGCGAG CAGGCCCGGA AAGGGCCAGT CCAACTACGC
66661 CGCGTCCAAG GCCGGTCTGG AGGCCTTAC CAGGGCCATG GCGGTGGAAC TCGGATCCCCG
66721 CGGAATTCTC GTCAACGCGG TCGTCCCCG CATCGTCAAG ACCGGCCTGA CCGAGGCTCT
66781 CCGCAGGGG AACTCCTGGC CCGCAGGTG ATCGGTTCT TCGCCGAACC
66841 CGAGGCGGTG GCGGAGGCGG TGGCTACTT GCGGAGCCCG GCACAACACG ACACGACGGG
66901 CACGTCCTC ACCGTCGACG GCGGCTCAA GATGGTGTGA GGCCACCGG GCATCGGACA
66961 GCCGGTGGAT CCGCCGAGG CCGAGACCCG CGCACCAGCG GCGTCGACCC GCGCACCAGG
67021 GCGCGCGGTG GGGGCGCCCG CCGTGCAGG AGGCCGCTC TGGCTCGCGT CACCGGAAGA
67081 AGCCCGATTC CCCAGCGGGC GACCGTAGCC GGAGCGTTGG ACCGCCCTGC TCCGCACGTC
67141 GAGCCCCACC GTGGTAGCGG CGACATGCC CAGGGGGCGC ACGCCCGGAT CCTGCCGCAC
67201 GACCAGGCGC ACCAGGGTTT CCGCAACAC GCGGCGCGAC GCCCGGGGT TGCCGCCGCG
67261 GCACGGCCGA CGCGCGCTGG TCGCACGGGG TGAGCCCGCG GGAGCGGAGG GCGCCGTTT
67321 GCTCAGGACG CCGGGATCTC CGCCGGGACG ACGGACTCGG GGGCGCCGTC GGGGCGGGG
67381 CTCGTGCCAC CGTCGGCGTC GAGTGCAGG GGATCGGAGA GCTGCTCGCG CACGTACCCC
67441 CACACCACGG CGACGAGGGC GCGGACGGG ACGGCGAGGA GGCTGCCGAC GATGCCCGCC
67501 AGACTGCCG CAGGGTGAC GCGGAGCAG ACGAGGCGG CGTGAGTCC GAGTCCGCGG
67561 CTCTGGATCA TGGGCTGGA GACGTCCCC TCCAGTGTCT GCACCACAC GATGATCGCG
67621 AGCACGATCA GGGCGTCGGT CAGGCCGTTG GAGACCAGG CGATGAGCAC GCGACGAAT
67681 CTTGCTAACA GCGCGCCGAT GATCGGCACG AAGGCGCTGA CGAAGGTGAG TACGGCGAGC
67741 GGCAGGACGA GCGGGACGCC GAGGATCCAC AGGCCGATGC CGATGAGGAC GCGTTCGAGG
67801 AGGCCACCG CCGCCTGGGA GCGGACGAAG GCGCCGAGG TGTCCAGCC GCGTTCGCGG
67861 ATCGTGGTGG CGTCGGTCGC GAGGCGGCCG GGGAGCTGAC GGGCGAGCCA GGGCAGGAAG
67921 CGCGGCCGT CTTGAGGAA GAAGAATC AGGAAGAGCG CGAGGACGGC CGTGACGACC
67981 CCGTTCACCA CCGTGCCGAC GCCGTGGCG AGGGTGGTCA GCAGGGATCC GACGCTGTT
68041 TGGAGACGGT CGGTGCGGGT GTCCAGGGCG CCGGTGATCT GGTGTCGCG GATGTTGAGG
68101 GCGGACCCG CGGTCCACTC GCGGAGACGC TGGATGCCCT CGACGACACC GTCGGCCAGT
68161 TCGCCGACT GCGAGGCGAC GGGCACGGCG ATGAGCGCGA CGGTGCCGGC GGTGACGGCG
68221 AGGAAGAGGA CCGTGACCAC CGAGGCGGCG AGCGCCGGCG GCCAGCCGAG ACGGCGCAAC
68281 AAGCGGGCGA AGGCCAGGT CAGCGTGGT ATCAGCAGAC CGATGACGAG TGGCCACACG
68341 ATCGACCACA TCCGGCCGAG CAGCCAGATC ACCGCCGCGG TGCCCAAGAG CACCCAGAGA
68401 AGCTCCGTCG ATATGCGGGC CGAGGCCCGT AGCGCGGCAC GTGTTCTCGC AGGACTGAGA
68461 GAGGACGACA TGGCGATCAC CTTAGAGCGG CCGGGGCGGC CCGCTGCCCC CGTGCCCCGA
68521 TCCTTCGCGC CCGGGTGACG CGCATCGGGG GTTCCGGCAC TGCTGAGCG CCTGCACGGA
68581 CCGGGCGGGT TACGCCGAGG GGAAGCAGCC GGCTCCGGAT CGACAGGAGT GCGGGTGACG
68641 GTCGTACACC GCGCTACGT CGCCACTCC GCGGCGCACA AGGGCGGTCT CCGTCTGGCC
68701 CCTCCCCGCG TCCGACGACC GCCACCCCT CGTCAGGGAG CCGGGTCCGG GCGGAGGTGG
68761 ATACGGGCCG CTACCGGGAG GTGGTCGCTG GCCGTGCGCG GAAGGGTCCA TGCCGAGGCG
68821 GCCGGACGC CCCCAGAAAG GATCTGGTCG ATCCGGACGA CCGGCAGGCG CGCCGGCCAG
68881 GTGAAGCCGA AGCCCGCGCC CGCCGCGGCC TGTGCGGAGA CGAGACGGTC GGTGAGGGGG
68941 CGCAGTGCGG GGTGTCGCT GGAGCGGTT AGGTGCCCCA GGAGGACGAC GCGCCGACG
69001 GGCTCGGCCC GCACCTCCGC CGCCAGCATC CCGAGCGGCT CGTCCGCGC CCGGCGGTG
69061 AATCCGCCCC GGGCCACGCG GACGACGGC AGATGGGCGA CATAGACGGC CACAGCCCCG
69121 CCGGGCGCGT CCACCGTGGC CCGCATCGCC CGCGTCCAG GCATGATCGG CACAGCCCCG
69181 GCGTCGCTCA GCGGATGCAC GCTCCACAAG CCCACCGTGC CCTCGTAGAA GTGGTACGGG
69241 TACGACTCCG CAAGGGCCCG CTCGTAGGCG GGCGCCGTGG CCGGGCTCAG CTCCTCAAC
69301 GCCAGTACGT CCGCCCCGGC GCGGAGCAG CTCCGACCG TTCCGGCGGG GTCGGGGTTG
69361 GCCTGCTCGA CGTTGTGACT GACCAGCGTG AGGTCCCCAC CGGGCGTCGT CTTGTCGGTC

69421	AGCGCTCCGC	CGAAGGCCGT	CAGCCAGGCC	ACGGCCGGCA	CCACCAGGGC	CACCACCGCC
69481	GCCACCCGCG	CGCGCCACAG	CAGGGCCGCG	GTCACCAGCA	CGGGCACGGC	CAGCGCGCTC
69541	CAGGGCAGCA	AGGTCTCTGC	CAGACTGCTC	AGCCGTCCGG	GCAGTCCGGG	GAGCCGCCCA
69601	TGGCCCGCGA	CGCTCACCGC	GAGGAAGACG	GAACAGCCCG	TGACCGCCGC	CCCGCGGCGT
69661	CGCCACCACC	GCCGGCGCGG	ACCGGCGTCC	CCCACGCCGA	CCGCGGCTCC	GGGAGCGCGG
69721	CCCCTGCCGT	CCGCCGTGCC	GTCCGCAGCC	AGGGAGCAGA	CGGTCTGTTC	CGCCCTGCCG
69781	TCCGCCGCAG	TGGAGGGGGC	GCTCTCCGCT	GCCCCGCTGT	CCGGCGCCGC	CCGGGAGGGG
69841	ACAGTCTGTG	CCGCCCTGCC	GTCCGGCGCC	GCGAGGAAGA	CGGAACAGCC	CGTGACCGCC
69901	GCCCCGCGGC	GTCGCCACCA	CCGCCGGCGC	GGACCGGCGT	CCCCACGCC	GACCGCGGCT
69961	CCGGGAGCGC	GGCCCCTGCC	GTCCGCCGTG	CCGTCCGCAG	CCAGGGAGCA	GACGGTCTGT
70021	TCCGCCCTGC	CGTCCGCCGC	AGTGGAGGGG	GCGCTCTCCG	CTGCCCCGCT	GTCCGGCGCC
70081	GCGGGGGAGG	GGACAGTCTG	TGCCGCCCTG	CCGTCCGGCG	CCGCGGGGGA	GGGGACGGGC
70141	TCCGCCGTCC	CGCCGTCCGG	CACCGCGGCC	GGATCCCGGC	GTGTCTGTGC	CGTCATCGTT
70201	CCCCGCCCTG	GGTTCCGGCG	GCGGCCAGCC	GCTCGCGGAC	GGCGGTGAGC	AGGCCACGGG
70261	CCGCCTCGAC	CGCGGCCCGG	AGCCCCCTCG	CGGGCGTCGT	GTTCGCCCCG	TGGTGCAGGA
70321	CGGCGCCAC	CAGCAGCCGG	GGCGCGCCGC	CCACGCGCAC	CTCGTAGGCC	CACAGGAGGT
70381	TCCCGCCCGC	CGGGGTGCTG	GAGCCCGTCT	TCACACCGAG	GACGCCCGGG	GTGTCCAGCA
70441	GGGGATTGGT	GTTGGTGATC	GTCCCGAGGC	CCGGGACGGT	GGTCTCGCGG	GTGGCGACGA
70501	CCGCCCCGAA	GACAGGGTCC	TCCATCGCGG	CCCGCGTCAG	CCGCACCTGG	TCGGCCCGCG
70561	TGCTTGTGGT	CGTCGGCTCG	ATGCCGCTCG	CCCCCGTGTA	GACCGTGTCC	TTCATCCCCGA
70621	GCCGTACGGC	GGCGCGCCGC	ATCTTCGTCA	CGAAGGCCGC	CTGGCTGCCG	GAGTCCCAGC
70681	GGGCCAGCAG	ACGGGCGACG	TTGTTGCCGG	AGGGGATGAG	GAGCAGTTCC	AGGAGCCGGC
70741	GCTGGGAGTG	GCGTTCGCCG	GACCGTACCG	GGACGGTCGA	CTCGCCGCCG	ACCCCCGCTT
70801	CGTGCGCGGC	CGTCCGGTCC	ACTTCGATCA	GGGGGCCGTC	CTCGTCGGGC	CTCAGCGGAT
70861	GCTCTTCGAG	GATGACGTAG	GCGGTCATCA	CCTTCGTGAG	GCTCGCGATC	GCTACGGGCC
70921	GCCGCTCGCC	CCGCTCGCCC	AGCGAGCCGG	TTCCTTCGAG	CTCGACGGCG	CTCTGGCCGT
70981	CCTGCGGCCA	GGGGAGCGGC	CCGATGTCCG	AGACCGGTAG	TCGCTCGCCT	CCCGCCGCCG
71041	GAGGCGCGCC	GGAGGGCGAG	GCGACGGTGA	TGCCCAGGGC	CGTCAGCAGG	GCCACGGACA
71101	GGGCACCGCC	GACGAGGCGG	TGACGGGGGG	TGCGGGGCAG	GGACACGGGC	CGCCTCCAGG
71161	GGCTGCGGTA	CGGGATCGGT	ACGGCAGCAA	GACTCCGGGG	GCTACGTCTC	CGCCTCACGG
71221	TCGGGAGAGC	GCGGCCCGCG	CTCGGGAACC	CATCGGTCGT	GTATCGGCGG	GGCGGCGGCG
71281	ACCGGCCCGC	GGGCGACGCG	GAGGGAGCGC	CTGAGGGGCG	GGGCGTACCG	ACAGGCGACC
71341	GTCTGGGGTG	GGGAGGCCCC	CGGGCTGTCC	CGGGGACCGG	TTCACGCCTC	GGACGTCTGC
71401	CCGTCTCTCG	GCAAGGCTCAG	GGTCGCGACC	GCTCCTCCGT	CCCGGGCGTT	GGCGAAGGCC
71461	AGGGTCGCGC	CGATCACCCCT	CGCCTGGCCG	GACGCGATCG	TCAGGCCAAG	GCCGTGCCCG
71521	TGCCCCCGTT	CGGCCGAGCC	CGTGCGGAAC	CGCTGGGGGC	CGTGGGACAG	CAGGTCCGGC
71581	GGGAAGCCCG	GGCCGTGGTC	CCGGACGGTC	ACGGTCCGGC	CGGCGACCGT	GACCTCCACC
71641	CGAACCGCGC	CGTGCCGGTG	GGCGTTGACG	ACGAGGTTGG	AGACGATGCG	GCTCAGCGCG
71701	CGGGGGTCCG	ACTCGACCAC	TGCCGCCCCC	TGTCGCGTCA	CCTGCGCCGC	GAGGCCCGTC
71761	CGCGCCACCG	AGTCCCGGAC	GAGGGCGCCC	AGGTGACCCG	GTCCCTGCTG	GGCCGTCTCG
71821	GCGCCCGCGT	CGAGCCGGGA	GACCTCCAGG	AGGTCTCTCA	CCAGGTGCGG	CAGCACCCGT
71881	ACCCGGCTCT	GGACCATGTC	CGTCACCTCG	CCCTCGGGCA	GCAGTTCCGC	CGAGGTGACC
71941	AGGCCCATCA	GCGGGGTGCG	CAGCTCGTGT	GCGACGTCGG	CGGTGAAGCG	CTGCTCGGTG
72001	TCGATCCGCT	GCTGGAGGCT	GTCGGCCATC	GAGTCGACCA	CGGCCGAGAT	CTCGGCGACC
72061	TCGTGCGCTC	CGCGGACCGT	TCCCCTCCGG	GCGTCGAGGT	CGCCCCCGGT	GATGCGCCCG
72121	GCCGTGCGGG	CGACCCGGCG	CAGCCGCCCG	GCGGGGAGTT	CCGTGCGCAG	GGCCGTGGCG
72181	GGGACGACGA	CGCCCAGGGT	GAGCAGCGAG	TACTTCCACA	TGTGACGGTC	CAGGGCCTGC
72241	CGGGTCAGCA	GGTCGGCGGT	CATGTGACCC	TCGACCGCGT	ACAGCTTCCC	GCCCTCCCGG
72301	CGGGCCGCCC	GGAAGACGGG	GGCCGGGGGC	CCGTCTCTCGT	AGAGGGTGCG	CTCGCCCGCC
72361	TGCTCGATCT	GCCTCAGCAG	GGCCTCGGGC	AGTTCTCTCG	GGGACACCCG	GCGCCCTTCC
72421	TCACCTGCTG	CGTCGGCGTC	CTCCAAGGCC	GTTGCCAGCG	CCACGTGGGC	CGTGCCCGCG
72481	CCCTCGTGCA	GGGAGCGCCG	CAGCACCGAG	TCGTGCACCA	GCACTCCGAC	GGTCAGCGCC
72541	ATCGAGGCAC	AGGCGAGCGC	CACCAGGAGG	ACGATCTTCC	AGCGCAGCGA	GCGGGAGCGC
72601	GGTACCAGGC	CCGTGACGGC	TCCCCGGGGG	GCCCCGGCTCA	CCGCTTCCAC	TTGTAGCCGA
72661	AGCCCCGGAC	CGTCTCGACG	CGCTCGGCGC	CGATCTTCTT	GCGCAGCCGC	TGCACGCACA
72721	GGTCGACGAC	CCGGGTGTCC	CCGTCCCAGC	CGTAGTCCCA	CACCTCGCGC	AGGAGGGTCT
72781	GACGGTCCAG	CACGATCCCC	GGGTGCGCGG	CGAACTGGAG	CAGCAGCCGC	AGCTCGGTCC

72841 GGGCGAGCGC GATCCGCTCG CCGCCCCGGC GGACCTCCAG GGCCGCGGGG TCGAGGGAGA
72901 GGTCGCCGAA GAGCAGCGGG CCGGCCGGCG TCGCGGGGTC GGCGGGTCCG GGGGCGGGGG
72961 ACACGAAGGC GGCCCGCGCG AGCAGCGAAC GGATGCGCGC CACCAGGACG GCGGTGTCTGA
73021 CGGGCTTCAC CACGTAGTCG TCGGCCCCGG CCTCCAGGCC GGACACCACG TCGAGGGCGT
73081 CACCGCGCGC CGACATCATC AGGATCGGGT CCGTGGCCGT CTCCCGGATG CGCCGGCACA
73141 GTCCGATGCC GTCCAGGCCC GGCAGCATCA CGTCGAGCAG CACCAGGTCG TGCCGTCCCT
73201 CCCGGAAGAG TTCGAGCCCC GTCAGTCCGT CGGCCGCGAC GCGCACGCCC TAGCCGTAGC
73261 GCTCCAGGGA CATCGCGACG GACCGCCGGA TCACCTCGTC GTCTCGACC AGCAGGACGG
73321 TCACGGTCGC AGGCGCGGGC GCCGACACGG AATCAGACAT GTCCATCTCT CGGGCACGGG
73381 GCGGGGCGGG CCGACGCGCG GCCCGGCCCT CCATCATGCC TACTCGCGC GCCTCCCCCG
73441 GCGCCGCGGG AGAGCCGTCT GCACGCCTCT GAGCTGGTCT GATACCTGAC TGATACATCA
73501 TGGCGCGGTG ACCGACACAC GCGCGAGCGG GGACGGACAC GGAGGCGACG CGCCGGACAC
73561 AAGATGCCGC GGGAGCCGAT CCGGCGCCCA CCGAGGCCGT GTGAACGACG CCGTCCGGAA
73621 CCGCACGCCC GCGGGGGCTC GTGGCGGGTG TCAGTGGTGT GCGGCAGGCG CGGGCAGCGT
73681 CTCCGAGCGG GGGTCGGTCC TGCGGCCGAG GTGGTTGAAG GCGAGGTTGA GGAGGACGGC
73741 GACCACACAT CCGGTGCTGA TGCCTGAGTC GAGGACGATG CGGGCGCCTT CGGGGAAGGC
73801 GTGGTAGAAG TCCGGGCGGG CGATGGGGAT GATGCCGCGC CCCAGGGAGA TGGCGACGAT
73861 GAGGACGTTG TCGCCGCGTT CGAGGGCGGC TCCGGCGAGG GTCTGGATGC CGCTGGCGGC
73921 GACGGTGCCG AAGAGGGCGA TGCCCACTCC GCCGAGGACG GGCTGGGGGA TGAGCGCGAC
73981 GACGGAGGCG AGCAGCGGGC AGAGGCCGAG CAGGAGGAGG ATGCCGCCGG CCGCGGCTAC
74041 GACGAAGCGG CTGCGGACCT TGGTGATCGC GACGAGGCCG ACGTTCTGGG CGAAGGCGCT
74101 GGCGGCGAAG CCGTTGAAGA GCGGGCTGAG GGCGGTGCCG AGGCCGTCCG CGCGGAGCGC
74161 GGCGGCCAGG GTCTTCTCGT CCGCCGGCCG CTCGACGATC TCACCGAGGG CGAGGACGTC
74221 GGCGGTGGAC TCGGTCATCG ACACGAGCAT CACGATGCAC ATGGAGATGA TCGCCGCGGC
74281 CGCGAACTGC GGAGCGCCGA AGTGGAACGG GGTGGGGAGT CCGATGACGT CGCGTTCGCC
74341 TACGGCGCTG AAGTCGGCGA CGCCAGCGGG CAGCGAGAGG AGCGTGCCGG CGACGAGGCC
74401 CAGCAGGATG GAGATCTGCT TGAGGAAGCC CGTCAGGACG CCGCGCAGGA CCACGGTGAT
74461 CAGCAGGGTG GCGGTGGCGA GGCCGATGTA CGTGAGGCTG CCGTAGTCCG GTGCCTGCGC
74521 GTTGCCGCCC TGGGCCCAGT TGAACGCGAC GGGCAGCAGG GAGACACCGA TGAGGGTGAT
74581 GACCGTGCCC GTGACCACGG GCGGGAAGAA GCGGATCAGT TTGAGAAGA AGGGGGCGAG
74641 GAGGAATCCG AAGACGCCGG CGACGATCAC GGCGCCGTAG ATGACGGGCA GCGCGTCGTC
74701 GGGGCCTTCG GCCTTCGCTA TCGCGAGCAT CCGTGCGACG CCGGCGAAGG AGACGCCGTT
74761 GACGAACGGG AGCCGTGCTC CGACCTTCCA GAAGCCGAGC GTCTGCAGGA GCGTGGCGAT
74821 GCCCGAGGTG AACAGGCTGG CGCTCATGAG GAACGCGATG TCCGCGGTGG ACAGGCCGAC
74881 GCCGATGCCG ACGACCAGCG GCGGCGCGAC GACGCCGGCG TACATGGCGG CGACGTGCTG
74941 CAGACCGCGC CTGAAGAGCT TCAGCGGGGG CAGCATCTGG TCGACCGGAT GGGTGTCCGC
75001 CGGTCTTTCG GGGGTGTTCG GACGAGCGTC GGTTCGTCG TCGGTCTTCG TCGGTTCGGC
75061 GGCGGGGCGG GATTCCGGCA TGCGGTGTCT CCTGGCCGCG GCGGTCTCGT GGGAGCGCGG
75121 GCAGCCCTGT GGGAGAGCCG GCGTCGCTGA CGCACGGCTC TGCGGATGGG GGTGGTGACG
75181 GGGTGGGGAG GATGCGGCAC CGGGCGTGGG ACGAGAGGCC GTCTGCCTG GGTGCCGCGG
75241 CCGGAGAGCG GGGAGTGGGG CGCCGGAGAA CCGGCGGGAG GGATTCTGT CCCGGGGTTC
75301 CCGCGTCTCT CCGGCCGGCC GCGCGCGAGC TGTCCGTGAT GCGCGTCGTG CCACTCCGTC
75361 CCGCGAAGTC GGAACAGTTC CTCACGGGGC GGCCTGGGTG TCAAGAGGCG GGACGGGCCG
75421 GGTTGAGGAC CTCCCGGACG TGGTGCCAGA GGTGCAGGTC GATGTGTTTC AGGAAGTCCG
75481 CCGCCCGGGC CTCCGCGCGG GCCGCTGAC GGGGCGGGCC GCCGGCCGCG CCCTCCCAT
75541 GCTGGTAGGT GAGGTGGAGG CGTTCGAGGG CGTGGCCGAG TACGGCGGGG TCGAGCGGCA
75601 CGATGCGGGA AAGGGCCCCC ACGTAGGGGG GCCACCAGGT GGTGGCGGCC TCTCTGAGCA
75661 GGACGCGGAG CCGGCCGGTC CTGCCGACG CCGCGACGAA GCAGGCCGGT GCGGGGACAG
75721 GGAATCTCAG GAGGGCGTCC GTCTGGGCGG GGTTCCTCTG CCAGCGGTTT CCGCGTTTCG
75781 CGTCTCTCCA CTGGCCGCGG GTGAGGCCGA GCTCGGTCTG GGTCTCGTTG ACGGTGAGTC
75841 CCGCGACGGT ACGGCACTGG GCGAGGGTGC CCGGCTCTTC GACGAGATCG ACCGAGAGC
75901 ACCAGAGGGC CGCCGCGAGG GCCTTACCTT GGGTGTGTC GGGGGTGGCG GTGCCGGCTT
75961 CCCACGCCTC GACGAGGCCG GGGTGCGCGG GGTGTCCGCA GTAGGCGGTG ACGGCCAGG
76021 CGACCTGGCC GAGCGTCAGG CCGAGCTGGG CGCGGACGGC CGCGGCACGG GTGGGATCGA
76081 AGCGGGGCGG GGCATACGGA TCGTCTGCGG GTGGCATAGC GGGACACCGT AGGGACCCCG
76141 CCGTCCACGG CCAAGGGCCG GAACGGTCTC GATGTCTGGT CCGCCGCCCG GCGTTCGGCT
76201 TCTTCGTCGG ATCTCTGAG CCGGCAGACC GTCGATGACC TGCTCTTTCA TGGGAGGAGG

76261	CGGGCAAGCG	GAGAGAAGAG	GAGGCTGAGG	CGACTGTCGG	TTCCTCCAGA	ATCCGCGAGG
76321	AACTGGCGCC	TTCTCTTGGG	GGAGTTGACG	AGGTTCAGGC	CGGGCCATAA	AGTCCCGTCC
76381	CGTCCACAAC	GGAAAAC TTC	TTCCGTCATG	CGAAACCTGT	GGTGACAGCC	GCCCACCCCC
76441	GCGGCTCGCC	CCCATCGGCC	ATGCTCCCCG	TTGCGGCCGT	CCCCCGGCAC	CGGTCACTCT
76501	GCCCACACGC	CCCCGGCAGT	CCGCTGCCCC	CGGGCGGTGT	CTCAAGGACC	TGCCTTGCTG
76561	CCCCGCGCCA	CTGACCACGC	ATCGCCGACC	CCACCCCATC	CGGTGACGA	GATCCTTCCC
76621	GCCGCGCGCA	TGCTGCCCCG	CGCCCTCCAA	CACGTGGCGA	GCATGTACCC	CGGCCTGACC
76681	GCACCACCGC	TGATCATCAG	CAGCGCCCTG	GGGCTGACCC	CGGCCAGCT	CTCCGCCCTC
76741	CTGGCCGCCG	CGCTGCTGAT	CGCCGGGCTC	GGCACGATCG	CCCAGACCTT	CGGCGTCTAC
76801	GGCGGTCGCG	CCGGGTTGCC	CCTCGTCAAC	GGCGTCTCGT	TCGCCGTCTT	GTCAACGGCG
76861	CTCGCCACCG	CCGCCACCCA	GGGGCGCGAC	GGCGCCCTCC	CGGCGATCTT	CGGGGCCACC
76921	CTCGTGGCGG	GA CT CCTCTG	CCTGCTCCTC	GCTCCCGTCT	TCTGCCGACT	GGTCAGGTTT
76981	TTCCACCCGG	TCGTCAGCGG	CTGCGTCATC	ACCCTGGTCG	GCATCTCCCT	CCTGCCGGTC
77041	GCCGGCACCT	GGGCCCGGGG	CGGAGACGCC	GAAGCCGCCG	GCTTCGGCTC	CCCCGCCGAC
77101	CTGGCCCTGG	CGGCGACGAC	CCTCGTCATC	ACCCTGACCG	TGCACCGCAT	GCTCTCGGGC
77161	CGCTTCTCTG	GGCGGGTCGC	CATCCTCATC	GGCATGCTCG	CGGGCACCTT	GATCGCGATC
77221	CCGCTGGGCA	AGGTGACCTT	CGACCCCTC	GCCCAGGCGC	CCCTCTTCGC	CCTGCCCCACG
77281	CCCTTCGGCT	TCGGCACCCC	GCAGTTCGTC	CCCACCGTGA	TCGCCACCGC	CGCGGTCTGT
77341	ATGATCGTGT	CCATGATGGA	GTCCACCGCC	GCGCTGCTGG	CGCTGGGCGC	GGTCGCCGAA
77401	CGGCCGGTCC	GGGACCGGAC	CATCGCCGGA	AGCCTCCGCG	CCCTCGGCCCT	CGCCACGGTC
77461	CTCGGCGGCG	TCCTCGGCTC	GTTACACAGC	ACGTGCTACG	CGCAGAACGT	CGGCCTGGTC
77521	TCCCTCAGCC	GGATCCGCAG	CCGCTATGTG	GTACGCTCTT	GCGGCGCCGT	CCTCGTCTCT
77581	ATGGGCTTCG	TGCCCGTCTT	GGGCTCGTTC	GTGCCCCTCG	TCCCTCTGCG	CGTCTCTGGC
77641	GGTGCGGGGG	TGGTCTTCTT	CGGCTCCGTC	GCCGTACGCG	GCATCCGTAC	GCTGGCCAAG
77701	GCCGCCCTCG	GCACCGGACA	CAACGCTGTG	ATCGTCTCCG	TCACCTTCGC	CTTCGGTCTC
77761	TTCCCCGTCC	TGGACCCGGA	CTTCTACGCC	CGTCTTCCCG	CCCCGGTGCG	GACCGTGCTC
77821	GGCTCGGGGA	TCACCGCCGG	CTGCCTGGTC	GCGGTCTCTC	TCAACTACCT	CCTGAACCAC
77881	CTGGGCCGCG	GCACCGAGGC	CGACCCGAC	GCGATCTCCG	CGGAACAGGT	CACCGCCCTC
77941	GACACCGCGG	ACACCGTCTT	CGGGCCGAAG	CGTTCTCTCC	ACTGGACGCC	CTTCCAGCCC
78001	TCCGGCAGCC	CCTCCGGCAC	CCCTGACCAC	GGCCGTCACA	CCAGGGGCAC	GGCACGGCCC
78061	GCTCCCGCCT	GGCCCTACGT	GACCGGCCCC	GTGGACCCCA	CCGACACCGG	GCGGCACCAC
78121	CGGCCGACG	AGGTTCCGGC	GCCGCCCCAC	CGACCAGACG	AGGTGCCCCC	GCCGCTCCAC
78181	CCCTCTGCCG	CTCACGAAGG	CGAACCCCCG	CCCGCCGTCA	CCGAGAACGC	GGTCTTTCCC
78241	GGACCGCTCC	ACCCGCTCCA	CCCGCTCCAC	CCCCGGCCCA	CCGGTCGTCC	CGACCGTCCC
78301	CGGCAACGGC	ACAGTGCGGA	GGCCGACCCC	TGGCAGCATC	CGCAGACCCC	CTCCGCATCC
78361	GGCGACAGCC	AGTAGAGACG	ACCTCCCCCG	ACCTCTTCGC	AGAGCCCGGG	ATCGCACAGG
78421	CCCGGCGGAG	AGGTGGCGCC	GACCCACCCG	ACCACCGCCG	GAAGCGCCCC	CGGGGACCCG
78481	TGTCCACCGG	ATTCCCCGGC	GACAAGACGA	GGTAGCCCCG	ATGACCACCG	TTTCCGCCCG
78541	CCGCCACCGT	GCGGGCGGCT	CCCCGCGCGG	CGGCACGTCC	CGCCCGGGCC	CCGACGAGAG
78601	AATCGCCCG	GTCGTGGCCG	AGGCCCTCGG	ATCCGCCCGG	ACGGTCTCTG	ACCCGGATGC
78661	GCTGCCCGGC	CTCGGCACCA	CGCGACTCCC	GTTCGGCGAC	GGGAGGTTCT	ACGCGGCGAT
78721	GATGCTCTGC	AACGCCCCCG	GCGTCCCCGA	CGCGCTCTCG	CGGCTCGGGG	AACTGCGCCG
78781	CGTGACACGG	GGCCCCGTCT	TGGTCTCTCG	GACCGACCCC	TCGCGGTCTC	GCTCGTTCTG
78841	GCTGGACCGG	TACGCCCCCG	AGGTCTCTGG	CGTCGAAGCG	CGGCGTCATC	CGCCGATCGC
78901	CGATCTGACC	GCCGTCTCTG	GGGGTTCCGC	CGAGGTGCGG	AGCGTCCCCG	TTCCCTCTCG
78961	CTGCACCGAC	ACCTTCGACG	AGGCGTACTA	CGGAAGACCC	GAGAAGCTCC	TGGACCCGTC
79021	GGCCCGCCAG	GCGGGGTCGG	CCTGGAGCTT	CGTGGACGAC	CGGGTCCGCG	AGGAGTTCTG
79081	CACGACCCCT	CGCCGCGAAC	TCCGCTCGGG	GGAGTGGGAC	GAGCGCTTCG	GCCACCTCCG
79141	CCGCCGGGCC	GTCTACGAGG	GATCACTGGT	GATCGTCCGT	GCCGTCCCCC	GACGTCCTCC
79201	CGGGGACGCG	CCACCCCGGG	GGTCGCGTCA	GCGGTCTCCG	GCCAGGTGCC	CGGAGAGCTC
79261	GCGCATCAGC	GTCTCGTGCT	GCTGGAGCAG	GTAGAAGTGG	CCGCCGGGCA	GGACCCGTAC
79321	CCGGAAGCCC	TCGGGTGCGA	CATCCGCCCA	GGCGTCCATG	TCCCTTACCG	CCACGTTCCG
79381	ATCCGTGTCT	CCGATCCAGG	CGTGACCCGG	ACAGCCGACG	GCGGTGGGGA	CGCGGGGGCC
79441	GTAGGTGCTC	ACCACGGTGA	AGTCCGCCCG	GACCGCGGGC	AGCACGAGCT	GTCGGATGTC
79501	CGGGTCGTCA	AGCAGGGCGG	TATCGGTCCC	GCCGAGCCCC	CGCAGTACGG	CGACCACTCT
79561	GTCGTCCCCC	TTCCGGTGCA	GGTCGAGCGG	GGTCAGCCGG	TGCGGGGCCCT	TGCGGCTGGA
79621	GACGTGGAGG	GCGCGGGGCG	TGACGCGGTG	CCGCTCTCTC	AGGCGCAGCG	CCACCTCGTA

79681 GGCCAGGGAC GCGCCCATGC TGTGGCCGAA GAGCGTCAGG GGCACGTCCG CGAGCGGCAG
79741 CAGTGCCGCC GTGACCCGGT CGGCGAGCAC GTCCATCCGG TCGACGAACG GCTCGTTGAA
79801 CCGTCTCTGG CGTCCGGGGT ACTGCGCCAC CAGGACCTCG GTGTCGCCCG CGAAGGCGCT
79861 GCCCCAGGCG TGGAAGAAGC TCGCGGAACC GCGCGCGTGC GGCAGGACCG CCAGCCGCCG
79921 CCGGGGCGCG GGAGTGCTGG AGTACCTGCG GAACCACGTC GTGCTGTCCG TGCCGGTCTG
79981 CATGTGTGCG TACACCCCGT CCTCGGGTTC TTGGGGTGCC AGTGTCCCCG CAGGGCCCCG
80041 TGTCCGGACG CCGTGGGGGT CCGGTGGCGA GCGCTTACG TGTCCCCCG CTTCGGGAC
80101 CGGCGGCCGC ACACGTGTGC GCGCCACGA ACACCAGGGT GCGTGGGGGC CGATGCGTGT
80161 TTCGAGTCCT GGTCTGACGA TTTCAGGCCG AAAGATATGT CGGACTTTAC AGCTGCGATC
80221 GAAGCCGATC GATAATGCCG TGGACGGGTA ACGTCGGAAT CACTCGGTGC TCTTGAGCGC
80281 ACCACTCACG TTGACGACCT CGTGGCACTC CCGCGCCTGC TGTCCCGTGC CGGGCGTACC
80341 GGGCTTCGTG CAGGTCACGT CGATGGTCAC GGTGTCTTC GCGCCGATCC TGATGGGAGT
80401 CACCCAGTGG TAGTCCTGGT TGCGGAACGT CTCCAGCGCG ATCGTGGTGA TCTTGCGGTC
80461 CCCGAAGGTG ATCGTCATCA CCCCTTCGTC ACCCTGGAAG TTCGCGACAA CGATGTCCGT
80521 GATCCCGAAC ACGGTCTTCT CCGGGACCGT GTACGTCCCC GTCCTGGACT GTCCCGCTCC
80581 CGACCTCAGG TCGATGGTGG CCGAGCTCTG CCGTCCCCCG CCGGTGCGCG TGCCGTGCGC
80641 CGTGCCCGCC GAACCGTCGT CCGCGCCGCC CGCTCCACCG CCCGATCCCG GCTTCTGGCT
80701 GCTGCCCGCC GACGGCCCGC CCGGGCCGGG GGAGGAGCCG TCCGAGCCGC TCTCCGTCCG
80761 GACCGGGCGG GGCTGCACCG CCTGGGTGGC CGCCTCCTCG GCGGCGCTGC GCACGGCCGG
80821 CCGGACCAGC GTGAACCAGG CGATCAGCAG CGCGATCAGC GCCGCGAGCA GCAGGAGCAG
80881 CCACCTGGGG AAGACCGGTA TCTGGACGAA CTCCGCGTCC AGCGTCGGCG CCGTGTGGGG
80941 CTCCTCGCGC CGGTCTCTCG TCTGCTCCGG CTCGCCGTC TCGCGGGCGT CCACGGTGAA
81001 CCGCCAGACC ACGGGGTCGC CGAACCACAC CGGGCTCGCG GTGCGGACCC GCAGCCGGAG
81061 TTCTTTCGAC TCGCCCGGCT CCGCGCCGGC CTCCGCGCGC GTGAAGGCGA ACCGAGCTC
81121 CTCGCCCGCC TGCCCGGGCG TGAACCCAC CCGTACCGGG GTGTTGCCCT GGTGCGGAC
81181 GGCCAGCAGA TAGCGGCCCC GGAGCCAGCC GCGCCGGCGG CGCGGCGAGA GGTCCGTCCG
81241 CAGCTCGTGG AACGCGCCGA CGCGACCAC GGTCTCCAGG ACCTTGACCG ACTCGGGCTG
81301 CTCGTTCCGG AGGATCCGTA CACCGAGGGG CAGCTCGCCG GCCCGTGTCT CCGGCGAGCG
81361 CGGCGGTGCC AGACGGAGCG TCACCGTCTC GGACGTGCCG GGATAGAGGG AGAGCCGCTC
81421 GGGCTCGACG GTGGTCCATT CCGCACCGTC ACCGACGACC TTCAGGTCTG ACCTCTGAC
81481 GATGTCACTG TCGTTGCGGA CCGTCAGGGT GGTGGTGGCG ATGTGCCCCG GCGTACCGGA
81541 CACGGCCGGG ATGTGAGGGC CCGGCGCACC GGGACCGGAG GAGGCTGCGG AAGGCGTCAC
81601 CCGCCCCACC GTAGGAGACC TGACAGATCC GTACGAGGCA CGCGAGGGCA ATGTCCGGGC
81661 AGCTCGGCTG CCCGGCAAGC ACAAGTCAAC TCTCCGGTAA CAATGGATT TTAGTCTGGA
81721 GAGCCGCCCT CGGCACACCA CCGGCCCCGT GTCCGGCTCGT GTCGTGTCCG CCTTCCCCC
81781 ACCGACCAGG GAAAACAGGT ATCCGATGTT CCGCACCGAG GAGAAGAGGC CGGTGCGGAC
81841 CGGCATCTAC GCGCATGACG CCGTCCGGGG CCACCCGGAC GCCCATGGCG CCGGCTTCGG
81901 CCGCCCGCGC CGCGTCACCG TGGCGGTCTA CGCCGCGGAC CCCGTGCTGC GGGTCGCGCT
81961 CGTCCAACAG CTCCGCCAGC GCGCCGAGAC CGAGCTCGTC GACGACGCGG ACGCGGAGAA
82021 CGCGCAGGTC TCCCTGGTCG TCGTCGACGC CCTCGACGAC GACGTGACCG CCCTGCTGAC
82081 CCGGCTGAGC TACAACGGCG CCACCCGCGC GGGACTCGTG ATCGGCACCC TCGGCGTCGG
82141 GGCGCTCCAA CGCGTCTCG AGTGCGGGGT GTCGGCGGTG CTGCGCCGCG CCGAGGCCGA
82201 CCAGGACCAG CTCGTCCAGC TGGTCTTGGC GGTGGCCAAC GGCAGGGGCG TGCTCCCGGG
82261 CGACCTGCTC GCGGAGTTAC TGGGACACGT CCGCAGCCTG CGCCGCGCGG CCTCGACCC
82321 CGGCGCCCTG CCCCTCTCCA CCTCACCAG CAGGGAGGCG GAGATGCTGC GCCTGGTCTC
82381 GGAGGGCCTG GACACCGCGG CGATCGCCCG CAAGACCTCG TACTCCGAGC GGACCGTGAA
82441 GAACGTCTG CACGAGATCA CCACCCGCCT CCAACTGCGC AACCAGCGCC ACGCCGTGGG
82501 CTACGCGCTC CGCAACGGGC TGATATGACC GTCCCGTCCG GACCGCGGCC CGGCGGCCGG
82561 CGCGACAGCC GGAGGGAAGG CGGCGCTGCC CCAAAGTGCA TCCCGCCCTT CCCCCGGGTG
82621 CGGCCCCCGG GCCCTCCCGC CGCGTCGCGC GCGCGCGCAC GATGACGGGG GTGGACGGCA
82681 GGTGCCGCAC CGGACGGAGA AGGGCACCGT GATGAAGACC GCTGGCCCCG GTGGACGGCA
82741 CCGCCGGGGG AGACTCGCCT CCGCGCTCCT GCTGCTCGTC CCCCTGCTGG GCGCGACGGG
82801 CGTGGCCGGG CCGGACGACC CCGGACCGC GCGGCGCGCG GCGGACGCGG CCGAGACCAC
82861 CCGCATCGCC TACGCGGGCA CCGGCCACCG CAGCCTCGGC GAACCGGCCT CCACCGACTC
82921 CAGCACCCCG CTGTTCCGAG CCGGACCCAC CCACTACGAC ACCGACCCGT CCGCCCTCGG
82981 CGACCGGCTG GTCTTCGCGA GCGCGCGCGA CGAGAAGCAC CCCAGATCT ATCTGCGGGG
83041 CGCCGACGGC GGAGTCTGTC GGCTCACCAG CCGCCTGGAC GCGGCCCCGC CCGGCTCAC

83101	CCCGGACGGC	GGGTCGGTGC	TCTTCGACGC	CGCCGACCCG	GCCGGCGGCT	CCCAGCGCGA
83161	CCTGTGGCTG	GTGCGCACCG	ACGGCACCCG	GCTGACCCGG	CTGACGGACA	CGCCCGCCAG
83221	CGAGGAGGAC	CCGGCGGTCT	CCCCCGACGG	CGCCCGGATC	GCCTACTCCA	GCGACGCCGA
83281	CCCCCTGGCC	GGGCGGCAGA	TCTACGTCCG	CGCCCTCACG	GGCGGCATCC	CCACCCGGCT
83341	CACCGACCCG	GCCCGCGGCA	CGGCCTCCGA	GCCCGCCTGG	AACCCCGTCG	ACGACGACGT
83401	CAACCGCGCG	TGGATCGCGT	ACACGTCGAC	CACGACCGAG	GACGGGCGGA	CCAGGCAGCG
83461	GCTGCGGATC	ACCGACGGCA	CCACCGACGA	GACCCCTGTT	ACCGGCGCCT	ACGCGAAGTG
83521	GCAGGGCCAC	GGGGCGGCAT	GGCTGCCCCG	CGGGGACGGG	ATCGTGTTCC	TCAGCCCCGA
83581	GACCACCTGC	ACCTGCAGGA	CCCCCTACGA	CCACGTCTTC	CGGTGCGTCG	TGCACGCCGA
83641	CCGGGAACCC	TCCCTGCTGC	TCGACGAGGA	CCGCGACGTC	CTCTCGCCCC	CTGGATCGGG
83701	CACCGCCGAG	GGCGGCCACG	CGATCGTCGA	GCGCAGCTCG	GCGGCGACCG	CGCACACGGC
83761	GACCCTCCAG	GACATCCGCG	CGGACGGTTC	CGACCCGCGC	GACCTGCAGC	GGAAGATCCT
83821	GCGCGAGGAC	CCCCAGGCCG	ACACCAACAC	CGACCCCGCC	AAGGATCCGC	TCTTCCAGCC
83881	CGCGCCCCCG	TTCGACCCGT	GGACCGAACG	GCAGAACTAC	ACCCCGGACG	GGCGCCGCCT
83941	CGTCTCACC	CGCTTCGAGG	GCCCCGACGA	CGCGCGGATC	GAGCGGATCT	GGACGGCCGA
84001	CGCCGACGGT	ACGAACGAGG	CGCCGATGCC	CCTCGACGGG	CGCGGCGCGC	GGGACTGGGA
84061	CACCGACCCG	ACGTTCTCCC	CGGACGGCAC	CCGCCTGGCC	TTCACCCGCA	CCTCGCCCGG
84121	CGGGGTGCGC	GAGGCCGCGG	GAGACAGCCG	CATCCTCCTC	GCCGAGGTCT	CCACCGGCCG
84181	GATCACCGGA	GAGATCGTGC	CCCCGGCCCG	TGAACCTCCG	GGCGGGGACG	CCCAGCCGAC
84241	CTGGTCCTCC	GACGGCACCA	CCCTGGCCTT	CACCCGCGCC	CGGCAGATCG	CCGGGGGCGG
84301	CGGCAGCAAG	CACGTGTGGA	CCGCGTCCAC	GGCTGACCTG	ACCCGGCAGC	GCGACCTGAG
84361	CGCGACGCAC	TGCCCCGCGG	ACTGCGACGT	CATCGACGAC	AGCCCCGCTT	TCTCGCCCCG
84421	CGGACGCTCC	CTCGCCTTCA	ACCGCAAGAA	CGGCGGCGGG	CGGATCGACG	AGCGCAACGG
84481	ACTGCTCCTG	ACCACCTGT	CCGGCGACGC	CTGCCAGGTC	CTGCTGCCCC	CCGCGCCCCG
84541	CGGCCAGGAC	GGCGCGTGCG	AGCGGGAACT	GCCGGACACC	ACGCTCACCG	GTCCGCACCA
84601	GCCGCGCGAC	GCCGCTTGGA	CCGCCGACGG	CAAGAGGCTG	GTCTTCAGCT	CCCGGGCCGC
84661	GGCCGCGGTC	AACAGCCCCG	AGAAGCTGAA	CGTCCTGGAC	GTGCGCTCCG	GTGACATCAC
84721	CCCGCTCACC	GCCGAGCTCG	CCGGACGCCA	GAAGGAACCC	ACCGTCCAGC	AGTCCGTGGA
84781	CCTCGCCGTC	GAGGCACCCG	CCACGACGCC	CGACGTCACC	GTGCGGCGGT	CCGGCACGGT
84841	CACCGTCCAC	GTGGTCAACC	ACGGTCCCCG	CGCCTCGCCC	GGCACCCTGG	TCACCGTCGT
84901	CCCGCCGTCC	GGTGTGCGGA	TCACCGGGAT	CGAGTGGCCC	GGCGGCACCT	GCGACGCCGC
84961	CTCCCTCCAG	TGCGACCTGG	GCGTCGTCGA	GGCCGGAGCC	CAGGTCCCCG	TGGACGTCAC
85021	GCTCACCGGC	GTCACCGCCG	GCGACGCACC	CGTCGACTGG	TCGGTCACCG	GCGCCGTCTT
85081	CGACCCCCCG	CCCGGCGACA	ACGACGGCCG	GAGCGTGATC	CCCGTACCGG	AGGCACCCCC
85141	GACGCCGACC	CCCACGCCGA	CGCCGACCCC	CACGCCACCC	CCGACCCCGA	CTCCGACGCC
85201	GACCCCCACC	CGGACCCCGA	CGCCACCCCC	GACTCCGACC	CGGCCCCCGC	AGCCCCCCGC
85261	GCCGAAGGCC	GGACCCGGGG	TGCGGATCAC	CGTCCAGCCC	GAGCCCGGCT	ACGTGCGCGG
85321	ACGCGTCGTC	GTCACGTACA	GCGTCCGCAA	CGGCCGCAAC	GCGCTCGCCA	CCGGACTCCG
85381	GCTCAGGATC	GGAATGCCCC	CCGGGGTGCC	CCACGGCGGA	CTTCCGGCGG	GCTGCGACCG
85441	GAACGGCGCG	TGCGCGCTGC	CCGACCTCAC	CCCGGGCACG	ACCGCCGTCC	TGCGGGTCGT
85501	CCTCAGCCCG	AAGAAGGCGA	TGACCGCCCG	CGTCACGGCC	GTGCTCGACA	CCACCGGCAC
85561	GGACGCCGAC	CGCAGCGACA	ACACCGCCCG	GGAGCGGCTG	CGCGTCTCTC	AGCCGCGCAT
85621	CGTCGCGGTG	CCCGACATCG	GCAAGCCCGG	ATTCTGTCAC	TCCGTCCGAG	GCGTGGACTT
85681	CCCGCCCGGC	GTCCCGGTGC	GCTTCAGCTG	GAACCCCGGG	ATCACCGCCG	CCGCCTCGCC
85741	GACCTTCCCG	GAGGCCGACG	GCACGTTTCAT	CGGACAGCTC	CTCATCTCTG	CCAAGGACCA
85801	GACCGGGCCG	CGCACCATCA	CGGCCTCGGG	CCCCGGATTG	TCCCCGGTGA	AGACCGACTT
85861	CCTGGTCTGC	AGCGGCACCG	TCCAGCCGCC	GGACGGGGTG	ACTCGCCGGT	GATCC

Example 2 Construction of a “Clean” Host Strain, *S. fradiae* K159-1

[0102] This example describes the preparation of the clean host, *Streptomyces fradiae* K159-1, a strain in which the *tylGI*, *tylGII*, *tylGIII*, *tylGIV*, and *tylGV* genes have been deleted. Plasmid pKOS159-5 was first constructed as follows. Two fragments flanking the *tylG* genes were PCR amplified from *S. fradiae* genomic DNA using the following primers:

tylGI left flank:

forward 5'-TTTGCATGCGATGTTGACGATCTCCTCGTC [SEQ ID NO: __];

reverse 5'-GGAAGCTTCATATGTTCTCTCCGGAATGTG [SEQ ID NO: __];

tylGVI right flank:

forward 5'-TTAAGCTTCTAGAGAGGAGAGGCCGTGAAC [SEQ ID NO: __];

reverse 5'-AAAGAATTCTGAAGCTCGAGCACGGACTCGTTG [SEQ ID NO: __].

[0103] The *Sph* I, *Hind* III and *Eco*R I restriction sites are underlined. The two fragments were then cloned into pSET152 using the underlined restriction sites and corresponding sites in pSET152 [see Bierman, M., Logan, R., O'Brien, K., Seno, E.T., Nagaraja, R. & Schoner, B.E. (1992). Plasmid cloning vectors for the conjugal transfer of DNA from *Escherichia coli* to *Streptomyces* spp. *Gene* 116:43-49]. The resulting plasmid was named pKOS159-5. This plasmid no longer contains the *int-φC31* gene and *attP* locus from pSET152 and therefore serves as a suicide vector for delivery by homologous recombination.

[0104] Spores of *S. fradiae* 99 (Russia) were prepared by harvesting from strain grown on 1-2 AS-1 plates [see Wilson, V.T.W. and Cundliffe, E. (1998). Characterization and targeted disruption of a glycosyltransferase gene in the tylosin producer, *Streptomyces fradiae*. *Gene* 214: 95-100], filtering the spores through sterile cotton, and resuspending in 1 ml of 20% glycerol [see Hopwood, D.A., et al. (1985). *Genetic Manipulation of Streptomyces: A Laboratory Manual*. The John Innes Foundation, Norwich, UK]. Spore suspensions were stored at -20 °C. A 20 µl aliquot of the spore suspension was added to 5 mL of 2xYT and incubated at 30 °C with shaking. After two days, the cultures were diluted 1:50 and incubated at 30 °C with shaking for 3 h. After that 1 mL of the cultures were collected by centrifugation (recipient cells). Donor cells were prepared by transforming *E. coli* S17-1 with pKOS159-5 and selecting for apramycin

resistance only. Several colonies were picked off the primary transformation plate and used to inoculate 5 ml of LB with chloramphenicol (10 µg/ml) kanamycin (100 µg/ml) and apramycin (60 µg/ml). The cells were grown at 37 °C for 4 h (OD₆₀₀ of 0.4-0.6), collected by centrifugation, washed in 5 mL LB, centrifuged, and resuspended in 100 µl of LB. Conjugal transfer between the donor and recipient cells was performed by resuspending the recipient cells in the 100 µl donor suspension and spreading the cells on AS-1 plates. After incubated at 37 °C for 16-20 h the plates were then overlayed with 3 mL of soft nutrient agar containing 1 mg nalidixic acid and 1.5 mg apramycin. Exconjugants were observed after 48 h of further incubation at 30 °C.

[0105] Apramycin resistant colonies were analyzed by PCR to confirm single crossovers at both flanking regions. One colony was selected for carrying out a double crossover as follows. The strain was grown on AS-1 plates non-selectively until well-sporulated. Spores were harvested, dilutions were plated on AS-1 plates, and single colonies were screened for loss of apramycin resistance. A single apramycin sensitive colony was isolated which did not produce tylosin. The double crossover was confirmed by PCR. This strain was named *S. fradiae* K159-1.

[0106] *Streptomyces fradiae* K159-1 was deposited under the terms of the Budapest Treaty with the American Type Culture Collection, 10801 University Blvd., Manassas, VA, 20110-2209, on 12 March 2003, with accession number PTA-5060.

Example 3 Construction of *S. fradiae* K159-1/244-17a, A “Clean” Host Expressing Methoxymalonyl Biosynthetic Enzymes

[0107] *Streptomyces fradiae* K159-1/244-17a is derived from strain K159-1 (Example 2) by addition of the *fkbGHIJK* genes from *Streptomyces hygroscopicus* var. *ascomyceticus* ATCC 14891, which encode proteins catalyzing the biosynthesis of methoxymalonyl-ACP.

[0108] The putative methoxymalonyl-ACP biosynthetic genes from *S. hygroscopicus* ATCC 14891 (*fkbGHIJK*) are arranged with the 3' end of *fkbG* (encoding an O-methyl transferase) overlapping by 6 codons the 3' end of *fkbH* (encoding an unknown function), which is the last gene of a convergent operon that begins with *fkBB* (one of the PKS genes) and ends with the genes *fkBK*, *J*, *I* and *H*. To facilitate expression of these genes in *S. fradiae*, an operon was constructed beginning with *fkBK* and ending with *fkBG*, all in the same direction. This was done using PCR to clone *fkBG* with flanking restriction sites to allow its 5' end, with its existing

Shine-Dalgarno sequence, to be fused to the 3' end of *fkbH*. This operon was then placed behind the *tylG* promoter in a pSAM2-based vector, which was introduced in *S. fradiae* clean host K159-1 by conjugation. Exconjugants were selected and named K159-1/244-17a.

[0109] *Streptomyces fradiae* K159-1/244-17a was deposited under the terms of the Budapest Treaty with the American Type Culture Collection, 10801 University Blvd., Manassas, VA, 20110-2209, on 12 March 2003, with accession number PTA-5053.

Example 4 Construction of an operon containing all five chalcomycin PKS genes and expression in *S. fradiae*

[0110] A construct comprising the genes encoding *chmGI-V* was constructed as follows: The 3' end of *ChmGV* was obtained by PCR with pKOS146-185.10 as the template and the following primers (Chalco-1A: GACACGGCCGGTGAGAGCAGC [SEQ ID NO: __] and Chalco-1B: CTTCTAGATGTCGCGGTGTACGG [SEQ ID NO: __]). The 942 bp PCR product was digested with *NcoI* and *XbaI*, the 309 bp fragment was gel isolated, and the fragment ligated into the same sites of Litmus29 to give pKOS342-33. That plasmid was cut with *NcoI* and *XhoI* and ligated to a 2.4 kb *NcoI-XhoI* fragment from pKOS146-185.10 to give pKOS342-35. That plasmid was digested with *BglII* and *XhoI* and ligated with a 6.4 kb *BglII-XhoI* fragment (including *chmGIV* and the 5' region of *chmGV*) from pKOS146-185.10 to create pKOS342-36 (containing *chmGIV* and *GV*).


[0111] A 5.4 kb *HindIII/ PstI* fragment containing the 5' half of *chmGIII* was isolated from pKOS146-185.1 and a 6.3 kb *PstI/BglII* fragment containing the 3' half of *chmGIII* was isolated from pKOS146-185.10. These two pieces were ligated into Litmus28 cut with *HindIII* and *BglII* to obtain pKOS342-38. Plasmid pKOS342-36 was cut with *BglII* and *SpeI*, the 9 kb fragment was gel isolated and the fragment ligated to the *BglII* and *SpeI* sites of pKOS342-38 to obtain pKOS342-39.

[0112] Plasmid pKOS232-172 (described in Example 5), containing *chmGI* and *GII* was cut with *NdeI* and *HindIII* and the 19 kb fragment was isolated. Plasmid pKOS342-39 was digested with *HindIII* and *SpeI* and the 20 kb fragment was isolated. These two fragments were then ligated into the vector portion of an expression cosmid, pKOS244-20 (gel isolated 8 kb *NdeI-SpeI* fragment). The resulting plasmid (pKOS342-45) was recovered using in vitro λ phage packaging (Stratagene) and infection of *E. coli* DH5 α . The correct clone was identified by

restriction enzyme analysis and the plasmid was moved into *E. coli* DH5 α /pUB307 and conjugated into *S. fradiae*.

[0113] Expression of PKS genes in *S. fradiae* (in this and the following examples) were under the control of the tylosin PKS promoter (tylGI_p, see Rodriguez et al., "Rapid engineering of polyketide overproduction by gene transfer to industrially optimized strains" *J Ind Microbiol Biotechnol*).

[0114] Apramycin resistant colonies were obtained, shown to secrete bioactive compounds, and grown vegetatively in 5 mL TSB medium (+ 30 μ g/ml apramycin) at 30°C for 48 h. Two mL of seed culture was inoculated into 40 ml Russia (R) medium (15 g/L whole wheat flour, 10 g/L corn gluten hydrolyzate (Sigma), 25 g/L beet molasses, 2.5 g/L brewer's yeast, 1 g/L (NH₄)₂HPO₄, 1 g/L NaCl, 2 g/L CaCO₃, and 34 g/L soybean oil) in 250 ml baffled shake flasks. After a 7 days growth at 30°C, the culture broth was analyzed for 16-membered macrolide production by HPLC (Metachem Metasil Basic column, 4.6x150 mm, 5 μ m particle) using linear gradient from 15 to 100% organic phase (56% methanol, 5mM ammonium acetate) at 1 ml/min over 7 min. The HPLC used simultaneous detection by electrospray mass spectrometry (Turbo Ionspray source) and UV absorption at 282 nm. LC-MS analysis of the broth showed that several chalconolide derivatives were produced. The most abundant compounds were purified and shown to have the structures below. The 3-keto also forms the enol tautomer.



Example 5 Construction of *Streptomyces fradiae* K232-192 Expressing a Hybrid Chalcomycin-Spiramycin PKS

[0115] *Streptomyces fradiae* K232-192 is derived from strain K159-1/244-17a (Example 3) by addition of hybrid chalcomycin-spiramycin PKS genes, which encode proteins catalyzing the biosynthesis of 14-methylplatenolide. The chalcomycin genes were obtained from cosmid pKOS146-185.1, which was deposited under the terms of the Budapest Treaty with the American

Type Culture Collection, 10801 University Blvd., Manassas, VA, 20110-2209, on 19 February 2003, with accession number PTA-4961.

[0116] The first two genes of the chalcomycin PKS were isolated from the cosmid pKOS146-185.1 as EcoRI/XhoI and XhoI/BspHI fragments, and a coding sequence for a spiramycin PKS C-terminal linker attached to 3' end. The EcoRI site is near the 5' end of *chmG1*. The EcoRI/XhoI fragment was cloned into a modified Litmus28 with a synthetic linker inserted in order to create an appropriate translation start sequence. The altered region of the Litmus28 polylinker between the AflIII and EcoRI sites in this plasmid (pKOS232-165) is given below. The plasmid with the *chmG* fragment was pKOS232-168A.

AflIII PacI SD NdeI EcoRI
CTTAAGGGTTAATTAAGGAGGACACATATGTCCGGAATTC [SEQ ID NO. ____]
M S G E F

[0117] The XhoI/BspHI fragment was ligated between the XhoI and NcoI sites of Litmus28 to give pKOS232-156. The two fragments were then joined to give pKOS232-172.


[0118] Starting with overlapping cosmid pKC1306 (described in US Pat No. 5945320 to Eli Lilly Company), a cassette containing the last three ORFs of the spiramycin PKS was constructed as follows. An AvrII site was introduced at the 3' end of *srmG5* by PCR from a natural MluI site to the 3' end. The PCR product was cut with MluI and AvrII, gel isolated and ligated into a Litmus-based vector (pKOS232-75B) between the same sites to give pKOS231-118A. The 7 kb BamHI/MluI fragment from cosmid pKC1306 was subcloned in Litmus38 (New England Biolabs) to give pKOS231-113A. The 3.8 kb BamHI/MluI fragment of pKOS231-118A was gel isolated and ligated with the 7 kb BamHI/MluI fragment of pKOS231-113A to give pKOS231-120. The 7 kb BsrGI/BamHI fragment from pKC1306 was subcloned in Litmus38 to give pKOS231-113B. The 6.2 kb PstI/BamHI fragment from pKOS231-113B was cloned into Litmus28 to give pKOS231-122. The 7.5 kb BamHI/AvrII fragment was isolated from pKOS231-120 and ligated with pKOS231-122, which was cut with BamHI and AvrII and dephosphorylated, to give pKOS231-124. The 3.1 kb BamHI/SpeI fragment from pKOS231-118B (which contained a PCR fragment that created a 5' end for *srmG3*) and the 7.5 kb BamHI/AvrII fragment from pKOS231-120 were isolated and ligated to give pKOS231-130. The 14 kb BamHI fragment was isolated from pKC1306 and subcloned in Litmus28 to give

pKOS231-111B. The 14 kb BamHI fragment was isolated from pKOS231-111B and ligated to pKOS231-130 cut with BamHI and dephosphorylated, to give pKOS231-132.


[0119] To attach a coding sequence for a spiramycin PKS C-terminal linker to the 3' end of *chmGII*, a HindIII site was introduced at the 3' end of *srmG2* using PCR with pKOS231-112B as template. The engineered HindIII site was positioned with respect to the reading frame to match that of the natural HindIII site in the chalcomycin *chmGII* gene. The resulting PCR product was cut with HindIII and BamHI (a natural site) and ligated into the same sites of pKOS231-114A to give pKOS232-178. This was then joined to pKOS231-132 at the BsrGI site to give pKOS232-182. The *chmG1,2* cassette was isolated from pKOS232-172 as an 18 kb NdeI/HindIII fragment and the *srmG3,4,5* cassette was isolated from pKOS232-182 as a 20 kb HindIII/AvrII fragment. These fragments plus a pSET152-based vector having the *tylG* promoter (the vector portion gel isolated from pKOS244-20) were joined in a three-piece ligation and recombinants were recovered by in vitro lambda phage packaging and infection of *E. coli*. Correct constructs were identified by restriction analysis (pKOS232-184A) and transferred into *E. coli* DH5 α /pUB307.

[0120] The resulting *E. coli* DH5 α /pUB307 cells were conjugated with *S. fradiae* K159-1/244-17a (Example 3) to produce *Streptomyces fradiae* K232-192. *Streptomyces fradiae* K232-192 was deposited under the terms of the Budapest Treaty with the American Type Culture Collection, 10801 University Blvd., Manassas, VA, 20110-2209, on 12 March 2003, with accession number PTA-5052. Conjugation was performed as described in Practical Streptomyces Genetics (Kieser et al., 2000) except that plates were left overnight at 37°C before overlaying with the selective agent (apramycin and naladixic acid). Apramycin resistant exconjugants were streaked for single colonies and a set of clones were patched onto R5 plates and inoculated into tryptic soy broth (40 ml in 250 ml shake flasks). Both the solid and liquid media contained apramycin (to select for pKOS232-184A) and kanamycin (to select for pKOS244-17A). Liquid and solid cultures were grown at 30°C. Agar plugs taken from most patches on R5 showed bioactivity when placed on an *M. luteus* test lawn. The agar was extracted with ethyl acetate and found to contain a compound of 730 amu. TSB seed cultures at 2-3 days were used to inoculate fermentation media and these cultures were grown for 7-10 days at 28°C. Upon extraction with ethyl acetate the 730 amu compound (730-I) was isolated and its structure verified by NMR as shown below. In addition, LC-MS analysis of the filtered culture broth showed abundant production of a 586 amu and a 730 amu (730-II) compound, and a 714


amu compound and a smaller amount of a 904 amu compound (most likely representing 14-methyl-platenolide with all three sugars attached). Thus, the chalconomycin-spiramycin hybrid PKS synthesized the predicted 14-methyl platenolide.




730 amu (730-I)




586 amu



730 amu
(730-II)



714 amu



904 amu

Example 6 Construction of *Streptomyces fradiae* K344-51 Expressing a Hybrid
Chalcomycin-Spiramycin PKS and the *chmH* Gene


[0121] The *chmH* gene was cloned from cosmid pKOS146-185.1, which was deposited under the terms of the Budapest Treaty with the American Type Culture Collection, 10801 University Blvd., Manassas, VA, 20110-2209, on 19 February 2003, with accession number PTA-4961.

[0122] A 6.3 Kb EcoRI fragment containing the *chmH* gene and a small downstream ferredoxin gene was cloned from cosmid pKOS146-185.1 into Litmus28 to give pKOS344-10B. This was then cut with SacI and religated to give pKOS344-016 having a 2.1 Kb insert. An NdeI site was introduced at the start of translation and an internal NdeI site was simultaneously replaced with a PstI site (without changing the amino acid sequence) in a three-piece ligation using two PCR products ligated between the EcoRI and BamHI sites of pKOS344-016 to give pKOS344-022B. The unique FseI site in pKOS344-022B was changed to an XbaI site with a synthetic linker and the *chmH* gene plus ferredoxin gene were excised with NdeI and XbaI and ligated into the expression vector, pKOS342-108D, between the NdeI and AvrII sites to give pKOS344-037B. This vector was transferred into DH5 α /pUB307, and conjugated into K232-192 (Example 5). Exconjugants were selected with thiostrepton and streaked for single colonies to yield *S. fradiae* K344-51.

[0123] The vector for integration of *chmH*, pKOS342-108D, uses the *int* and *att* functions of *Streptomyces* phage ϕ BT1. All *S. fradiae* strains were plated on AS1 agar for sporulation, R5

agar for solid media production, or grown in liquid TSB for vegetative growth and Russia medium for production. All appropriate antibiotics for selection of integrated markers were added to the media, except for the production stage.

[0124] Expression of the *chmH* gene (with its downstream ferredoxin) dramatically increased hydroxylation of the 14-methyl. A 906 amu compound was detected. This is the structure expected when all post-PKS tailoring of the tylosin pathway occurred, along with an additional reduction adding two hydrogen atoms. The methanol adduct characteristic of the aldehyde is not seen for the 906 amu compound, and reduction of the aldehyde most likely accounts for the addition of the two hydrogen atoms.



[0125] In addition, there appear to be a significant amount of 730 amu (730-I) compound that has the aldehyde and is hydroxylated on the 14-methyl. This is deduced by the presence of the methanol adduct (762 amu) and the fact that the 730 amu compound now elutes later from the C18 column compared with the 730 amu carboxylic acid seen prior to expression of *chmH*.

[0126] Without intending to be bound by a specific mechanism, Figure 2 shows proposed pathways for post-PKS modification of the chalcomycin-spiramycin hybrid PKS macrolide product in the absence or presence of ChmH. When ChmH is present, the post-PKS reaction sequence from the Chm/Srm hybrid essentially follows that for tylosin and gives the 904 amu structure, which is converted by reduction of the aldehyde to a 906 amu compound. This reduction of the aldehyde has been described for tylosin (to give relomycin). Knockout of genes for allose biosynthesis or its transfer (*tylJ*), would give the demycinosyl compound of 730 amu (with the 14-hydroxymethyl and the aldehyde).

Example 7 Expression of a *chmGI-GII* operon with the *tylG2* C-terminal linker in *S. fradiae* K105-2

a) Construction of the *S. fradiae tylD* knockout strain K168-173

[0127] The *tylD* knockout plasmid was constructed from two PCR products encompassing 1.8 kb regions upstream and downstream of the *tylD* gene using PCR primers that introduced new restriction sites. The upstream PCR product was cut with EcoRI and PstI and the downstream product was cut with PstI and SphI. These were then ligated together between the EcoRI and SphI sites of pUC19 and the sequence was verified. The resulting plasmid, pKOS168-106, has about 80% of the *tylD* gene deleted between the artificial PstI sites. This plasmid was introduced into *S. fradiae* by conjugation from *E. coli* DH5 α /pUB307 and apramycin resistant exconjugants were obtained. Three were found by PCR to be the result of homologous recombination at the expected *tylD* locus and these were grown in the absence of selection and screened for the second crossover. Apramycin sensitive clones were isolated and some were found that produced demycinosyltylosin (DMT) by LC-MS analysis of the fermentation broths. The strain was designated *S. fradiae* K168-173.

b) Construction of *S. fradiae tylD* K105-2

[0128] The *S. fradiae* DMT (demycinosyltylosin) producer (K168-173) described above was used to introduce a KS-1 null mutation in the tylosin PKS. The plasmids pKOS168-190 and pKOS268-145 were digested with EcoRI and EcoRV and the 6.2kb and 2.6kb fragments, respectively, were gel isolated and ligated together to give pKOS264-65. A mutation was introduced into pKOS264-65 using PCR to change the active site cysteine of the tylosin KS1 to alanine, with the simultaneous introduction of an NheI site, to give pKOS325-8. Finally, pKOS325-8 and pKOS241-52 were digested with PvuII and XbaI and ligated together to give pKOS264-76. Plasmid pKOS264-76 was conjugated into the DMT producer strain *S. fradiae* K168-173 (Example 5) from *E. coli* DH5 α /pUB307 and exconjugants were selected for apramycin resistance. Clones that underwent the correct first crossover event were identified by Southern blot analysis and one of these was propagated without selection to allow a second crossover. DNA from clones that had become apramycin sensitive was digested with XmaI/NheI and analyzed by Southern blot. Three clones had the pattern consistent with that expected for the desired second crossover to leave the KS1-null mutation in the chromosome. This strain was


designated *S. fradiae* K105-2, and was shown to produce no tylosin-related structure, but could convert O-mycaminosyl-tylonolide (OMT) into demycinosyl-tylosin (DMT).

c) Construction of a *chmGI-GII* operon with the *tylG2* C-terminal linker

[0129] The *tylG2* C-terminal linker region was isolated by PCR from a pSET-based vector encoding the including the entire tylosin PKS (pKOS168-190). The primers used were TylLink-A: 5'-TGAAGCTTCCCGCCACGCTGGTG-3' [SEQ ID NO: __] and TylLink-B: 5'-CGTCTAGACAGGGTGTGAAACCG-3' [SEQ ID NO: __]. This created a HindIII site at the same position of the encoded sequence corresponding to the natural HindIII site in the linker region of *chmGII*. The amplicon was cut with HindIII and XbaI and ligated into Litmus29 to give pKOS342-78. The tylosin linker region of pKOS342-78 was excised using HindIII and XbaI, and then ligated into HindIII and XbaI-digested pKOS232-172 (Example 5) to create pKOS342-82. This hybrid piece was then cut out with NdeI and XbaI and ligated to a pSET-based vector (pKOS232-189) cut with NdeI and SpeI to create the pSET152-based expression vector, pKOS342-84.

d) Expression of a *chmGI-GII* operon with the *tylG2* C-terminal linker in *S. fradiae* K105-2

[0130] The expression vector pKOS342-84 was transferred to *E. coli* DH5 α /pUB307 and conjugated into *S. fradiae* K105-2 (this example, above). Apramycin resistant colonies were isolated and fermented in production medium. The broth was analyzed by LC-MS and found to contain the compound shown below. The *chm*/*tyl* hybrids differ from the *chm*/*srm* hybrids only by having a 4-methyl in place of a 4-methoxy, apparently making the *chm*/*tyl* good substrates for the TylH hydroxylase.



714 amu

[0131] All publications and patent documents cited herein are incorporated herein by reference as if each such publication or document was specifically and individually indicated to be incorporated herein by reference.

[0132] Although the present invention has been described in detail with reference to specific embodiments, those of skill in the art will recognize that modifications and improvements are within the scope and spirit of the invention, as set forth in the claims which follow. Citation of publications and patent documents is not intended as an admission that any such document is pertinent prior art, nor does it constitute any admission as to the contents or date of the same. The invention having now been described by way of written description, those of skill in the art will recognize that the invention can be practiced in a variety of embodiments and that the foregoing description are for purposes of illustration and not limitation.